

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 83.00/100.00 (83.00%)

Max Score: 83.00

Rank: 1

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 100.00

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 83.00/100.00 (83.00%)

Max Score: 83.00

Rank: 1

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 100.00

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 82 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 83.00

Total Positive Marks: 83.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|--------------|
| 15.00 | 20.00 | 18.00 | 13.00 | 17.00 | 83.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 75.00/100.00 (75.00%)

Max Score: 83.00

Rank: 2

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 90.36

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 75.00/100.00 (75.00%)

Max Score: 83.00

Rank: 2

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 90.36

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 74 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 75.00

Total Positive Marks: 75.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 15.00 | 15.00 | 16.00 | 15.00 | 14.00 | 75.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE (ID No. 10185)

Your Score: 69.00/100.00 (69.00%)

Max Score: 83.00

Rank: 3

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 83.13

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | BC | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE (ID No. 10185)

Your Score: 69.00/100.00 (69.00%)

Max Score: 83.00

Rank: 3

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 83.13

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 97 (**Correct:** 68 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 13.00 | 16.00 | 13.00 | 13.00 | 14.00 | 69.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 66.00/100.00 (66.00%)

Max Score: 83.00

Rank: 4

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 79.52

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 66.00/100.00 (66.00%)

Max Score: 83.00

Rank: 4

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 79.52

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 97 (**Correct:** 65 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 16.00 | 12.00 | 11.00 | 17.00 | 66.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 65.00/100.00 (65.00%)

Max Score: 83.00

Rank: 5

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 78.31

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 65.00/100.00 (65.00%)

Max Score: 83.00

Rank: 5

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 78.31

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 64 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 12.00 | 16.00 | 11.00 | 18.00 | 65.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 64.00/100.00 (64.00%)

Max Score: 83.00

Rank: 6

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 77.11

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 64.00/100.00 (64.00%)

Max Score: 83.00

Rank: 6

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 77.11

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | AB | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | AD | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | AC | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 63 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 12.00 | 14.00 | 15.00 | 6.00 | 17.00 | 64.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 63.00/100.00 (63.00%)

Max Score: 83.00

Rank: 7

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 75.90

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 63.00/100.00 (63.00%)

Max Score: 83.00

Rank: 7

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 75.90

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | CD | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 62 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|--------------|
| 12.00 | 18.00 | 14.00 | 6.00 | 13.00 | 63.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 62.00/100.00 (62.00%)

Max Score: 83.00

Rank: 8

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 74.70

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 62.00/100.00 (62.00%)

Max Score: 83.00

Rank: 8

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 74.70

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 17.00 | 14.00 | 7.00 | 14.00 | 62.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 62.00/100.00 (62.00%)

Max Score: 83.00

Rank: 8

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 74.70

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 62.00/100.00 (62.00%)

Max Score: 83.00

Rank: 8

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 74.70

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 61 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 13.00 | 14.00 | 11.00 | 14.00 | 62.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 62.00/100.00 (62.00%)

Max Score: 83.00

Rank: 8

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 74.70

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 62.00/100.00 (62.00%)

Max Score: 83.00

Rank: 8

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 74.70

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | BD | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 12.00 | 13.00 | 15.00 | 6.00 | 16.00 | 62.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 61.00/100.00 (61.00%)

Max Score: 83.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 73.49

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 61.00/100.00 (61.00%)

Max Score: 83.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 73.49

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|--------------|
| 12.00 | 15.00 | 13.00 | 9.00 | 12.00 | 61.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NIRAL NAREN NIKHADE (ID No. 10143)

Your Score: 61.00/100.00 (61.00%)

Max Score: 83.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 73.49

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NIRAL NAREN NIKHADE (ID No. 10143)

Your Score: 61.00/100.00 (61.00%)

Max Score: 83.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 73.49

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 96 (**Correct:** 60 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 14.00 | 14.00 | 9.00 | 15.00 | 61.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 61.00/100.00 (61.00%)

Max Score: 83.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 73.49

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 61.00/100.00 (61.00%)

Max Score: 83.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 73.49

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |

Total Question: 100 **Attempted:** 91 (**Correct:** 60 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 14.00 | 15.00 | 11.00 | 11.00 | 61.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJ SINGH K. CHUNGADE (ID No. 10188)

Your Score: 61.00/100.00 (61.00%)

Max Score: 83.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 73.49

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJ SINGH K. CHUNGADE (ID No. 10188)

Your Score: 61.00/100.00 (61.00%)

Max Score: 83.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 73.49

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 12.00 | 16.00 | 9.00 | 14.00 | 61.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA SANJAY SHARMA (ID No. 10403)

Your Score: 61.00/100.00 (61.00%)

Max Score: 83.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 73.49

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA SANJAY SHARMA (ID No. 10403)

Your Score: 61.00/100.00 (61.00%)

Max Score: 83.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 73.49

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 12.00 | 16.00 | 9.00 | 15.00 | 61.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 60.00/100.00 (60.00%)

Max Score: 83.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 72.29

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | AB | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 60.00/100.00 (60.00%)

Max Score: 83.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 72.29

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 96 (**Correct:** 59 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 7.00 | 17.00 | 13.00 | 7.00 | 16.00 | 60.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 60.00/100.00 (60.00%)

Max Score: 83.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 72.29

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 60.00/100.00 (60.00%)

Max Score: 83.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 72.29

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 59 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 13.00 | 11.00 | 14.00 | 8.00 | 14.00 | 60.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE (ID No. 10474)

Your Score: 60.00/100.00 (60.00%)

Max Score: 83.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 72.29

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE (ID No. 10474)

Your Score: 60.00/100.00 (60.00%)

Max Score: 83.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 72.29

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 75 (**Correct:** 59 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 7.00 | 13.00 | 17.00 | 6.00 | 17.00 | 60.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 59.00/100.00 (59.00%)

Max Score: 83.00

Rank: 11

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 71.08

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 59.00/100.00 (59.00%)

Max Score: 83.00

Rank: 11

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 71.08

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 96 (**Correct:** 58 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 16.00 | 14.00 | 5.00 | 15.00 | 59.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 59.00/100.00 (59.00%)

Max Score: 83.00

Rank: 11

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 71.08

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 59.00/100.00 (59.00%)

Max Score: 83.00

Rank: 11

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 71.08

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 96 (**Correct:** 58 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 14.00 | 14.00 | 9.00 | 13.00 | 59.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 59.00/100.00 (59.00%)

Max Score: 83.00

Rank: 11

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 71.08

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 59.00/100.00 (59.00%)

Max Score: 83.00

Rank: 11

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 71.08

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 13.00 | 12.00 | 9.00 | 16.00 | 59.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE (ID No. 10430)

Your Score: 59.00/100.00 (59.00%)

Max Score: 83.00

Rank: 11

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 71.08

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE (ID No. 10430)

Your Score: 59.00/100.00 (59.00%)

Max Score: 83.00

Rank: 11

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 71.08

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 82 (**Correct:** 58 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 13.00 | 12.00 | 12.00 | 6.00 | 16.00 | 59.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 59.00/100.00 (59.00%)

Max Score: 83.00

Rank: 11

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 71.08

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 59.00/100.00 (59.00%)

Max Score: 83.00

Rank: 11

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 71.08

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 13.00 | 16.00 | 5.00 | 17.00 | 59.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 57.00/100.00 (57.00%)

Max Score: 83.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 68.67

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 57.00/100.00 (57.00%)

Max Score: 83.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 68.67

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 94 (**Correct:** 56 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 11.00 | 11.00 | 11.00 | 12.00 | 12.00 | 57.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 57.00/100.00 (57.00%)

Max Score: 83.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 68.67

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 57.00/100.00 (57.00%)

Max Score: 83.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 68.67

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 56 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 7.00 | 14.00 | 14.00 | 8.00 | 14.00 | 57.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV V. SONAWANE (ID No. 10437)

Your Score: 57.00/100.00 (57.00%)

Max Score: 83.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 68.67

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV V. SONAWANE (ID No. 10437)

Your Score: 57.00/100.00 (57.00%)

Max Score: 83.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 68.67

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |

Total Question: 100 **Attempted:** 92 (**Correct:** 56 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 13.00 | 14.00 | 10.00 | 11.00 | 57.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 57.00/100.00 (57.00%)

Max Score: 83.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 68.67

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 57.00/100.00 (57.00%)

Max Score: 83.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 68.67

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 11.00 | 14.00 | 12.00 | 9.00 | 11.00 | 57.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE (ID No. 10459)

Your Score: 57.00/100.00 (57.00%)

Max Score: 83.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 68.67

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE (ID No. 10459)

Your Score: 57.00/100.00 (57.00%)

Max Score: 83.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 68.67

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 93 (**Correct:** 56 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 11.00 | 13.00 | 13.00 | 8.00 | 12.00 | 57.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 57.00/100.00 (57.00%)

Max Score: 83.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 68.67

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 57.00/100.00 (57.00%)

Max Score: 83.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 68.67

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |

Total Question: 100 **Attempted:** 89 (**Correct:** 56 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 16.00 | 14.00 | 12.00 | 8.00 | 7.00 | 57.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 15.00 | 11.00 | 9.00 | 13.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHA RAJNISH GHOPE (ID No. 10142)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHA RAJNISH GHOPE (ID No. 10142)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 11.00 | 15.00 | 10.00 | 11.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 11.00 | 11.00 | 12.00 | 7.00 | 15.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 7.00 | 13.00 | 12.00 | 7.00 | 17.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 7.00 | 10.00 | 14.00 | 11.00 | 14.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 10.00 | 13.00 | 7.00 | 17.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 13.00 | 15.00 | 11.00 | 6.00 | 11.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 6.00 | 12.00 | 13.00 | 10.00 | 15.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV P. THAKARE (ID No. 10436)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV P. THAKARE (ID No. 10436)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 14.00 | 10.00 | 10.00 | 9.00 | 13.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 10.00 | 13.00 | 7.00 | 16.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 13.00 | 11.00 | 10.00 | 12.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 56.00/100.00 (56.00%)

Max Score: 83.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 67.47

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 13.00 | 16.00 | 12.00 | 6.00 | 9.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 55.00/100.00 (55.00%)

Max Score: 83.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 66.27

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 55.00/100.00 (55.00%)

Max Score: 83.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 66.27

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 7.00 | 10.00 | 10.00 | 14.00 | 14.00 | 55.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 55.00/100.00 (55.00%)

Max Score: 83.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 66.27

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 55.00/100.00 (55.00%)

Max Score: 83.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 66.27

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | BCD | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 7.00 | 9.00 | 12.00 | 12.00 | 15.00 | 55.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 55.00/100.00 (55.00%)

Max Score: 83.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 66.27

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 55.00/100.00 (55.00%)

Max Score: 83.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 66.27

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 9.00 | 8.00 | 11.00 | 10.00 | 17.00 | 55.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 55.00/100.00 (55.00%)

Max Score: 83.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 66.27

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 55.00/100.00 (55.00%)

Max Score: 83.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 66.27

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 10.00 | 9.00 | 14.00 | 10.00 | 12.00 | 55.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 54.00/100.00 (54.00%)

Max Score: 83.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 65.06

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 54.00/100.00 (54.00%)

Max Score: 83.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 65.06

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 97 (**Correct:** 53 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 6.00 | 12.00 | 13.00 | 9.00 | 14.00 | 54.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAHSIKANT Y. DESHMUKH (ID No. 10171)

Your Score: 54.00/100.00 (54.00%)

Max Score: 83.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 65.06

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | BC | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAHSIKANT Y. DESHMUKH (ID No. 10171)

Your Score: 54.00/100.00 (54.00%)

Max Score: 83.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 65.06

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 53 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 11.00 | 12.00 | 6.00 | 16.00 | 54.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 54.00/100.00 (54.00%)

Max Score: 83.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 65.06

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | BD | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 54.00/100.00 (54.00%)

Max Score: 83.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 65.06

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 53 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 7.00 | 13.00 | 13.00 | 9.00 | 12.00 | 54.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 54.00/100.00 (54.00%)

Max Score: 83.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 65.06

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 54.00/100.00 (54.00%)

Max Score: 83.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 65.06

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 97 (**Correct:** 53 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 11.00 | 14.00 | 10.00 | 3.00 | 16.00 | 54.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 54.00/100.00 (54.00%)

Max Score: 83.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 65.06

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 54.00/100.00 (54.00%)

Max Score: 83.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 65.06

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 97 (**Correct:** 53 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 10.00 | 12.00 | 10.00 | 13.00 | 54.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 54.00/100.00 (54.00%)

Max Score: 83.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 65.06

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 54.00/100.00 (54.00%)

Max Score: 83.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 65.06

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 53 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 11.00 | 11.00 | 8.00 | 14.00 | 54.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 53.00/100.00 (53.00%)

Max Score: 83.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 63.86

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 53.00/100.00 (53.00%)

Max Score: 83.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 63.86

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|------|-------|---------|-------|
| 11.00 | 14.00 | 8.00 | 10.00 | 10.00 | 53.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TUSHAR INGLE

(ID No.10183)

Your Score: 53.00/100.00 (53.00%)

Max Score: 83.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 63.86

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TUSHAR INGLE

(ID No. 10183)

Your Score: 53.00/100.00 (53.00%)

Max Score: 83.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 63.86

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 **(Correct: 52 Incorrect: 47)** **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|--------------|
| 5.00 | 12.00 | 13.00 | 11.00 | 12.00 | 53.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 53.00/100.00 (53.00%)

Max Score: 83.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 63.86

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 53.00/100.00 (53.00%)

Max Score: 83.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 63.86

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 52 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|--------------|
| 10.00 | 9.00 | 14.00 | 9.00 | 11.00 | 53.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 53.00/100.00 (53.00%)

Max Score: 83.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 63.86

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 53.00/100.00 (53.00%)

Max Score: 83.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 63.86

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | BD | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 13.00 | 15.00 | 4.00 | 12.00 | 53.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJASHREE MILIND RELE (ID No. 10445)

Your Score: 53.00/100.00 (53.00%)

Max Score: 83.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 63.86

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJASHREE MILIND RELE (ID No. 10445)

Your Score: 53.00/100.00 (53.00%)

Max Score: 83.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 63.86

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 52 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 11.00 | 13.00 | 12.00 | 6.00 | 11.00 | 53.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHATAKSHI AJAY MULEY (ID No. 10460)

Your Score: 53.00/100.00 (53.00%)

Max Score: 83.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 63.86

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHATAKSHI AJAY MULEY (ID No. 10460)

Your Score: 53.00/100.00 (53.00%)

Max Score: 83.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 63.86

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 81 (**Correct:** 52 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 16.00 | 12.00 | 4.00 | 13.00 | 53.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANJIRI SUSHIL GIRHE (ID No. 10138)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANJIRI SUSHIL GIRHE (ID No. 10138)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 6.00 | 10.00 | 14.00 | 8.00 | 14.00 | 52.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYANK MOHAN LAKRAS (ID No. 10139)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYANK MOHAN LAKRAS (ID No. 10139)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 11.00 | 13.00 | 5.00 | 13.00 | 52.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | AD | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 12.00 | 12.00 | 4.00 | 16.00 | 52.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 11.00 | 14.00 | 5.00 | 14.00 | 52.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN (ID No. 10194)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN (ID No. 10194)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 12.00 | 11.00 | 11.00 | 3.00 | 15.00 | 52.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | AB | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 10.00 | 9.00 | 13.00 | 6.00 | 14.00 | 52.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | AC | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 52.00/100.00 (52.00%)

Max Score: 83.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 62.65

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | BD | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 93 (**Correct:** 51 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 15.00 | 11.00 | 8.00 | 10.00 | 52.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 51.00/100.00 (51.00%)

Max Score: 83.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 61.45

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 51.00/100.00 (51.00%)

Max Score: 83.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 61.45

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 7.00 | 11.00 | 12.00 | 10.00 | 11.00 | 51.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHAIRYA DHIRAJ SHARMA (ID No. 10124)

Your Score: 51.00/100.00 (51.00%)

Max Score: 83.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 61.45

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | AC | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHAIRYA DHIRAJ SHARMA (ID No. 10124)

Your Score: 51.00/100.00 (51.00%)

Max Score: 83.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 61.45

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | AB | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 93 (**Correct:** 50 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 5.00 | 12.00 | 14.00 | 8.00 | 12.00 | 51.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 51.00/100.00 (51.00%)

Max Score: 83.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 61.45

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 51.00/100.00 (51.00%)

Max Score: 83.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 61.45

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 11.00 | 15.00 | 10.00 | 5.00 | 51.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 51.00/100.00 (51.00%)

Max Score: 83.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 61.45

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 51.00/100.00 (51.00%)

Max Score: 83.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 61.45

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 87 (**Correct:** 50 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 6.00 | 7.00 | 14.00 | 9.00 | 15.00 | 51.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 51.00/100.00 (51.00%)

Max Score: 83.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 61.45

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | AC | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 51.00/100.00 (51.00%)

Max Score: 83.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 61.45

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 50 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 7.00 | 12.00 | 12.00 | 10.00 | 10.00 | 51.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 51.00/100.00 (51.00%)

Max Score: 83.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 61.45

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 51.00/100.00 (51.00%)

Max Score: 83.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 61.45

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | BD | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | CD | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 90 (**Correct:** 50 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 12.00 | 11.00 | 8.00 | 12.00 | 51.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 50.00/100.00 (50.00%)

Max Score: 83.00

Rank: 19

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 60.24

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 50.00/100.00 (50.00%)

Max Score: 83.00

Rank: 19

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 60.24

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 6.00 | 9.00 | 13.00 | 5.00 | 17.00 | 50.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RITESH S. GAIKWAD (ID No. 10154)

Your Score: 49.00/100.00 (49.00%)

Max Score: 83.00

Rank: 20

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 59.04

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RITESH S. GAIKWAD (ID No. 10154)

Your Score: 49.00/100.00 (49.00%)

Max Score: 83.00

Rank: 20

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 59.04

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 87 (**Correct:** 48 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|------|-------|---------|-------|
| 6.00 | 13.00 | 7.00 | 7.00 | 16.00 | 49.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 49.00/100.00 (49.00%)

Max Score: 83.00

Rank: 20

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 59.04

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 49.00/100.00 (49.00%)

Max Score: 83.00

Rank: 20

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 59.04

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 93 (**Correct:** 48 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 6.00 | 11.00 | 13.00 | 8.00 | 11.00 | 49.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 48.00/100.00 (48.00%)

Max Score: 83.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 57.83

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 48.00/100.00 (48.00%)

Max Score: 83.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 57.83

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | CD | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 8.00 | 8.00 | 13.00 | 8.00 | 11.00 | 48.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DINESH SOLANKE (ID No. 10189)

Your Score: 48.00/100.00 (48.00%)

Max Score: 83.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 57.83

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | AC | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DINESH SOLANKE (ID No. 10189)

Your Score: 48.00/100.00 (48.00%)

Max Score: 83.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 57.83

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 7.00 | 7.00 | 12.00 | 10.00 | 12.00 | 48.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 48.00/100.00 (48.00%)

Max Score: 83.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 57.83

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 48.00/100.00 (48.00%)

Max Score: 83.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 57.83

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|------|-------|---------|-------|
| 8.00 | 10.00 | 9.00 | 8.00 | 13.00 | 48.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 48.00/100.00 (48.00%)

Max Score: 83.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 57.83

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 48.00/100.00 (48.00%)

Max Score: 83.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 57.83

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 9.00 | 9.00 | 14.00 | 6.00 | 10.00 | 48.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 48.00/100.00 (48.00%)

Max Score: 83.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 57.83

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 48.00/100.00 (48.00%)

Max Score: 83.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 57.83

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | AD | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | BD | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 96 (**Correct:** 47 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 11.00 | 10.00 | 5.00 | 13.00 | 48.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHYAATI B. ROUT (ID No. 10134)

Your Score: 47.00/100.00 (47.00%)

Max Score: 83.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 56.63

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHYAATI B. ROUT (ID No. 10134)

Your Score: 47.00/100.00 (47.00%)

Max Score: 83.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 56.63

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 87 (**Correct:** 46 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 10.00 | 7.00 | 13.00 | 3.00 | 14.00 | 47.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 47.00/100.00 (47.00%)

Max Score: 83.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 56.63

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 47.00/100.00 (47.00%)

Max Score: 83.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 56.63

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 7.00 | 10.00 | 12.00 | 4.00 | 14.00 | 47.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYALI SHRAVAN INGLE (ID No. 10170)

Your Score: 47.00/100.00 (47.00%)

Max Score: 83.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 56.63

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYALI SHRAVAN INGLE (ID No. 10170)

Your Score: 47.00/100.00 (47.00%)

Max Score: 83.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 56.63

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 4.00 | 11.00 | 12.00 | 10.00 | 10.00 | 47.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRACHI P. KHANDARE (ID No. 10435)

Your Score: 47.00/100.00 (47.00%)

Max Score: 83.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 56.63

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | AB | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | AD | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRACHI P. KHANDARE (ID No. 10435)

Your Score: 47.00/100.00 (47.00%)

Max Score: 83.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 56.63

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 10.00 | 8.00 | 13.00 | 5.00 | 11.00 | 47.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS J. RAYANE (ID No. 10472)

Your Score: 47.00/100.00 (47.00%)

Max Score: 83.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 56.63

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS J. RAYANE (ID No. 10472)

Your Score: 47.00/100.00 (47.00%)

Max Score: 83.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 56.63

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 88 (**Correct:** 46 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 12.00 | 14.00 | 3.00 | 10.00 | 47.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 46.00/100.00 (46.00%)

Max Score: 83.00

Rank: 23

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 55.42

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 46.00/100.00 (46.00%)

Max Score: 83.00

Rank: 23

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 55.42

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

Total Question: 100 **Attempted:** 96 (**Correct:** 45 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 11.00 | 11.00 | 6.00 | 10.00 | 46.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 46.00/100.00 (46.00%)

Max Score: 83.00

Rank: 23

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 55.42

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 46.00/100.00 (46.00%)

Max Score: 83.00

Rank: 23

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 55.42

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 97 (**Correct:** 45 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 10.00 | 10.00 | 7.00 | 11.00 | 46.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL VIJAY ZATALE (ID No. 10439)

Your Score: 45.00/100.00 (45.00%)

Max Score: 83.00

Rank: 24

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 54.22

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL VIJAY ZATALE (ID No. 10439)

Your Score: 45.00/100.00 (45.00%)

Max Score: 83.00

Rank: 24

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 54.22

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 44 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 9.00 | 3.00 | 12.00 | 6.00 | 15.00 | 45.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHARAT NITIN AGRAWAL (ID No. 10121)

Your Score: 44.00/100.00 (44.00%)

Max Score: 83.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 53.01

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | AD | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHARAT NITIN AGRAWAL (ID No. 10121)

Your Score: 44.00/100.00 (44.00%)

Max Score: 83.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 53.01

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | BC | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|------|-------|---------|-------|
| 7.00 | 13.00 | 4.00 | 9.00 | 11.00 | 44.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 44.00/100.00 (44.00%)

Max Score: 83.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 53.01

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 44.00/100.00 (44.00%)

Max Score: 83.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 53.01

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

Total Question: 100 **Attempted:** 92 (**Correct:** 43 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|------|-------|---------|-------|
| 10.00 | 12.00 | 9.00 | 8.00 | 5.00 | 44.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUJUL P. DESHMUKH (ID No. 10157)

Your Score: 44.00/100.00 (44.00%)

Max Score: 83.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 53.01

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUJUL P. DESHMUKH (ID No. 10157)

Your Score: 44.00/100.00 (44.00%)

Max Score: 83.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 53.01

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 63 (**Correct:** 43 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|------|-------|---------|-------|
| 7.00 | 11.00 | 8.00 | 4.00 | 14.00 | 44.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 44.00/100.00 (44.00%)

Max Score: 83.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 53.01

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 44.00/100.00 (44.00%)

Max Score: 83.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 53.01

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 43 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 10.00 | 12.00 | 1.00 | 12.00 | 44.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE (ID No. 10405)

Your Score: 43.00/100.00 (43.00%)

Max Score: 83.00

Rank: 26

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 51.81

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | AB | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE (ID No. 10405)

Your Score: 43.00/100.00 (43.00%)

Max Score: 83.00

Rank: 26

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 51.81

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | AB | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | BC | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 42 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 6.00 | 10.00 | 10.00 | 6.00 | 11.00 | 43.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 43.00/100.00 (43.00%)

Max Score: 83.00

Rank: 26

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 51.81

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 43.00/100.00 (43.00%)

Max Score: 83.00

Rank: 26

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 51.81

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 86 (**Correct:** 42 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 10.00 | 7.00 | 12.00 | 3.00 | 11.00 | 43.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHIKA DINKAR WAZIRE (ID No. 10444)

Your Score: 43.00/100.00 (43.00%)

Max Score: 83.00

Rank: 26

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 51.81

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHIKA DINKAR WAZIRE (ID No. 10444)

Your Score: 43.00/100.00 (43.00%)

Max Score: 83.00

Rank: 26

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 51.81

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 97 (**Correct:** 42 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 8.00 | 8.00 | 9.00 | 5.00 | 13.00 | 43.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 43.00/100.00 (43.00%)

Max Score: 83.00

Rank: 26

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 51.81

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 43.00/100.00 (43.00%)

Max Score: 83.00

Rank: 26

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 51.81

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | CD | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 93 (**Correct:** 42 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|--------------|
| 5.00 | 9.00 | 15.00 | 3.00 | 11.00 | 43.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 42.00/100.00 (42.00%)

Max Score: 83.00

Rank: 27

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 50.60

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 42.00/100.00 (42.00%)

Max Score: 83.00

Rank: 27

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 50.60

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 41 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 7.00 | 9.00 | 12.00 | 6.00 | 8.00 | 42.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEDHAVI AJAY JOSHI (ID No. 10424)

Your Score: 42.00/100.00 (42.00%)

Max Score: 83.00

Rank: 27

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 50.60

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | CD | W | 0.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEDHAVI AJAY JOSHI (ID No. 10424)

Your Score: 42.00/100.00 (42.00%)

Max Score: 83.00

Rank: 27

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 50.60

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 9.00 | 8.00 | 10.00 | 4.00 | 11.00 | 42.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 42.00/100.00 (42.00%)

Max Score: 83.00

Rank: 27

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 50.60

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | BD | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 42.00/100.00 (42.00%)

Max Score: 83.00

Rank: 27

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 50.60

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |

Total Question: 100 **Attempted:** 78 (**Correct:** 41 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 9.00 | 6.00 | 11.00 | 7.00 | 9.00 | 42.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMEY NARENDRA SURE (ID No. 10106)

Your Score: 41.00/100.00 (41.00%)

Max Score: 83.00

Rank: 28

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 49.40

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | CD | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMEY NARENDRA SURE (ID No. 10106)

Your Score: 41.00/100.00 (41.00%)

Max Score: 83.00

Rank: 28

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 49.40

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 5.00 | 6.00 | 12.00 | 5.00 | 13.00 | 41.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 41.00/100.00 (41.00%)

Max Score: 83.00

Rank: 28

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 49.40

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 41.00/100.00 (41.00%)

Max Score: 83.00

Rank: 28

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 49.40

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 8.00 | 9.00 | 5.00 | 6.00 | 13.00 | 41.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH N. MANKE (ID No. 10431)

Your Score: 40.00/100.00 (40.00%)

Max Score: 83.00

Rank: 29

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 48.19

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH N. MANKE (ID No. 10431)

Your Score: 40.00/100.00 (40.00%)

Max Score: 83.00

Rank: 29

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 48.19

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |

Total Question: 100 **Attempted:** 63 (**Correct:** 39 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|------|-------|---------|-------|
| 14.00 | 13.00 | 1.00 | 11.00 | 1.00 | 40.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 39.00/100.00 (39.00%)

Max Score: 83.00

Rank: 30

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 46.99

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 39.00/100.00 (39.00%)

Max Score: 83.00

Rank: 30

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 46.99

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 38 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|------|-------|---------|-------|
| 10.00 | 9.00 | 8.00 | 7.00 | 5.00 | 39.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 39.00/100.00 (39.00%)

Max Score: 83.00

Rank: 30

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 46.99

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 39.00/100.00 (39.00%)

Max Score: 83.00

Rank: 30

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 46.99

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 38 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 7.00 | 7.00 | 9.00 | 6.00 | 10.00 | 39.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI P. JADHAV (ID No. 10466)

Your Score: 39.00/100.00 (39.00%)

Max Score: 83.00

Rank: 30

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 46.99

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI P. JADHAV (ID No. 10466)

Your Score: 39.00/100.00 (39.00%)

Max Score: 83.00

Rank: 30

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 46.99

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 82 (**Correct:** 38 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 7.00 | 4.00 | 13.00 | 5.00 | 10.00 | 39.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 37.00/100.00 (37.00%)

Max Score: 83.00

Rank: 31

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 44.58

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 37.00/100.00 (37.00%)

Max Score: 83.00

Rank: 31

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 44.58

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 36 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 37.00

Total Positive Marks: 37.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 9.00 | 7.00 | 7.00 | 4.00 | 10.00 | 37.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 37.00/100.00 (37.00%)

Max Score: 83.00

Rank: 31

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 44.58

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 37.00/100.00 (37.00%)

Max Score: 83.00

Rank: 31

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 44.58

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 71 (**Correct:** 36 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 37.00

Total Positive Marks: 37.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 5.00 | 8.00 | 7.00 | 2.00 | 15.00 | 37.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SCHIN SHINDE (ID No. 10423)

Your Score: 37.00/100.00 (37.00%)

Max Score: 83.00

Rank: 31

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 44.58

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SCHIN SHINDE (ID No. 10423)

Your Score: 37.00/100.00 (37.00%)

Max Score: 83.00

Rank: 31

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 44.58

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 36 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 37.00

Total Positive Marks: 37.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 6.00 | 8.00 | 10.00 | 3.00 | 10.00 | 37.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 35.00/100.00 (35.00%)

Max Score: 83.00

Rank: 32

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 42.17

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | AD | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 35.00/100.00 (35.00%)

Max Score: 83.00

Rank: 32

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 42.17

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | BC | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | CD | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 85 (**Correct:** 34 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|--------------|
| 5.00 | 7.00 | 11.00 | 3.00 | 9.00 | 35.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 34.00/100.00 (34.00%)

Max Score: 83.00

Rank: 33

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 40.96

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 34.00/100.00 (34.00%)

Max Score: 83.00

Rank: 33

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 40.96

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 33 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 7.00 | 7.00 | 4.00 | 7.00 | 9.00 | 34.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 33.00/100.00 (33.00%)

Max Score: 83.00

Rank: 34

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 39.76

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 33.00/100.00 (33.00%)

Max Score: 83.00

Rank: 34

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 39.76

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 97 (**Correct:** 32 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|------|-------|---------|--------------|
| 4.00 | 10.00 | 8.00 | 4.00 | 7.00 | 33.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDASHREE S. KAWARE (ID No. 10476)

Your Score: 33.00/100.00 (33.00%)

Max Score: 83.00

Rank: 34

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 39.76

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDASHREE S. KAWARE (ID No. 10476)

Your Score: 33.00/100.00 (33.00%)

Max Score: 83.00

Rank: 34

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 39.76

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 32 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|--------------|
| 4.00 | 7.00 | 10.00 | 3.00 | 9.00 | 33.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 32.00/100.00 (32.00%)

Max Score: 83.00

Rank: 35

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 38.55

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 32.00/100.00 (32.00%)

Max Score: 83.00

Rank: 35

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 38.55

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 31 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 32.00

Total Positive Marks: 32.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 6.00 | 6.00 | 5.00 | 8.00 | 7.00 | 32.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 31.00/100.00 (31.00%)

Max Score: 83.00

Rank: 36

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 37.35

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | BD | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 31.00/100.00 (31.00%)

Max Score: 83.00

Rank: 36

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 37.35

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |

Total Question: 100 **Attempted:** 83 (**Correct:** 30 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 31.00

Total Positive Marks: 31.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 8.00 | 6.00 | 10.00 | 4.00 | 3.00 | 31.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI P. WAGHMARE (ID No. 10453)

Your Score: 29.00/100.00 (29.00%)

Max Score: 83.00

Rank: 37

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 34.94

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI P. WAGHMARE (ID No. 10453)

Your Score: 29.00/100.00 (29.00%)

Max Score: 83.00

Rank: 37

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 34.94

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | CD | W | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | AD | W | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | BD | W | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 28 **Incorrect:** 70) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 29.00

Total Positive Marks: 29.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 5.00 | 7.00 | 4.00 | 3.00 | 10.00 | 29.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 24.00/100.00 (24.00%)

Max Score: 83.00

Rank: 38

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 28.92

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 94.74 | 44.74 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 2 | 92.98 | 22.81 | 70.18 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 3 | 98.25 | 52.63 | 45.61 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 4 | 96.49 | 21.93 | 74.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 5 | 90.35 | 32.46 | 57.89 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 6 | 90.35 | 21.93 | 68.42 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 7 | 88.60 | 13.16 | 75.44 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 8 | 94.74 | 41.23 | 53.51 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 9 | 92.98 | 27.19 | 65.79 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 10 | 97.37 | 65.79 | 31.58 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 11 | 99.12 | 71.05 | 28.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.37 | 72.81 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 13 | 86.84 | 30.70 | 56.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 92.98 | 53.51 | 39.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 15 | 98.25 | 48.25 | 50.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 16 | 98.25 | 42.98 | 55.26 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 17 | 99.12 | 74.56 | 24.56 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 18 | 99.12 | 20.18 | 78.95 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 19 | 98.25 | 64.04 | 34.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 20 | 100.00 | 47.37 | 52.63 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 21 | 98.25 | 67.54 | 30.70 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 93.86 | 44.74 | 49.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 23 | 97.37 | 35.09 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 24 | 99.12 | 73.68 | 25.44 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 25 | 95.61 | 48.25 | 47.37 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 26 | 92.11 | 59.65 | 32.46 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 27 | 99.12 | 76.32 | 22.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 28 | 97.37 | 30.70 | 66.67 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 29 | 92.11 | 50.88 | 41.23 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 30 | 95.61 | 33.33 | 62.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 31 | 97.37 | 19.30 | 78.07 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 32 | 97.37 | 24.56 | 72.81 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 33 | 96.49 | 21.93 | 74.56 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 34 | 92.11 | 68.42 | 23.68 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 35 | 99.12 | 84.21 | 14.91 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 36 | 98.25 | 78.95 | 19.30 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 99.12 | 88.60 | 10.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 38 | 99.12 | 96.49 | 2.63 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 39 | 98.25 | 42.11 | 56.14 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 40 | 100.00 | 60.53 | 39.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 98.25 | 44.74 | 53.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 42 | 98.25 | 73.68 | 24.56 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 99.12 | 77.19 | 21.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 44 | 97.37 | 74.56 | 22.81 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 98.25 | 80.70 | 17.54 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 46 | 98.25 | 94.74 | 3.51 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 93.86 | 13.16 | 80.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 48 | 93.86 | 49.12 | 44.74 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 49 | 93.86 | 28.07 | 65.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 97.37 | 64.04 | 33.33 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 97.37 | 57.02 | 40.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 52 | 98.25 | 60.53 | 37.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 53 | 93.86 | 50.88 | 42.98 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 24.00/100.00 (24.00%)

Max Score: 83.00

Rank: 38

Min Score: 24.00

TEST: COMPETITIVE TEST 1 (STD10) (ID: 727 DT: 07-Aug-2023)

Percentile: 28.92

Avg Score: 51.16

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.37 | 66.67 | 30.70 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 97.37 | 60.53 | 36.84 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 99.12 | 85.96 | 13.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 97.37 | 78.95 | 18.42 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 58 | 98.25 | 46.49 | 51.75 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 59 | 96.49 | 43.86 | 52.63 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 60 | 97.37 | 34.21 | 63.16 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 61 | 96.49 | 66.67 | 29.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 62 | 95.61 | 55.26 | 40.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 63 | 97.37 | 31.58 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 64 | 94.74 | 44.74 | 50.00 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 65 | 97.37 | 37.72 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 66 | 94.74 | 29.82 | 64.91 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 67 | 94.74 | 42.11 | 52.63 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 68 | 91.23 | 45.61 | 45.61 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 69 | 89.47 | 23.68 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 97.37 | 46.49 | 50.88 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 71 | 94.74 | 35.09 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 72 | 96.49 | 59.65 | 36.84 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 73 | 96.49 | 36.84 | 59.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 74 | 91.23 | 14.91 | 76.32 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 75 | 91.23 | 25.44 | 65.79 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 76 | 97.37 | 42.11 | 55.26 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 77 | 93.86 | 29.82 | 64.04 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 78 | 90.35 | 22.81 | 67.54 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 79 | 91.23 | 13.16 | 78.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 80 | 92.11 | 17.54 | 74.56 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 81 | 98.25 | 81.58 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 82 | 98.25 | 86.84 | 11.40 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 83 | 96.49 | 39.47 | 57.02 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 84 | 96.49 | 42.98 | 53.51 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 92.11 | 24.56 | 67.54 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 86 | 95.61 | 42.98 | 52.63 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 87 | 99.12 | 82.46 | 16.67 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 88 | 93.86 | 71.93 | 21.93 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 89 | 92.98 | 73.68 | 19.30 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | GK+M.A. | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 91 | 97.37 | 17.54 | 79.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 92 | 97.37 | 81.58 | 15.79 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 93 | 95.61 | 70.18 | 25.44 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 94 | 98.25 | 90.35 | 7.89 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 95.61 | 63.16 | 32.46 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 96 | 94.74 | 44.74 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 97 | 94.74 | 66.67 | 28.07 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 98 | 92.11 | 42.11 | 50.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 99 | 93.86 | 50.00 | 43.86 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 100 | 93.86 | 62.28 | 31.58 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |

Total Question: 100 **Attempted:** 39 (**Correct:** 23 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 24.00

Total Positive Marks: 24.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 3.00 | 3.00 | 13.00 | 0.00 | 5.00 | 24.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%