

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 64.00/100.00 (64.00%)

Max Score: 64.00

Rank: 1

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 100.00

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 64.00/100.00 (64.00%)

Max Score: 64.00

Rank: 1

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 100.00

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 64 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	14.00	16.00	11.00	11.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 64.00/100.00 (64.00%)

Max Score: 64.00

Rank: 1

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 100.00

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 64.00/100.00 (64.00%)

Max Score: 64.00

Rank: 1

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 100.00

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 64 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	15.00	18.00	11.00	11.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 62.00/100.00 (62.00%)

Max Score: 64.00

Rank: 2

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 96.88

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 62.00/100.00 (62.00%)

Max Score: 64.00

Rank: 2

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 96.88

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	14.00	15.00	11.00	15.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 57.00/100.00 (57.00%)

Max Score: 64.00

Rank: 3

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 89.06

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 57.00/100.00 (57.00%)

Max Score: 64.00

Rank: 3

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 89.06

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 57 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	15.00	15.00	13.00	8.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 56.00/100.00 (56.00%)

Max Score: 64.00

Rank: 4

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 87.50

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 56.00/100.00 (56.00%)

Max Score: 64.00

Rank: 4

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 87.50

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	14.00	13.00	6.00	13.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 55.00/100.00 (55.00%)

Max Score: 64.00

Rank: 5

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 85.94

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 55.00/100.00 (55.00%)

Max Score: 64.00

Rank: 5

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 85.94

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 93 (**Correct:** 55 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	16.00	12.00	10.00	9.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 54.00/100.00 (54.00%)

Max Score: 64.00

Rank: 6

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 84.38

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 54.00/100.00 (54.00%)

Max Score: 64.00

Rank: 6

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 84.38

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	10.00	16.00	11.00	9.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAVI SUNIL LADDHA (ID No. 92008)

Your Score: 53.00/100.00 (53.00%)

Max Score: 64.00

Rank: 7

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 82.81

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAVI SUNIL LADDHA (ID No. 92008)

Your Score: 53.00/100.00 (53.00%)

Max Score: 64.00

Rank: 7

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 82.81

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 53 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	10.00	13.00	11.00	8.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 52.00/100.00 (52.00%)

Max Score: 64.00

Rank: 8

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 81.25

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 52.00/100.00 (52.00%)

Max Score: 64.00

Rank: 8

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 81.25

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 52 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	13.00	14.00	8.00	10.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 49.00/100.00 (49.00%)

Max Score: 64.00

Rank: 9

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 76.56

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 49.00/100.00 (49.00%)

Max Score: 64.00

Rank: 9

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 76.56

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	10.00	10.00	7.00	12.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 47.00/100.00 (47.00%)

Max Score: 64.00

Rank: 10

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 73.44

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 47.00/100.00 (47.00%)

Max Score: 64.00

Rank: 10

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 73.44

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 47 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	10.00	10.00	8.00	10.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 47.00/100.00 (47.00%)

Max Score: 64.00

Rank: 10

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 73.44

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 47.00/100.00 (47.00%)

Max Score: 64.00

Rank: 10

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 73.44

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	12.00	13.00	4.00	11.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 46.00/100.00 (46.00%)

Max Score: 64.00

Rank: 11

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 71.88

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 46.00/100.00 (46.00%)

Max Score: 64.00

Rank: 11

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 71.88

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 94 (**Correct:** 46 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	13.00	17.00	5.00	7.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 46.00/100.00 (46.00%)

Max Score: 64.00

Rank: 11

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 71.88

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 46.00/100.00 (46.00%)

Max Score: 64.00

Rank: 11

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 71.88

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 46 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	10.00	15.00	8.00	7.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 46.00/100.00 (46.00%)

Max Score: 64.00

Rank: 11

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 71.88

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 46.00/100.00 (46.00%)

Max Score: 64.00

Rank: 11

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 71.88

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 46 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	14.00	12.00	7.00	7.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 46.00/100.00 (46.00%)

Max Score: 64.00

Rank: 11

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 71.88

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 46.00/100.00 (46.00%)

Max Score: 64.00

Rank: 11

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 71.88

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 46 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	12.00	11.00	5.00	8.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 44.00/100.00 (44.00%)

Max Score: 64.00

Rank: 12

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 68.75

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 44.00/100.00 (44.00%)

Max Score: 64.00

Rank: 12

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 68.75

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	9.00	13.00	7.00	10.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NINAD RAJESH NITNAWARE (ID No. 92029)

Your Score: 44.00/100.00 (44.00%)

Max Score: 64.00

Rank: 12

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 68.75

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NINAD RAJESH NITNAWARE (ID No. 92029)

Your Score: 44.00/100.00 (44.00%)

Max Score: 64.00

Rank: 12

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 68.75

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	6.00	8.00	16.00	8.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 42.00/100.00 (42.00%)

Max Score: 64.00

Rank: 13

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 65.63

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 42.00/100.00 (42.00%)

Max Score: 64.00

Rank: 13

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 65.63

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 42 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	13.00	11.00	7.00	6.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADVAIT HEMANT BANAIT (ID No. 92005)

Your Score: 42.00/100.00 (42.00%)

Max Score: 64.00

Rank: 13

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 65.63

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADVAIT HEMANT BANAIT (ID No. 92005)

Your Score: 42.00/100.00 (42.00%)

Max Score: 64.00

Rank: 13

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 65.63

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 42 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	12.00	9.00	8.00	6.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 41.00/100.00 (41.00%)

Max Score: 64.00

Rank: 14

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 64.06

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 41.00/100.00 (41.00%)

Max Score: 64.00

Rank: 14

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 64.06

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 41 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	10.00	10.00	8.00	7.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 41.00/100.00 (41.00%)

Max Score: 64.00

Rank: 14

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 64.06

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 41.00/100.00 (41.00%)

Max Score: 64.00

Rank: 14

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 64.06

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 41 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	11.00	10.00	3.00	10.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 41.00/100.00 (41.00%)

Max Score: 64.00

Rank: 14

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 64.06

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 41.00/100.00 (41.00%)

Max Score: 64.00

Rank: 14

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 64.06

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	13.00	14.00	5.00	3.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 40.00/100.00 (40.00%)

Max Score: 64.00

Rank: 15

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 40.00/100.00 (40.00%)

Max Score: 64.00

Rank: 15

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	9.00	16.00	2.00	6.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 40.00/100.00 (40.00%)

Max Score: 64.00

Rank: 15

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 40.00/100.00 (40.00%)

Max Score: 64.00

Rank: 15

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 40 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	14.00	13.00	6.00	1.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 39.00/100.00 (39.00%)

Max Score: 64.00

Rank: 16

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 60.94

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 39.00/100.00 (39.00%)

Max Score: 64.00

Rank: 16

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 60.94

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 39 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	6.00	9.00	8.00	8.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 39.00/100.00 (39.00%)

Max Score: 64.00

Rank: 16

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 60.94

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 39.00/100.00 (39.00%)

Max Score: 64.00

Rank: 16

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 60.94

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 39 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	15.00	8.00	4.00	4.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 39.00/100.00 (39.00%)

Max Score: 64.00

Rank: 16

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 60.94

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 39.00/100.00 (39.00%)

Max Score: 64.00

Rank: 16

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 60.94

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	10.00	9.00	4.00	11.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJKUMARI R. HANUMANTE (ID No. 91010)

Your Score: 36.00/100.00 (36.00%)

Max Score: 64.00

Rank: 17

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	AC	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJKUMARI R. HANUMANTE (ID No. 91010)

Your Score: 36.00/100.00 (36.00%)

Max Score: 64.00

Rank: 17

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 36 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	5.00	10.00	4.00	9.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 36.00/100.00 (36.00%)

Max Score: 64.00

Rank: 17

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	AC	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 36.00/100.00 (36.00%)

Max Score: 64.00

Rank: 17

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 36 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	9.00	11.00	3.00	8.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNA ANANTA MOHOD (ID No. 92024)

Your Score: 36.00/100.00 (36.00%)

Max Score: 64.00

Rank: 17

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNA ANANTA MOHOD (ID No. 92024)

Your Score: 36.00/100.00 (36.00%)

Max Score: 64.00

Rank: 17

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 36 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	9.00	8.00	6.00	7.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 36.00/100.00 (36.00%)

Max Score: 64.00

Rank: 17

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	AB	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	AB	W	0.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	AB	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	AD	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	BD	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	AC	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 36.00/100.00 (36.00%)

Max Score: 64.00

Rank: 17

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	BD	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	AD	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 36 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	10.00	8.00	7.00	7.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 35.00/100.00 (35.00%)

Max Score: 64.00

Rank: 18

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 54.69

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 35.00/100.00 (35.00%)

Max Score: 64.00

Rank: 18

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 54.69

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	AC	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 35 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
3.00	12.00	8.00	7.00	5.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHANTANU VISHNU LODAM (ID No. 91012)

Your Score: 34.00/100.00 (34.00%)

Max Score: 64.00

Rank: 19

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 53.13

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	BC	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHANTANU VISHNU LODAM (ID No. 91012)

Your Score: 34.00/100.00 (34.00%)

Max Score: 64.00

Rank: 19

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 53.13

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	BC	W	0.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 34 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
3.00	9.00	9.00	5.00	8.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 32.00/100.00 (32.00%)

Max Score: 64.00

Rank: 20

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 50.00

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 32.00/100.00 (32.00%)

Max Score: 64.00

Rank: 20

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 50.00

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 32 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 32.00

Total Positive Marks: 32.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	5.00	7.00	6.00	7.00	32.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 31.00/100.00 (31.00%)

Max Score: 64.00

Rank: 21

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 48.44

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 31.00/100.00 (31.00%)

Max Score: 64.00

Rank: 21

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 48.44

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 31 **Incorrect:** 69) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 31.00

Total Positive Marks: 31.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	9.00	7.00	5.00	6.00	31.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92093)

Your Score: 28.00/100.00 (28.00%)

Max Score: 64.00

Rank: 22

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 43.75

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92093)

Your Score: 28.00/100.00 (28.00%)

Max Score: 64.00

Rank: 22

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 43.75

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	AB	W	0.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	AD	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 28 **Incorrect:** 70) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 28.00

Total Positive Marks: 28.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	9.00	6.00	4.00	5.00	28.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 27.00/100.00 (27.00%)

Max Score: 64.00

Rank: 23

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 42.19

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 27.00/100.00 (27.00%)

Max Score: 64.00

Rank: 23

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 42.19

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	CD	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00

Total Question: 100 **Attempted:** 76 (**Correct:** 27 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 27.00

Total Positive Marks: 27.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	2.00	9.00	4.00	6.00	27.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 21.00/100.00 (21.00%)

Max Score: 64.00

Rank: 24

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 32.81

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 21.00/100.00 (21.00%)

Max Score: 64.00

Rank: 24

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 32.81

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 70 (**Correct:** 21 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 21.00

Total Positive Marks: 21.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	3.00	5.00	4.00	4.00	21.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUSHKA NILESH GADE (ID No. 92009)

Your Score: 21.00/100.00 (21.00%)

Max Score: 64.00

Rank: 24

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 32.81

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUSHKA NILESH GADE (ID No. 92009)

Your Score: 21.00/100.00 (21.00%)

Max Score: 64.00

Rank: 24

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 32.81

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 89 (**Correct:** 21 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 21.00

Total Positive Marks: 21.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	5.00	5.00	1.00	5.00	21.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92092)

Your Score: 18.00/100.00 (18.00%)

Max Score: 64.00

Rank: 25

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 28.13

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
2	97.56	41.46	56.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
4	97.56	21.95	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	95.12	9.76	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	92.68	51.22	41.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	92.68	34.15	58.54	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	92.68	21.95	70.73	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
11	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	97.56	60.98	36.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	95.12	58.54	36.59	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
14	97.56	12.20	85.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	95.12	26.83	68.29	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	97.56	70.73	26.83	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
17	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
18	95.12	17.07	78.05	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
19	95.12	21.95	73.17	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
20	95.12	36.59	58.54	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
21	100.00	65.85	34.15	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
23	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
24	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
26	97.56	63.41	34.15	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
27	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
28	97.56	70.73	26.83	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
29	97.56	43.90	53.66	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
30	100.00	63.41	36.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	97.56	39.02	58.54	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
32	97.56	53.66	43.90	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	97.56	56.10	41.46	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	92.68	43.90	48.78	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
35	92.68	65.85	26.83	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
36	92.68	53.66	39.02	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
37	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	90.24	21.95	68.29	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
39	92.68	14.63	78.05	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
40	95.12	43.90	51.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
42	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	95.12	53.66	41.46	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
44	100.00	43.90	56.10	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	95.12	14.63	80.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	100.00	60.98	39.02	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.56	56.10	41.46	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
48	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
49	92.68	53.66	39.02	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
50	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
52	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	97.56	63.41	34.15	BIO	REGULAR MT1	1.00	0.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92092)

Your Score: 18.00/100.00 (18.00%)

Max Score: 64.00

Rank: 25

Min Score: 18.00

TEST: COMPETITIVE TEST2 (STD.9) (ID: 731 DT: 04-Sep-2023)

Percentile: 28.13

Avg Score: 42.12

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	78.05	21.95	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.56	36.59	60.98	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
56	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	95.12	36.59	58.54	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
58	97.56	82.93	14.63	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
59	100.00	95.12	4.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	34.15	65.85	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	51.22	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	95.12	19.51	75.61	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
63	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
64	95.12	43.90	51.22	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
65	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	95.12	26.83	68.29	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
67	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
68	92.68	19.51	73.17	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	92.68	24.39	68.29	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
70	95.12	7.32	87.80	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	100.00	21.95	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	95.12	14.63	80.49	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
73	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
74	100.00	7.32	92.68	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	75.61	24.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.56	63.41	34.15	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	90.24	19.51	70.73	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	92.68	43.90	48.78	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
79	92.68	68.29	24.39	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
80	90.24	26.83	63.41	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
81	97.56	48.78	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
83	100.00	19.51	80.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
84	100.00	39.02	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.56	19.51	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.56	34.15	63.41	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	97.56	46.34	51.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	85.37	14.63	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	90.24	24.39	65.85	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
90	95.12	36.59	58.54	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	92.68	39.02	53.66	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	97.56	21.95	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	92.68	51.22	41.46	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	26.83	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	95.12	46.34	48.78	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	97.56	70.73	26.83	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	100.00	53.66	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	92.68	31.71	60.98	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
100	95.12	19.51	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 54 (**Correct:** 18 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 18.00

Total Positive Marks: 18.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
2.00	1.00	5.00	1.00	9.00	18.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%