

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 73.00/100.00 (73.00%)

Max Score: 73.00

Rank: 1

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 100.00

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 73.00/100.00 (73.00%)

Max Score: 73.00

Rank: 1

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 100.00

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 73 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 73.00

Total Positive Marks: 73.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
13.00	14.00	16.00	14.00	16.00	73.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 72.00/100.00 (72.00%)

Max Score: 73.00

Rank: 2

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 98.63

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 72.00/100.00 (72.00%)

Max Score: 73.00

Rank: 2

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 98.63

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 72 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
15.00	11.00	15.00	16.00	15.00	72.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE (ID No. 10185)

Your Score: 71.00/100.00 (71.00%)

Max Score: 73.00

Rank: 3

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 97.26

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE (ID No. 10185)

Your Score: 71.00/100.00 (71.00%)

Max Score: 73.00

Rank: 3

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 97.26

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 71 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 71.00

Total Positive Marks: 71.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
13.00	12.00	17.00	15.00	14.00	71.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 67.00/100.00 (67.00%)

Max Score: 73.00

Rank: 4

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 91.78

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 67.00/100.00 (67.00%)

Max Score: 73.00

Rank: 4

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 91.78

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 67 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	14.00	15.00	14.00	13.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 66.00/100.00 (66.00%)

Max Score: 73.00

Rank: 5

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 90.41

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 66.00/100.00 (66.00%)

Max Score: 73.00

Rank: 5

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 90.41

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 66 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	14.00	17.00	11.00	15.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI ALHAD BHAVSAR (ID No. 10126)

Your Score: 62.00/100.00 (62.00%)

Max Score: 73.00

Rank: 6

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 84.93

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI ALHAD BHAVSAR (ID No. 10126)

Your Score: 62.00/100.00 (62.00%)

Max Score: 73.00

Rank: 6

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 84.93

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	10.00	16.00	16.00	16.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 62.00/100.00 (62.00%)

Max Score: 73.00

Rank: 6

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 84.93

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 62.00/100.00 (62.00%)

Max Score: 73.00

Rank: 6

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 84.93

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	11.00	17.00	11.00	15.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 61.00/100.00 (61.00%)

Max Score: 73.00

Rank: 7

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 83.56

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 61.00/100.00 (61.00%)

Max Score: 73.00

Rank: 7

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 83.56

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	A	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 61 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	15.00	16.00	7.00	15.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 60.00/100.00 (60.00%)

Max Score: 73.00

Rank: 8

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 82.19

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 60.00/100.00 (60.00%)

Max Score: 73.00

Rank: 8

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 82.19

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	13.00	12.00	14.00	15.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 60.00/100.00 (60.00%)

Max Score: 73.00

Rank: 8

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 82.19

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 60.00/100.00 (60.00%)

Max Score: 73.00

Rank: 8

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 82.19

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	13.00	19.00	10.00	8.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 59.00/100.00 (59.00%)

Max Score: 73.00

Rank: 9

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 80.82

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 59.00/100.00 (59.00%)

Max Score: 73.00

Rank: 9

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 80.82

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	AD	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 59 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	9.00	14.00	14.00	15.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 59.00/100.00 (59.00%)

Max Score: 73.00

Rank: 9

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 80.82

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 59.00/100.00 (59.00%)

Max Score: 73.00

Rank: 9

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 80.82

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	AC	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 59 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	12.00	13.00	10.00	16.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI R. JADHAO (ID No. 10420)

Your Score: 59.00/100.00 (59.00%)

Max Score: 73.00

Rank: 9

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 80.82

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI R. JADHAO (ID No. 10420)

Your Score: 59.00/100.00 (59.00%)

Max Score: 73.00

Rank: 9

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 80.82

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 59 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	11.00	14.00	7.00	17.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 56.00/100.00 (56.00%)

Max Score: 73.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 76.71

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 56.00/100.00 (56.00%)

Max Score: 73.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 76.71

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	13.00	12.00	8.00	14.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKIT AMIT MAHAJAN (ID No. 10110)

Your Score: 55.00/100.00 (55.00%)

Max Score: 73.00

Rank: 11

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 75.34

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKIT AMIT MAHAJAN (ID No. 10110)

Your Score: 55.00/100.00 (55.00%)

Max Score: 73.00

Rank: 11

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 75.34

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	10.00	13.00	7.00	14.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHAIRYA DHIRAJ SHARMA (ID No. 10124)

Your Score: 55.00/100.00 (55.00%)

Max Score: 73.00

Rank: 11

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 75.34

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHAIRYA DHIRAJ SHARMA (ID No. 10124)

Your Score: 55.00/100.00 (55.00%)

Max Score: 73.00

Rank: 11

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 75.34

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	AB	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00

Total Question: 100 **Attempted:** 95 (**Correct:** 55 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	12.00	13.00	10.00	13.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 55.00/100.00 (55.00%)

Max Score: 73.00

Rank: 11

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 75.34

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 55.00/100.00 (55.00%)

Max Score: 73.00

Rank: 11

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 75.34

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	10.00	11.00	14.00	11.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 55.00/100.00 (55.00%)

Max Score: 73.00

Rank: 11

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 75.34

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 55.00/100.00 (55.00%)

Max Score: 73.00

Rank: 11

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 75.34

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 55 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	12.00	14.00	9.00	11.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 54.00/100.00 (54.00%)

Max Score: 73.00

Rank: 12

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 73.97

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 54.00/100.00 (54.00%)

Max Score: 73.00

Rank: 12

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 73.97

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	11.00	12.00	6.00	14.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 53.00/100.00 (53.00%)

Max Score: 73.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 72.60

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 53.00/100.00 (53.00%)

Max Score: 73.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 72.60

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 53 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	6.00	12.00	12.00	14.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 53.00/100.00 (53.00%)

Max Score: 73.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 72.60

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 53.00/100.00 (53.00%)

Max Score: 73.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 72.60

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	12.00	15.00	9.00	11.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJSSINGH K. CHUNGADE (ID No. 10188)

Your Score: 53.00/100.00 (53.00%)

Max Score: 73.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 72.60

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJ SINGH K. CHUNGADE (ID No. 10188)

Your Score: 53.00/100.00 (53.00%)

Max Score: 73.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 72.60

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	A	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	11.00	16.00	6.00	13.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 52.00/100.00 (52.00%)

Max Score: 73.00

Rank: 14

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 71.23

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 52.00/100.00 (52.00%)

Max Score: 73.00

Rank: 14

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 71.23

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 52 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	7.00	16.00	9.00	13.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAHSIKANT Y. DESHMUKH (ID No. 10171)

Your Score: 52.00/100.00 (52.00%)

Max Score: 73.00

Rank: 14

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 71.23

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAHSIKANT Y. DESHMUKH (ID No. 10171)

Your Score: 52.00/100.00 (52.00%)

Max Score: 73.00

Rank: 14

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 71.23

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	A	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 52 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	7.00	13.00	15.00	12.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE (ID No. 10430)

Your Score: 52.00/100.00 (52.00%)

Max Score: 73.00

Rank: 14

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 71.23

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE (ID No. 10430)

Your Score: 52.00/100.00 (52.00%)

Max Score: 73.00

Rank: 14

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 71.23

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 80 (**Correct:** 52 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	9.00	15.00	4.00	16.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 51.00/100.00 (51.00%)

Max Score: 73.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 69.86

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 51.00/100.00 (51.00%)

Max Score: 73.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 69.86

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	A	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	7.00	11.00	12.00	12.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 51.00/100.00 (51.00%)

Max Score: 73.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 69.86

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 51.00/100.00 (51.00%)

Max Score: 73.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 69.86

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	8.00	17.00	4.00	14.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 51.00/100.00 (51.00%)

Max Score: 73.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 69.86

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 51.00/100.00 (51.00%)

Max Score: 73.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 69.86

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	9.00	15.00	7.00	13.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 51.00/100.00 (51.00%)

Max Score: 73.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 69.86

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 51.00/100.00 (51.00%)

Max Score: 73.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 69.86

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	8.00	13.00	9.00	14.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE (ID No. 10459)

Your Score: 51.00/100.00 (51.00%)

Max Score: 73.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 69.86

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE (ID No. 10459)

Your Score: 51.00/100.00 (51.00%)

Max Score: 73.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 69.86

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 51 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	7.00	14.00	6.00	16.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 51.00/100.00 (51.00%)

Max Score: 73.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 69.86

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 51.00/100.00 (51.00%)

Max Score: 73.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 69.86

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	7.00	10.00	11.00	14.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	6.00	15.00	7.00	15.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	A	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	8.00	13.00	8.00	13.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 50 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	9.00	12.00	9.00	16.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN (ID No. 10194)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN (ID No. 10194)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	9.00	14.00	7.00	13.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	13.00	17.00	4.00	10.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHATAKSHI AJAY MULEY (ID No. 10460)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHATAKSHI AJAY MULEY (ID No. 10460)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 88 (**Correct:** 50 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	12.00	14.00	2.00	12.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 12128)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 12128)

Your Score: 50.00/100.00 (50.00%)

Max Score: 73.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 68.49

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 Attempted: 100 (Correct: 50 Incorrect: 50) Score Rate: 0.00 Strike Rate: 0.00

Total: 50.00

Total Positive Marks: 50.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	5.00	6.00	18.00	15.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	6.00	14.00	7.00	11.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	9.00	15.00	5.00	14.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DINESH SOLANKE (ID No. 10189)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DINESH SOLANKE (ID No. 10189)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	8.00	11.00	7.00	14.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	12.00	16.00	3.00	12.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 49 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	11.00	11.00	5.00	15.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	6.00	14.00	8.00	12.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 49.00/100.00 (49.00%)

Max Score: 73.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 67.12

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 49 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	7.00	14.00	9.00	12.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 48.00/100.00 (48.00%)

Max Score: 73.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 65.75

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 48.00/100.00 (48.00%)

Max Score: 73.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 65.75

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 48 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	7.00	11.00	9.00	14.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 48.00/100.00 (48.00%)

Max Score: 73.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 65.75

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 48.00/100.00 (48.00%)

Max Score: 73.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 65.75

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	5.00	12.00	10.00	15.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 48.00/100.00 (48.00%)

Max Score: 73.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 65.75

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 48.00/100.00 (48.00%)

Max Score: 73.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 65.75

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	8.00	13.00	4.00	15.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 47.00/100.00 (47.00%)

Max Score: 73.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 64.38

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 47.00/100.00 (47.00%)

Max Score: 73.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 64.38

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 47 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	11.00	10.00	8.00	10.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 47.00/100.00 (47.00%)

Max Score: 73.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 64.38

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 47.00/100.00 (47.00%)

Max Score: 73.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 64.38

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	8.00	13.00	7.00	11.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDANT BABAN THOTE (ID No. 10475)

Your Score: 47.00/100.00 (47.00%)

Max Score: 73.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 64.38

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDANT BABAN THOTE (ID No. 10475)

Your Score: 47.00/100.00 (47.00%)

Max Score: 73.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 64.38

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	A	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 47 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	11.00	11.00	7.00	9.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 47.00/100.00 (47.00%)

Max Score: 73.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 64.38

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 47.00/100.00 (47.00%)

Max Score: 73.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 64.38

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 47 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	9.00	16.00	8.00	10.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 46.00/100.00 (46.00%)

Max Score: 73.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 63.01

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 46.00/100.00 (46.00%)

Max Score: 73.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 63.01

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 46 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	6.00	12.00	7.00	15.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 46.00/100.00 (46.00%)

Max Score: 73.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 63.01

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 46.00/100.00 (46.00%)

Max Score: 73.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 63.01

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	A	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	9.00	11.00	7.00	14.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 46.00/100.00 (46.00%)

Max Score: 73.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 63.01

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 46.00/100.00 (46.00%)

Max Score: 73.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 63.01

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 75 (**Correct:** 46 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	11.00	18.00	0.00	11.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 46.00/100.00 (46.00%)

Max Score: 73.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 63.01

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	AC	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 46.00/100.00 (46.00%)

Max Score: 73.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 63.01

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 46 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	10.00	12.00	7.00	10.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 46.00/100.00 (46.00%)

Max Score: 73.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 63.01

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 46.00/100.00 (46.00%)

Max Score: 73.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 63.01

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	6.00	16.00	8.00	10.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 45.00/100.00 (45.00%)

Max Score: 73.00

Rank: 21

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 61.64

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 45.00/100.00 (45.00%)

Max Score: 73.00

Rank: 21

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 61.64

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	5.00	14.00	5.00	11.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 45.00/100.00 (45.00%)

Max Score: 73.00

Rank: 21

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 61.64

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 45.00/100.00 (45.00%)

Max Score: 73.00

Rank: 21

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 61.64

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	8.00	14.00	3.00	11.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 45.00/100.00 (45.00%)

Max Score: 73.00

Rank: 21

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 61.64

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 45.00/100.00 (45.00%)

Max Score: 73.00

Rank: 21

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 61.64

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	10.00	14.00	8.00	9.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 44.00/100.00 (44.00%)

Max Score: 73.00

Rank: 22

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 60.27

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 44.00/100.00 (44.00%)

Max Score: 73.00

Rank: 22

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 60.27

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	11.00	14.00	5.00	9.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEDHAVI AJAY JOSHI (ID No. 10424)

Your Score: 44.00/100.00 (44.00%)

Max Score: 73.00

Rank: 22

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 60.27

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEDHAVI AJAY JOSHI (ID No. 10424)

Your Score: 44.00/100.00 (44.00%)

Max Score: 73.00

Rank: 22

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 60.27

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	6.00	16.00	5.00	9.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 44.00/100.00 (44.00%)

Max Score: 73.00

Rank: 22

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 60.27

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 44.00/100.00 (44.00%)

Max Score: 73.00

Rank: 22

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 60.27

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	7.00	12.00	7.00	10.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHARAT NITIN AGRAWAL (ID No. 10121)

Your Score: 43.00/100.00 (43.00%)

Max Score: 73.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 58.90

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	AD	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHARAT NITIN AGRAWAL (ID No. 10121)

Your Score: 43.00/100.00 (43.00%)

Max Score: 73.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 58.90

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	D	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 43 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	8.00	15.00	8.00	7.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 43.00/100.00 (43.00%)

Max Score: 73.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 58.90

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 43.00/100.00 (43.00%)

Max Score: 73.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 58.90

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 43 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	6.00	12.00	9.00	10.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 43.00/100.00 (43.00%)

Max Score: 73.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 58.90

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 43.00/100.00 (43.00%)

Max Score: 73.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 58.90

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	A	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 43 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	5.00	10.00	14.00	9.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 43.00/100.00 (43.00%)

Max Score: 73.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 58.90

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 43.00/100.00 (43.00%)

Max Score: 73.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 58.90

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	7.00	12.00	3.00	14.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL VIJAY ZATALE (ID No. 10439)

Your Score: 43.00/100.00 (43.00%)

Max Score: 73.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 58.90

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL VIJAY ZATALE (ID No. 10439)

Your Score: 43.00/100.00 (43.00%)

Max Score: 73.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 58.90

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 43 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	10.00	12.00	3.00	11.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 43.00/100.00 (43.00%)

Max Score: 73.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 58.90

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 43.00/100.00 (43.00%)

Max Score: 73.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 58.90

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	A	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	CD	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 82 (**Correct:** 43 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	11.00	12.00	4.00	8.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 42.00/100.00 (42.00%)

Max Score: 73.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 57.53

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 42.00/100.00 (42.00%)

Max Score: 73.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 57.53

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 42 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	4.00	13.00	8.00	10.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 42.00/100.00 (42.00%)

Max Score: 73.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 57.53

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 42.00/100.00 (42.00%)

Max Score: 73.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 57.53

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 42 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	4.00	12.00	11.00	11.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 42.00/100.00 (42.00%)

Max Score: 73.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 57.53

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	AD	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 42.00/100.00 (42.00%)

Max Score: 73.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 57.53

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 42 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	12.00	13.00	1.00	8.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 42.00/100.00 (42.00%)

Max Score: 73.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 57.53

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 42.00/100.00 (42.00%)

Max Score: 73.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 57.53

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 42 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	8.00	15.00	4.00	9.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 42.00/100.00 (42.00%)

Max Score: 73.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 57.53

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 42.00/100.00 (42.00%)

Max Score: 73.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 57.53

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 95 (**Correct:** 42 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	7.00	12.00	6.00	8.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 41.00/100.00 (41.00%)

Max Score: 73.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 56.16

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 41.00/100.00 (41.00%)

Max Score: 73.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 56.16

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	D	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 41 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	5.00	10.00	8.00	13.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 41.00/100.00 (41.00%)

Max Score: 73.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 56.16

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 41.00/100.00 (41.00%)

Max Score: 73.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 56.16

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 41 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	5.00	12.00	2.00	12.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 40.00/100.00 (40.00%)

Max Score: 73.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 54.79

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 40.00/100.00 (40.00%)

Max Score: 73.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 54.79

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 40 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	5.00	16.00	5.00	10.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT V. TIRUK (ID No. 10156)

Your Score: 40.00/100.00 (40.00%)

Max Score: 73.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 54.79

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT V. TIRUK (ID No. 10156)

Your Score: 40.00/100.00 (40.00%)

Max Score: 73.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 54.79

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 40 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	8.00	12.00	6.00	10.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDIKA RANJIT KHEDKAR (ID No. 10477)

Your Score: 40.00/100.00 (40.00%)

Max Score: 73.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 54.79

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDIKA RANJIT KHEDKAR (ID No. 10477)

Your Score: 40.00/100.00 (40.00%)

Max Score: 73.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 54.79

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 40 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	7.00	11.00	6.00	11.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHYAATI B. ROUT (ID No. 10134)

Your Score: 39.00/100.00 (39.00%)

Max Score: 73.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 53.42

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHYAATI B. ROUT (ID No. 10134)

Your Score: 39.00/100.00 (39.00%)

Max Score: 73.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 53.42

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	5.00	14.00	5.00	11.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 39.00/100.00 (39.00%)

Max Score: 73.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 53.42

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 39.00/100.00 (39.00%)

Max Score: 73.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 53.42

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 39 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
2.00	7.00	13.00	6.00	11.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 39.00/100.00 (39.00%)

Max Score: 73.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 53.42

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 39.00/100.00 (39.00%)

Max Score: 73.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 53.42

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	D	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 91 (**Correct:** 39 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
3.00	3.00	9.00	9.00	15.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 39.00/100.00 (39.00%)

Max Score: 73.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 53.42

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	AB	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	CD	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	CD	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 39.00/100.00 (39.00%)

Max Score: 73.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 53.42

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	A	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 39 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
2.00	12.00	12.00	5.00	8.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI ARUN SHARMA (ID No. 10159)

Your Score: 38.00/100.00 (38.00%)

Max Score: 73.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 52.05

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI ARUN SHARMA (ID No. 10159)

Your Score: 38.00/100.00 (38.00%)

Max Score: 73.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 52.05

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	BD	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 38 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
2.00	12.00	11.00	5.00	8.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 104533)

Your Score: 38.00/100.00 (38.00%)

Max Score: 73.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 52.05

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 104533)

Your Score: 38.00/100.00 (38.00%)

Max Score: 73.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 52.05

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 38 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	8.00	6.00	8.00	9.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 11466)

Your Score: 38.00/100.00 (38.00%)

Max Score: 73.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 52.05

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 11466)

Your Score: 38.00/100.00 (38.00%)

Max Score: 73.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 52.05

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 38 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	10.00	11.00	3.00	8.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 35.00/100.00 (35.00%)

Max Score: 73.00

Rank: 29

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 47.95

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 35.00/100.00 (35.00%)

Max Score: 73.00

Rank: 29

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 47.95

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	D	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 35 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	5.00	7.00	4.00	10.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 35.00/100.00 (35.00%)

Max Score: 73.00

Rank: 29

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 47.95

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 35.00/100.00 (35.00%)

Max Score: 73.00

Rank: 29

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 47.95

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD		L	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00

Total Question: 100 **Attempted:** 58 (**Correct:** 35 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	9.00	12.00	0.00	10.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 35.00/100.00 (35.00%)

Max Score: 73.00

Rank: 29

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 47.95

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 35.00/100.00 (35.00%)

Max Score: 73.00

Rank: 29

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 47.95

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 91 (**Correct:** 35 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	6.00	6.00	3.00	11.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 35.00/100.00 (35.00%)

Max Score: 73.00

Rank: 29

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 47.95

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 35.00/100.00 (35.00%)

Max Score: 73.00

Rank: 29

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 47.95

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 35 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	6.00	8.00	4.00	13.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: APEKSHA AJAY PETKAR (ID No. 10114)

Your Score: 33.00/100.00 (33.00%)

Max Score: 73.00

Rank: 30

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 45.21

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: APEKSHA AJAY PETKAR (ID No. 10114)

Your Score: 33.00/100.00 (33.00%)

Max Score: 73.00

Rank: 30

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 45.21

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 33 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	4.00	9.00	6.00	9.00	33.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADARSH SUHAS DABHADE (ID No. 10401)

Your Score: 33.00/100.00 (33.00%)

Max Score: 73.00

Rank: 30

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 45.21

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	AD	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADARSH SUHAS DABHADE (ID No. 10401)

Your Score: 33.00/100.00 (33.00%)

Max Score: 73.00

Rank: 30

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 45.21

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 33 **Incorrect:** 67) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	7.00	9.00	2.00	9.00	33.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 33.00/100.00 (33.00%)

Max Score: 73.00

Rank: 30

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 45.21

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 33.00/100.00 (33.00%)

Max Score: 73.00

Rank: 30

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 45.21

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 33 **Incorrect:** 67) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	5.00	11.00	2.00	11.00	33.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE (ID No. 10456)

Your Score: 32.00/100.00 (32.00%)

Max Score: 73.00

Rank: 31

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 43.84

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE (ID No. 10456)

Your Score: 32.00/100.00 (32.00%)

Max Score: 73.00

Rank: 31

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 43.84

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	A	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00

Total Question: 100 **Attempted:** 93 (**Correct:** 32 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 32.00

Total Positive Marks: 32.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	6.00	10.00	4.00	8.00	32.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 32.00/100.00 (32.00%)

Max Score: 73.00

Rank: 31

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 43.84

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 32.00/100.00 (32.00%)

Max Score: 73.00

Rank: 31

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 43.84

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 32 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 32.00

Total Positive Marks: 32.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	6.00	12.00	5.00	5.00	32.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA AMBARISH SHUKLA (ID No. 10101)

Your Score: 31.00/100.00 (31.00%)

Max Score: 73.00

Rank: 32

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 42.47

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA AMBARISH SHUKLA (ID No. 10101)

Your Score: 31.00/100.00 (31.00%)

Max Score: 73.00

Rank: 32

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 42.47

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	B	R	1.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 31 **Incorrect:** 69) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 31.00

Total Positive Marks: 31.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	4.00	8.00	4.00	9.00	31.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH N. MANKE (ID No. 10431)

Your Score: 31.00/100.00 (31.00%)

Max Score: 73.00

Rank: 32

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 42.47

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH N. MANKE (ID No. 10431)

Your Score: 31.00/100.00 (31.00%)

Max Score: 73.00

Rank: 32

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 42.47

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD		L	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 96 (**Correct:** 31 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 31.00

Total Positive Marks: 31.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	10.00	4.00	9.00	4.00	31.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 10331)

Your Score: 30.00/100.00 (30.00%)

Max Score: 73.00

Rank: 33

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 41.10

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 10331)

Your Score: 30.00/100.00 (30.00%)

Max Score: 73.00

Rank: 33

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 41.10

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 Attempted: 92 (Correct: 30 Incorrect: 62) Score Rate: 0.00 Strike Rate: 0.00

Total: 30.00

Total Positive Marks: 30.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
3.00	6.00	7.00	1.00	13.00	30.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 28.00/100.00 (28.00%)

Max Score: 73.00

Rank: 34

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 38.36

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.99	57.58	41.41	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	56.57	43.43	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	98.99	63.64	35.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	52.53	47.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.98	28.28	69.70	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	98.99	39.39	59.60	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
8	100.00	15.15	84.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	100.00	25.25	74.75	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	96.97	16.16	80.81	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	98.99	36.36	62.63	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	98.99	13.13	85.86	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.99	27.27	71.72	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	95.96	36.36	59.60	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.99	58.59	40.40	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	97.98	11.11	86.87	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	95.96	13.13	82.83	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	98.99	45.45	53.54	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	98.99	18.18	80.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	98.99	30.30	68.69	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	64.65	35.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.98	50.51	47.47	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	97.98	49.49	48.48	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	96.97	33.33	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.99	59.60	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	95.96	33.33	62.63	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.97	26.26	70.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	96.97	48.48	48.48	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.98	21.21	76.77	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.98	29.29	68.69	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.99	41.41	57.58	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.98	80.81	17.17	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	97.98	32.32	65.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	98.99	16.16	82.83	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	96.97	20.20	76.77	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	61.62	38.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	98.99	25.25	73.74	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.99	45.45	53.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	78.79	21.21	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.98	73.74	24.24	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	85.86	14.14	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	98.99	49.49	49.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	97.98	48.48	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	97.98	53.54	44.44	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	50.51	49.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	53.54	46.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	54.55	45.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
52	96.97	57.58	39.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	95.96	4.04	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 28.00/100.00 (28.00%)

Max Score: 73.00

Rank: 34

Min Score: 28.00

TEST: COMPETITIVE TEST 3 (STD 10) (ID: 739 DT: 09-Oct-2023)

Percentile: 38.36

Avg Score: 47.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.38	61.62	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	68.69	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	97.98	41.41	56.57	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.98	71.72	26.26	BIO	TWO ANS 1	1.00	0.00	BD	C	W	0.00
59	98.99	79.80	19.19	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.97	65.66	31.31	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	95.96	54.55	41.41	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	96.97	21.21	75.76	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	95.96	41.41	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	95.96	52.53	43.43	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	94.95	47.47	47.47	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
67	95.96	39.39	56.57	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	92.93	51.52	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	93.94	27.27	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	94.95	31.31	63.64	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	93.94	41.41	52.53	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	95.96	27.27	68.69	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	93.94	31.31	62.63	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	94.95	27.27	67.68	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.96	21.21	74.75	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	94.95	37.37	57.58	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.95	38.38	56.57	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	92.93	20.20	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	94.95	30.30	64.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	93.94	37.37	56.57	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.98	12.12	85.86	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	100.00	93.94	6.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	4.04	95.96	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.98	16.16	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	97.98	39.39	58.59	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.96	58.59	37.37	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	74.75	25.25	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	95.96	57.58	38.38	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	86.87	13.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	94.95	60.61	34.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	56.57	43.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	98.99	80.81	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	96.97	61.62	35.35	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	96.97	47.47	49.49	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	97.98	76.77	21.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
96	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	100.00	85.86	14.14	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.98	33.33	64.65	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	97.98	73.74	24.24	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	96.97	65.66	31.31	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 28 **Incorrect:** 72) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 28.00

Total Positive Marks: 28.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	6.00	5.00	3.00	6.00	28.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%