

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRANJAL R. INGLE ( ID No. 92032 )

**Your Score:** 70.00/100.00 (70.00%)

**Max Score:** 70.00

**Rank:** 1

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 100.00

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRANJAL R. INGLE ( ID No. 92032 )

**Your Score:** 70.00/100.00 (70.00%)

**Max Score:** 70.00

**Rank:** 1

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 100.00

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | D      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 99 (**Correct:** 70 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 70.00

**Total Positive Marks:** 70.00 **Total Negative Marks:**

| PHY   | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 12.00 | 14.00 | 19.00 | 11.00 | 14.00   | 70.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KRISHNA PRAMOD SHUKLA ( ID No. 92023 )

**Your Score:** 61.00/100.00 (61.00%)

**Max Score:** 70.00

**Rank:** 2

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 87.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KRISHNA PRAMOD SHUKLA ( ID No. 92023 )

**Your Score:** 61.00/100.00 (61.00%)

**Max Score:** 70.00

**Rank:** 2

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 87.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | C      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 61.00

**Total Positive Marks:** 61.00 **Total Negative Marks:**

| PHY   | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 12.00 | 20.00 | 9.00  | 10.00   | 61.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAMAN SHAILESH DUBEY ( ID No. 91006 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 70.00

**Rank:** 3

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 85.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAMAN SHAILESH DUBEY ( ID No. 91006 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 70.00

**Rank:** 3

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 85.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 60.00

**Total Positive Marks:** 60.00 **Total Negative Marks:**

| PHY  | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 15.00 | 14.00 | 11.00 | 12.00   | 60.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM PRAVIN MOHOD ( ID No. 92031 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 70.00

**Rank:** 3

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 85.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM PRAVIN MOHOD ( ID No. 92031 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 70.00

**Rank:** 3

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 85.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 60.00

**Total Positive Marks:** 60.00 **Total Negative Marks:**

| PHY  | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 13.00 | 17.00 | 8.00  | 13.00   | 60.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DARSHANA P. NANDAPURE ( ID No. 92012 )

**Your Score:** 59.00/100.00 (59.00%)

**Max Score:** 70.00

**Rank:** 4

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 84.29

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DARSHANA P. NANDAPURE ( ID No. 92012 )

**Your Score:** 59.00/100.00 (59.00%)

**Max Score:** 70.00

**Rank:** 4

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 84.29

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | B      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 59 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 59.00

**Total Positive Marks:** 59.00 **Total Negative Marks:**

| PHY  | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 13.00 | 18.00 | 8.00  | 12.00   | 59.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE ( ID No. 92033 )

Your Score: 59.00/100.00 (59.00%)

Max Score: 70.00

Rank: 4

Min Score: 24.00

TEST: COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

Percentile: 84.29

Avg Score: 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | BC     | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATIK SUNIL GAVHALE ( ID No. 92033 )

**Your Score:** 59.00/100.00 (59.00%)

**Max Score:** 70.00

**Rank:** 4

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 84.29

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | D      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | AB     | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 99 (**Correct:** 59 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 59.00

**Total Positive Marks:** 59.00 **Total Negative Marks:**

| PHY   | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 13.00 | 15.00 | 12.00 | 9.00    | 59.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KRUSHNALI S. ARBAT ( ID No. 92025 )

**Your Score:** 58.00/100.00 (58.00%)

**Max Score:** 70.00

**Rank:** 5

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 82.86

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KRUSHNALI S. ARBAT ( ID No. 92025 )

**Your Score:** 58.00/100.00 (58.00%)

**Max Score:** 70.00

**Rank:** 5

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 82.86

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 58 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 58.00

**Total Positive Marks:** 58.00 **Total Negative Marks:**

| PHY  | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 12.00 | 15.00 | 11.00 | 11.00   | 58.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSH H. RATHOD ( ID No. 92016 )

**Your Score:** 56.00/100.00 (56.00%)

**Max Score:** 70.00

**Rank:** 6

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 80.00

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSH H. RATHOD ( ID No. 92016 )

**Your Score:** 56.00/100.00 (56.00%)

**Max Score:** 70.00

**Rank:** 6

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 80.00

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | B      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 56.00

**Total Positive Marks:** 56.00 **Total Negative Marks:**

| PHY   | CHEM | BIO   | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 11.00 | 7.00 | 20.00 | 7.00  | 11.00   | 56.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** YASHIKA NILESH HUTKE ( ID No. 91016 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 70.00

**Rank:** 7

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 77.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** YASHIKA NILESH HUTKE ( ID No. 91016 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 70.00

**Rank:** 7

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 77.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 54.00

**Total Positive Marks:** 54.00 **Total Negative Marks:**

| PHY   | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 10.00 | 17.00 | 7.00  | 10.00   | 54.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADVAIT HEMANT BANAIT ( ID No. 92005 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 70.00

**Rank:** 7

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 77.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADVAIT HEMANT BANAIT ( ID No. 92005 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 70.00

**Rank:** 7

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 77.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 54.00

**Total Positive Marks:** 54.00 **Total Negative Marks:**

| PHY  | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 10.00 | 15.00 | 8.00  | 12.00   | 54.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ISHANT SATISH TAKSALE ( ID No. 92018 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 70.00

**Rank:** 7

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 77.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | BD     | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ISHANT SATISH TAKSALE ( ID No. 92018 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 70.00

**Rank:** 7

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 77.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 54.00

**Total Positive Marks:** 54.00 **Total Negative Marks:**

| PHY  | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 6.00 | 12.00 | 16.00 | 9.00  | 11.00   | 54.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREYASH NILESH GORE ( ID No. 92037 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 70.00

**Rank:** 7

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 77.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREYASH NILESH GORE ( ID No. 92037 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 70.00

**Rank:** 7

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 77.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 54.00

**Total Positive Marks:** 54.00 **Total Negative Marks:**

| PHY  | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 5.00 | 11.00 | 18.00 | 6.00  | 14.00   | 54.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GUNJAN A. NANDANWAR ( ID No. 92015 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 70.00

**Rank:** 8

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 75.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GUNJAN A. NANDANWAR ( ID No. 92015 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 70.00

**Rank:** 8

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 75.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | B      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 95 (**Correct:** 53 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 53.00

**Total Positive Marks:** 53.00 **Total Negative Marks:**

| PHY   | CHEM | BIO   | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 11.00 | 7.00 | 15.00 | 9.00  | 11.00   | 53.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JANHAVI SHIVAJI DANDALE ( ID No. 92019 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 70.00

**Rank:** 8

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 75.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JANHAVI SHIVAJI DANDALE ( ID No. 92019 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 70.00

**Rank:** 8

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 75.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 53.00

**Total Positive Marks:** 53.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 9.00 | 9.00 | 17.00 | 5.00  | 13.00   | 53.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRANAV NILESH WAKALE ( ID No. 91008 )

**Your Score:** 51.00/100.00 (51.00%)

**Max Score:** 70.00

**Rank:** 9

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 72.86

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRANAV NILESH WAKALE ( ID No. 91008 )

**Your Score:** 51.00/100.00 (51.00%)

**Max Score:** 70.00

**Rank:** 9

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 72.86

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | D      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 51.00

**Total Positive Marks:** 51.00 **Total Negative Marks:**

| PHY  | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 13.00 | 14.00 | 7.00  | 9.00    | 51.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHIRAG RAKESH SHARMA ( ID No. 92011 )

**Your Score:** 50.00/100.00 (50.00%)

**Max Score:** 70.00

**Rank:** 10

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 71.43

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHIRAG RAKESH SHARMA ( ID No. 92011 )

**Your Score:** 50.00/100.00 (50.00%)

**Max Score:** 70.00

**Rank:** 10

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 71.43

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 50.00

**Total Positive Marks:** 50.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 7.00 | 8.00 | 18.00 | 8.00  | 9.00    | 50.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHRAVAN SATISH WARADE ( ID No. 92036 )

**Your Score:** 50.00/100.00 (50.00%)

**Max Score:** 70.00

**Rank:** 10

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 71.43

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHRAVAN SATISH WARADE ( ID No. 92036 )

**Your Score:** 50.00/100.00 (50.00%)

**Max Score:** 70.00

**Rank:** 10

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 71.43

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 50.00

**Total Positive Marks:** 50.00 **Total Negative Marks:**

| PHY  | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 6.00 | 11.00 | 11.00 | 10.00 | 12.00   | 50.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV DILIP UPADHYE ( ID No. 92002 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 70.00

**Rank:** 11

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 70.00

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV DILIP UPADHYE ( ID No. 92002 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 70.00

**Rank:** 11

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 70.00

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | C      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 49.00

**Total Positive Marks:** 49.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 4.00 | 8.00 | 16.00 | 9.00  | 12.00   | 49.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DIVYA GAJANAN INGLE ( ID No. 92013 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 70.00

**Rank:** 11

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 70.00

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DIVYA GAJANAN INGLE ( ID No. 92013 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 70.00

**Rank:** 11

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 70.00

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | C      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 49.00

**Total Positive Marks:** 49.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 6.00 | 7.00 | 14.00 | 11.00 | 11.00   | 49.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SACHI PRAMOD SURWADE ( ID No. 92034 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 70.00

**Rank:** 11

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 70.00

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SACHI PRAMOD SURWADE ( ID No. 92034 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 70.00

**Rank:** 11

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 70.00

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | B      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 49.00

**Total Positive Marks:** 49.00 **Total Negative Marks:**

| PHY   | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 11.00 | 10.00 | 13.00 | 7.00  | 8.00    | 49.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITI ATUL BHENDE ( ID No. 91001 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 70.00

**Rank:** 12

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 68.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITI ATUL BHENDE ( ID No. 91001 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 70.00

**Rank:** 12

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 68.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | B      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | AC     | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 48.00

**Total Positive Marks:** 48.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 9.00 | 8.00 | 14.00 | 10.00 | 7.00    | 48.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARAH RAFI SHAIKH ( ID No. 91011 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 70.00

**Rank:** 12

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 68.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARAH RAFI SHAIKH ( ID No. 91011 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 70.00

**Rank:** 12

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 68.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 48.00

**Total Positive Marks:** 48.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 8.00 | 9.00 | 11.00 | 9.00  | 11.00   | 48.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANAVI SUNIL LADDHA ( ID No. 92008 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 70.00

**Rank:** 12

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 68.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANAVI SUNIL LADDHA ( ID No. 92008 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 70.00

**Rank:** 12

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 68.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | BD     | W      | 0.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 48.00

**Total Positive Marks:** 48.00 **Total Negative Marks:**

| PHY   | CHEM | BIO   | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 12.00 | 6.00 | 12.00 | 7.00  | 11.00   | 48.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RAJKUMARI R. HANUMANTE ( ID No. 91010 )

**Your Score:** 46.00/100.00 (46.00%)

**Max Score:** 70.00

**Rank:** 13

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 65.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RAJKUMARI R. HANUMANTE ( ID No. 91010 )

**Your Score:** 46.00/100.00 (46.00%)

**Max Score:** 70.00

**Rank:** 13

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 65.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | C      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 46 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 46.00

**Total Positive Marks:** 46.00 **Total Negative Marks:**

| PHY   | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 10.00 | 11.00 | 6.00  | 9.00    | 46.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GAYATRI PRASHANT UMALE ( ID No. 92014 )

**Your Score:** 46.00/100.00 (46.00%)

**Max Score:** 70.00

**Rank:** 13

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 65.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GAYATRI PRASHANT UMALE ( ID No. 92014 )

**Your Score:** 46.00/100.00 (46.00%)

**Max Score:** 70.00

**Rank:** 13

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 65.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  |        | L      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | BD     | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 46.00

**Total Positive Marks:** 46.00 **Total Negative Marks:**

| PHY   | CHEM | BIO   | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 10.00 | 7.00 | 15.00 | 4.00  | 10.00   | 46.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAYURI P. BHOJANE ( ID No. 92027 )

**Your Score:** 46.00/100.00 (46.00%)

**Max Score:** 70.00

**Rank:** 13

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 65.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAYURI P. BHOJANE ( ID No. 92027 )

**Your Score:** 46.00/100.00 (46.00%)

**Max Score:** 70.00

**Rank:** 13

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 65.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 91 (**Correct:** 46 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 46.00

**Total Positive Marks:** 46.00 **Total Negative Marks:**

| PHY   | CHEM | BIO   | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 13.00 | 8.00 | 15.00 | 2.00  | 8.00    | 46.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NINAD RAJESH NITNAWARE ( ID No. 92029 )

**Your Score:** 45.00/100.00 (45.00%)

**Max Score:** 70.00

**Rank:** 14

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 64.29

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NINAD RAJESH NITNAWARE ( ID No. 92029 )

**Your Score:** 45.00/100.00 (45.00%)

**Max Score:** 70.00

**Rank:** 14

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 64.29

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | C      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 45.00

**Total Positive Marks:** 45.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 7.00 | 9.00 | 10.00 | 7.00  | 12.00   | 45.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VIVEK DHANANJAY GADHE ( ID No. 92040 )

**Your Score:** 45.00/100.00 (45.00%)

**Max Score:** 70.00

**Rank:** 14

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 64.29

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | BC     | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VIVEK DHANANJAY GADHE ( ID No. 92040 )

**Your Score:** 45.00/100.00 (45.00%)

**Max Score:** 70.00

**Rank:** 14

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 64.29

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | B      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 97 (**Correct:** 45 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 45.00

**Total Positive Marks:** 45.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 6.00 | 9.00 | 14.00 | 8.00  | 8.00    | 45.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHISHEK A. SHIRBHATE ( ID No. 92003 )

**Your Score:** 44.00/100.00 (44.00%)

**Max Score:** 70.00

**Rank:** 15

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 62.86

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHISHEK A. SHIRBHATE ( ID No. 92003 )

**Your Score:** 44.00/100.00 (44.00%)

**Max Score:** 70.00

**Rank:** 15

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 62.86

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | B      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 88 (**Correct:** 44 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 44.00

**Total Positive Marks:** 44.00 **Total Negative Marks:**

| PHY   | CHEM | BIO   | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 10.00 | 8.00 | 17.00 | 2.00  | 7.00    | 44.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KHUSHI RAVINDRA SURVE ( ID No. 92022 )

**Your Score:** 43.00/100.00 (43.00%)

**Max Score:** 70.00

**Rank:** 16

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 61.43

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KHUSHI RAVINDRA SURVE ( ID No. 92022 )

**Your Score:** 43.00/100.00 (43.00%)

**Max Score:** 70.00

**Rank:** 16

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 61.43

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 43.00

**Total Positive Marks:** 43.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 5.00 | 6.00 | 14.00 | 7.00  | 11.00   | 43.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RADHA PRASHANT PAGRUT ( ID No. 91009 )

**Your Score:** 42.00/100.00 (42.00%)

**Max Score:** 70.00

**Rank:** 17

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 60.00

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RADHA PRASHANT PAGRUT ( ID No. 91009 )

**Your Score:** 42.00/100.00 (42.00%)

**Max Score:** 70.00

**Rank:** 17

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 60.00

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 42 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 42.00

**Total Positive Marks:** 42.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 5.00 | 9.00 | 12.00 | 7.00  | 9.00    | 42.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JANVI DINESH TAROLE ( ID No. 92020 )

**Your Score:** 41.00/100.00 (41.00%)

**Max Score:** 70.00

**Rank:** 18

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 58.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JANVI DINESH TAROLE ( ID No. 92020 )

**Your Score:** 41.00/100.00 (41.00%)

**Max Score:** 70.00

**Rank:** 18

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 58.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 41 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 41.00

**Total Positive Marks:** 41.00 **Total Negative Marks:**

| PHY  | CHEM  | BIO   | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 5.00 | 11.00 | 12.00 | 3.00  | 10.00   | 41.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KRUSHNA ANANTA MOHOD ( ID No. 92024 )

**Your Score:** 41.00/100.00 (41.00%)

**Max Score:** 70.00

**Rank:** 18

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 58.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KRUSHNA ANANTA MOHOD ( ID No. 92024 )

**Your Score:** 41.00/100.00 (41.00%)

**Max Score:** 70.00

**Rank:** 18

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 58.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | C      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 41 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 41.00

**Total Positive Marks:** 41.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 3.00 | 8.00 | 12.00 | 7.00  | 11.00   | 41.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM ANIL GAYAKWAD ( ID No. 92030 )

**Your Score:** 41.00/100.00 (41.00%)

**Max Score:** 70.00

**Rank:** 18

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 58.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | BD     | W      | 0.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM ANIL GAYAKWAD ( ID No. 92030 )

**Your Score:** 41.00/100.00 (41.00%)

**Max Score:** 70.00

**Rank:** 18

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 58.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | C      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 41 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 41.00

**Total Positive Marks:** 41.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 3.00 | 7.00 | 14.00 | 10.00 | 7.00    | 41.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AARYA NITIN TAYADE ( ID No. 92001 )

**Your Score:** 39.00/100.00 (39.00%)

**Max Score:** 70.00

**Rank:** 19

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 55.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AARYA NITIN TAYADE ( ID No. 92001 )

**Your Score:** 39.00/100.00 (39.00%)

**Max Score:** 70.00

**Rank:** 19

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 55.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 39 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 39.00

**Total Positive Marks:** 39.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 2.00 | 7.00 | 14.00 | 6.00  | 10.00   | 39.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VAIBHAV G. RATNAPARKHI ( ID No. 92039 )

**Your Score:** 39.00/100.00 (39.00%)

**Max Score:** 70.00

**Rank:** 19

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 55.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VAIBHAV G. RATNAPARKHI ( ID No. 92039 )

**Your Score:** 39.00/100.00 (39.00%)

**Max Score:** 70.00

**Rank:** 19

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 55.71

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | C      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 39 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 39.00

**Total Positive Marks:** 39.00 **Total Negative Marks:**

| PHY   | CHEM | BIO   | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 10.00 | 5.00 | 11.00 | 8.00  | 5.00    | 39.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRANAV KESHAV GHATE ( ID No. 91007 )

**Your Score:** 37.00/100.00 (37.00%)

**Max Score:** 70.00

**Rank:** 20

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 52.86

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRANAV KESHAV GHATE ( ID No. 91007 )

**Your Score:** 37.00/100.00 (37.00%)

**Max Score:** 70.00

**Rank:** 20

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 52.86

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | C      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 37 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 37.00

**Total Positive Marks:** 37.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 7.00 | 7.00 | 11.00 | 3.00  | 9.00    | 37.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANASVI AJAY RAUT ( ID No. 92026 )

**Your Score:** 37.00/100.00 (37.00%)

**Max Score:** 70.00

**Rank:** 20

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 52.86

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANASVI AJAY RAUT ( ID No. 92026 )

**Your Score:** 37.00/100.00 (37.00%)

**Max Score:** 70.00

**Rank:** 20

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 52.86

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 86 (**Correct:** 37 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 37.00

**Total Positive Marks:** 37.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 6.00 | 7.00 | 11.00 | 4.00  | 9.00    | 37.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANJALI DILIP TAYADE ( ID No. 92042 )

**Your Score:** 37.00/100.00 (37.00%)

**Max Score:** 70.00

**Rank:** 20

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 52.86

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANJALI DILIP TAYADE ( ID No. 92042 )

**Your Score:** 37.00/100.00 (37.00%)

**Max Score:** 70.00

**Rank:** 20

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 52.86

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | C      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 37 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 37.00

**Total Positive Marks:** 37.00 **Total Negative Marks:**

| PHY  | CHEM | BIO  | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 7.00 | 8.00 | 6.00 | 8.00  | 8.00    | 37.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JANHAVI PRAKASH SANGLE ( ID No. 92041 )

**Your Score:** 36.00/100.00 (36.00%)

**Max Score:** 70.00

**Rank:** 21

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 51.43

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JANHAVI PRAKASH SANGLE ( ID No. 92041 )

**Your Score:** 36.00/100.00 (36.00%)

**Max Score:** 70.00

**Rank:** 21

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 51.43

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 89 (**Correct:** 36 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 36.00

**Total Positive Marks:** 36.00 **Total Negative Marks:**

| PHY  | CHEM | BIO  | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 8.00 | 8.00 | 8.00 | 7.00  | 5.00    | 36.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA RAVI INGLE ( ID No. 92004 )

**Your Score:** 33.00/100.00 (33.00%)

**Max Score:** 70.00

**Rank:** 22

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 47.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA RAVI INGLE ( ID No. 92004 )

**Your Score:** 33.00/100.00 (33.00%)

**Max Score:** 70.00

**Rank:** 22

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 47.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | B      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 33 **Incorrect:** 67) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 33.00

**Total Positive Marks:** 33.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 3.00 | 4.00 | 10.00 | 9.00  | 7.00    | 33.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSH MUKUNDA JAGTAP ( ID No. 92017 )

**Your Score:** 33.00/100.00 (33.00%)

**Max Score:** 70.00

**Rank:** 22

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 47.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSH MUKUNDA JAGTAP ( ID No. 92017 )

**Your Score:** 33.00/100.00 (33.00%)

**Max Score:** 70.00

**Rank:** 22

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 47.14

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   |        | L      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  |        | L      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   |        | L      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   |        | L      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   |        | L      | 0.00  |

**Total Question:** 100 **Attempted:** 61 (**Correct:** 33 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 33.00

**Total Positive Marks:** 33.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 3.00 | 2.00 | 12.00 | 7.00  | 9.00    | 33.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHUBHRA SHARAD GHUGE ( ID No. 92038 )

**Your Score:** 27.00/100.00 (27.00%)

**Max Score:** 70.00

**Rank:** 23

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 38.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | BC     | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | CD     | W      | 0.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | AC     | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | BC     | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | AD     | W      | 0.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | BD     | W      | 0.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | BD     | W      | 0.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | BC     | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | BD     | W      | 0.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | BD     | W      | 0.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | CD     | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | BC     | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | BC     | W      | 0.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | BC     | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | CD     | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHUBHRA SHARAD GHUGE ( ID No. 92038 )

**Your Score:** 27.00/100.00 (27.00%)

**Max Score:** 70.00

**Rank:** 23

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 38.57

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | CD     | W      | 0.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | AB     | W      | 0.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | BD     | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | A      | W      | 0.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | BD     | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | AD     | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | AC     | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | AD     | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | BD     | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | AB     | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | AC     | W      | 0.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | CD     | W      | 0.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | BC     | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | AC     | W      | 0.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | AC     | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | BC     | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | CD     | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | BD     | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 27 **Incorrect:** 73) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 27.00

**Total Positive Marks:** 27.00 **Total Negative Marks:**

| PHY  | CHEM | BIO   | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 4.00 | 7.00 | 10.00 | 4.00  | 2.00    | 27.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANUSHKA NILESH GADE ( ID No. 92009 )

**Your Score:** 24.00/100.00 (24.00%)

**Max Score:** 70.00

**Rank:** 24

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 34.29

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1   | 100.00 | 56.82 | 43.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 2   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 3   | 100.00 | 18.18 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 4   | 100.00 | 45.45 | 54.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 5   | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 6   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 7   | 97.73  | 52.27 | 45.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 8   | 97.73  | 72.73 | 25.00 | PHY     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 9   | 97.73  | 34.09 | 63.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 10  | 100.00 | 72.73 | 27.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 11  | 95.45  | 15.91 | 79.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 12  | 100.00 | 31.82 | 68.18 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 13  | 97.73  | 20.45 | 77.27 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 14  | 97.73  | 9.09  | 88.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 15  | 97.73  | 15.91 | 81.82 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 16  | 97.73  | 27.27 | 70.45 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 17  | 97.73  | 50.00 | 47.73 | PHY     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 18  | 97.73  | 59.09 | 38.64 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 19  | 95.45  | 34.09 | 61.36 | PHY     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 20  | 97.73  | 68.18 | 29.55 | PHY     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 21  | 97.73  | 72.73 | 25.00 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 22  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 23  | 100.00 | 27.27 | 72.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 24  | 97.73  | 50.00 | 47.73 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 25  | 97.73  | 43.18 | 54.55 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 26  | 100.00 | 11.36 | 88.64 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 27  | 97.73  | 20.45 | 77.27 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 28  | 97.73  | 56.82 | 40.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 29  | 93.18  | 36.36 | 56.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 30  | 97.73  | 54.55 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 31  | 95.45  | 52.27 | 43.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 32  | 97.73  | 77.27 | 20.45 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 33  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 34  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 35  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 36  | 97.73  | 29.55 | 68.18 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 37  | 97.73  | 15.91 | 81.82 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 38  | 95.45  | 29.55 | 65.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 39  | 97.73  | 81.82 | 15.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 40  | 97.73  | 6.82  | 90.91 | CHEM    | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 41  | 97.73  | 93.18 | 4.55  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 42  | 97.73  | 54.55 | 43.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 43  | 100.00 | 90.91 | 9.09  | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 44  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 45  | 97.73  | 65.91 | 31.82 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 46  | 100.00 | 72.73 | 27.27 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | B      | R      | 1.00  |
| 47  | 100.00 | 77.27 | 22.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 48  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 49  | 100.00 | 36.36 | 63.64 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 50  | 97.73  | 56.82 | 40.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 51  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 52  | 100.00 | 54.55 | 45.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 53  | 100.00 | 70.45 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANUSHKA NILESH GADE ( ID No. 92009 )

**Your Score:** 24.00/100.00 (24.00%)

**Max Score:** 70.00

**Rank:** 24

**Min Score:** 24.00

**TEST:** COMPETITIVE TEST 3 (STD. 9) ( ID: 738 DT: 09-Oct-2023 )

**Percentile:** 34.29

**Avg Score:** 47.02

| QNo | ATT%   | R%    | W%    | SUBJECT | TOPIC / SCHEME | POS  | NEG  | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54  | 100.00 | 84.09 | 15.91 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 55  | 100.00 | 81.82 | 18.18 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | C      | R      | 1.00  |
| 56  | 97.73  | 77.27 | 20.45 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 57  | 100.00 | 75.00 | 25.00 | BIO     | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 58  | 97.73  | 38.64 | 59.09 | BIO     | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 59  | 95.45  | 47.73 | 47.73 | BIO     | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 60  | 97.73  | 68.18 | 29.55 | BIO     | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 61  | 93.18  | 36.36 | 56.82 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 62  | 97.73  | 11.36 | 86.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 63  | 93.18  | 20.45 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 64  | 95.45  | 18.18 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 65  | 97.73  | 27.27 | 70.45 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 66  | 95.45  | 34.09 | 61.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 67  | 95.45  | 31.82 | 63.64 | MATHS   | TWO ANS 1      | 1.00 | 0.00 | CD  | C      | R      | 1.00  |
| 68  | 93.18  | 52.27 | 40.91 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 69  | 97.73  | 25.00 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 70  | 100.00 | 27.27 | 72.73 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 71  | 100.00 | 75.00 | 25.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 72  | 97.73  | 61.36 | 36.36 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 73  | 100.00 | 65.91 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 74  | 97.73  | 20.45 | 77.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 75  | 100.00 | 47.73 | 52.27 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 76  | 97.73  | 47.73 | 50.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |
| 77  | 93.18  | 25.00 | 68.18 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 78  | 93.18  | 59.09 | 34.09 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 79  | 90.91  | 27.27 | 63.64 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 80  | 95.45  | 20.45 | 75.00 | MATHS   | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 81  | 97.73  | 13.64 | 84.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 82  | 100.00 | 38.64 | 61.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | A      | W      | 0.00  |
| 83  | 97.73  | 15.91 | 81.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 84  | 100.00 | 50.00 | 50.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 85  | 97.73  | 22.73 | 75.00 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 86  | 95.45  | 81.82 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | B      | W      | 0.00  |
| 87  | 100.00 | 90.91 | 9.09  | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | C      | W      | 0.00  |
| 88  | 100.00 | 81.82 | 18.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | D      | R      | 1.00  |
| 89  | 100.00 | 70.45 | 29.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 90  | 100.00 | 86.36 | 13.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 91  | 97.73  | 45.45 | 52.27 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | C      | W      | 0.00  |
| 92  | 97.73  | 43.18 | 54.55 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | C   | D      | W      | 0.00  |
| 93  | 93.18  | 22.73 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | A      | R      | 1.00  |
| 94  | 93.18  | 25.00 | 68.18 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | B      | W      | 0.00  |
| 95  | 95.45  | 59.09 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | A      | W      | 0.00  |
| 96  | 100.00 | 65.91 | 34.09 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | B      | W      | 0.00  |
| 97  | 100.00 | 29.55 | 70.45 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | D   | A      | W      | 0.00  |
| 98  | 100.00 | 63.64 | 36.36 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | A   | D      | W      | 0.00  |
| 99  | 97.73  | 40.91 | 56.82 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | D      | W      | 0.00  |
| 100 | 97.73  | 9.09  | 88.64 | GK+M.A. | REGULAR MT1    | 1.00 | 0.00 | B   | C      | W      | 0.00  |

**Total Question:** 100 **Attempted:** 100 (**Correct:** 24 **Incorrect:** 76) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 24.00

**Total Positive Marks:** 24.00 **Total Negative Marks:**

| PHY  | CHEM | BIO  | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 5.00 | 6.00 | 6.00 | 5.00  | 2.00    | 24.00 |

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%