SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE **(ID No.** 10185 **)**

Your Score: 75.00/100.00 (75.00%)
Rank: 1
Percentile: 100.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE **(ID No.** 10185 **)**

Your Score: 75.00/100.00 (75.00%)
Rank: 1
Percentile: 100.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 **(Correct:** 74 **Incorrect:** 25**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 75.00**

Total Positive Marks: 75.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
13.00	13.00	16.00	16.00	17.00	**75.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD **(ID No.** 10429 **)**

Your Score: 68.00/100.00 (68.00%)
Rank: 2
Percentile: 90.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	A	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD **(ID No.** 10429 **)**

Your Score: 68.00/100.00 (68.00%)
Rank: 2
Percentile: 90.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 67 **Incorrect:** 32**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 68.00**

Total Positive Marks: 68.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
7.00	14.00	17.00	12.00	18.00	**68.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR **(ID No.** 10111 **)**

Your Score: 66.00/100.00 (66.00%)
Rank: 3
Percentile: 88.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR **(ID No.** 10111 **)**

Your Score: 66.00/100.00 (66.00%)
Rank: 3
Percentile: 88.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 65 **Incorrect:** 34**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 66.00**

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
11.00	15.00	15.00	11.00	14.00	**66.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN **(ID No.** 10129 **)**

Your Score: 65.00/100.00 (65.00%)
Rank: 4
Percentile: 86.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	A	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN **(ID No.** 10129 **)**

Your Score: 65.00/100.00 (65.00%)
Rank: 4
Percentile: 86.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	AC	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 64 **Incorrect:** 35**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 65.00**

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
8.00	13.00	15.00	13.00	16.00	**65.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK **(ID No.** 10166 **)**

Your Score: 65.00/100.00 (65.00%)
Rank: 4
Percentile: 86.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK **(ID No.** 10166 **)**

Your Score: 65.00/100.00 (65.00%)
Rank: 4
Percentile: 86.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 64 **Incorrect:** 35**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 65.00**

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
10.00	13.00	16.00	9.00	17.00	**65.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE **(ID No.** 10141 **)**

Your Score: 64.00/100.00 (64.00%)
Rank: 5
Percentile: 85.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE **(ID No.** 10141 **)**

Your Score: 64.00/100.00 (64.00%)
Rank: 5
Percentile: 85.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 63 **Incorrect:** 36**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 64.00**

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
11.00	12.00	15.00	12.00	14.00	**64.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL **(ID No.** 10140 **)**

Your Score: 61.00/100.00 (61.00%)
Rank: 6
Percentile: 81.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	A	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL **(ID No.** 10140 **)**

Your Score: 61.00/100.00 (61.00%)
Rank: 6
Percentile: 81.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 **(Correct:** 60 **Incorrect:** 38**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 61.00**

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
8.00	12.00	18.00	8.00	15.00	**61.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE **(ID No.** 10459 **)**

Your Score: 61.00/100.00 (61.00%)
Rank: 6
Percentile: 81.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	CD	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE **(ID No.** 10459 **)**

Your Score: 61.00/100.00 (61.00%)
Rank: 6
Percentile: 81.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 96 **(Correct:** 60 **Incorrect:** 36**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 61.00**

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
9.00	13.00	16.00	8.00	15.00	**61.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE **(ID No.** 10120 **)**

Your Score: 60.00/100.00 (60.00%)
Rank: 7
Percentile: 80.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	A	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	CD	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE **(ID No.** 10120 **)**

Your Score: 60.00/100.00 (60.00%)
Rank: 7
Percentile: 80.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 59 **Incorrect:** 40**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 60.00**

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
8.00	13.00	12.00	10.00	17.00	**60.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK **(ID No.** 10167 **)**

Your Score: 60.00/100.00 (60.00%)
Rank: 7
Percentile: 80.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK **(ID No.** 10167 **)**

Your Score: 60.00/100.00 (60.00%)
Rank: 7
Percentile: 80.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 59 **Incorrect:** 40**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 60.00**

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
6.00	14.00	13.00	11.00	16.00	**60.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR **(ID No.** 10173 **)**

Your Score: 60.00/100.00 (60.00%)
Rank: 7
Percentile: 80.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR **(ID No.** 10173 **)**

Your Score: 60.00/100.00 (60.00%)
Rank: 7
Percentile: 80.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 59 **Incorrect:** 40**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 60.00**

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
3.00	15.00	15.00	12.00	15.00	**60.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE **(ID No.** 10462 **)**

Your Score: 60.00/100.00 (60.00%)
Rank: 7
Percentile: 80.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE **(ID No.** 10462 **)**

Your Score: 60.00/100.00 (60.00%)
Rank: 7
Percentile: 80.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 59 **Incorrect:** 40**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 60.00**

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
10.00	10.00	15.00	10.00	15.00	**60.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE **(ID No.** 10155 **)**

Your Score: 59.00/100.00 (59.00%)
Rank: 8
Percentile: 78.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE **(ID No.** 10155 **)**

Your Score: 59.00/100.00 (59.00%)
Rank: 8
Percentile: 78.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 58 **Incorrect:** 41**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 59.00**

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
6.00	13.00	16.00	11.00	13.00	**59.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE **(ID No.** 10181 **)**

Your Score: 59.00/100.00 (59.00%)
Rank: 8
Percentile: 78.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	BC	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE **(ID No.** 10181 **)**

Your Score: 59.00/100.00 (59.00%)
Rank: 8
Percentile: 78.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 58 **Incorrect:** 41**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 59.00**

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
10.00	13.00	12.00	9.00	15.00	**59.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE **(ID No.** 10105 **)**

Your Score: 58.00/100.00 (58.00%)
Rank: 9
Percentile: 77.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE **(ID No.** 10105 **)**

Your Score: 58.00/100.00 (58.00%)
Rank: 9
Percentile: 77.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 98 **(Correct:** 57 **Incorrect:** 41**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 58.00**

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
10.00	12.00	15.00	13.00	8.00	**58.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE **(ID No.** 10419 **)**

Your Score: 58.00/100.00 (58.00%)
Rank: 9
Percentile: 77.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	A	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE **(ID No.** 10419 **)**

Your Score: 58.00/100.00 (58.00%)
Rank: 9
Percentile: 77.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 57 **Incorrect:** 42**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 58.00**

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
10.00	15.00	14.00	3.00	16.00	**58.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKIT AMIT MAHAJAN **(ID No.** 10110 **)**

Your Score: 57.00/100.00 (57.00%)
Rank: 10
Percentile: 76.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKIT AMIT MAHAJAN **(ID No.** 10110 **)**

Your Score: 57.00/100.00 (57.00%)
Rank: 10
Percentile: 76.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 56 **Incorrect:** 43**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 57.00**

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
5.00	11.00	12.00	10.00	19.00	**57.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL **(ID No.** 10128 **)**

Your Score: 57.00/100.00 (57.00%)
Rank: 10
Percentile: 76.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	A	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL **(ID No.** 10128 **)**

Your Score: 57.00/100.00 (57.00%)
Rank: 10
Percentile: 76.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	AD	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 56 **Incorrect:** 43**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 57.00**

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
6.00	11.00	12.00	11.00	17.00	**57.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR **(ID No.** 10162 **)**

Your Score: 57.00/100.00 (57.00%)
Rank: 10
Percentile: 76.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR **(ID No.** 10162 **)**

Your Score: 57.00/100.00 (57.00%)
Rank: 10
Percentile: 76.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 56 **Incorrect:** 43**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 57.00**

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
7.00	8.00	13.00	13.00	16.00	**57.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE **(ID No.** 10411 **)**

Your Score: 57.00/100.00 (57.00%)
Rank: 10
Percentile: 76.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	A	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE **(ID No.** 10411 **)**

Your Score: 57.00/100.00 (57.00%)
Rank: 10
Percentile: 76.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 **(Correct:** 56 **Incorrect:** 43**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 57.00**

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
7.00	14.00	17.00	7.00	12.00	**57.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE **(ID No.** 10478 **)**

Your Score: 57.00/100.00 (57.00%)
Rank: 10
Percentile: 76.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE **(ID No.** 10478 **)**

Your Score: 57.00/100.00 (57.00%)
Rank: 10
Percentile: 76.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	AB	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 56 **Incorrect:** 43**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 57.00**

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
10.00	11.00	15.00	7.00	14.00	**57.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR **(ID No.** 10404 **)**

Your Score: 56.00/100.00 (56.00%)
Rank: 11
Percentile: 74.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR **(ID No.** 10404 **)**

Your Score: 56.00/100.00 (56.00%)
Rank: 11
Percentile: 74.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 55 **Incorrect:** 44**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 56.00**

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
8.00	8.00	14.00	11.00	15.00	**56.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE **(ID No.** 10414 **)**

Your Score: 56.00/100.00 (56.00%)
Rank: 11
Percentile: 74.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE **(ID No.** 10414 **)**

Your Score: 56.00/100.00 (56.00%)
Rank: 11
Percentile: 74.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 **(Correct:** 55 **Incorrect:** 43**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 56.00**

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
8.00	14.00	18.00	5.00	11.00	**56.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE **(ID No.** 10454 **)**

Your Score: 56.00/100.00 (56.00%)
Rank: 11
Percentile: 74.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE **(ID No.** 10454 **)**

Your Score: 56.00/100.00 (56.00%)
Rank: 11
Percentile: 74.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 55 **Incorrect:** 44**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 56.00**

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	14.00	15.00	4.00	19.00	**56.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYANK MOHAN LAKRAS **(ID No.** 10139 **)**

Your Score: 55.00/100.00 (55.00%)
Rank: 12
Percentile: 73.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYANK MOHAN LAKRAS **(ID No.** 10139 **)**

Your Score: 55.00/100.00 (55.00%)
Rank: 12
Percentile: 73.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 54 **Incorrect:** 45**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 55.00**

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	11.00	18.00	10.00	12.00	**55.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI **(ID No.** 10190 **)**

Your Score: 55.00/100.00 (55.00%)
Rank: 12
Percentile: 73.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI **(ID No.** 10190 **)**

Your Score: 55.00/100.00 (55.00%)
Rank: 12
Percentile: 73.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 54 **Incorrect:** 45**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 55.00**

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
5.00	11.00	14.00	9.00	16.00	**55.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE **(ID No.** 10430 **)**

Your Score: 55.00/100.00 (55.00%)
Rank: 12
Percentile: 73.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE **(ID No.** 10430 **)**

Your Score: 55.00/100.00 (55.00%)
Rank: 12
Percentile: 73.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 77 **(Correct:** 54 **Incorrect:** 23**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 55.00**

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	13.00	15.00	8.00	15.00	**55.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI R. JADHAO **(ID No.** 10420 **)**

Your Score: 54.00/100.00 (54.00%)
Rank: 13
Percentile: 72.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI R. JADHAO **(ID No.** 10420 **)**

Your Score: 54.00/100.00 (54.00%)
Rank: 13
Percentile: 72.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 **(Correct:** 53 **Incorrect:** 46**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 54.00**

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	11.00	18.00	6.00	15.00	**54.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD **(ID No.** 10481 **)**

Your Score: 54.00/100.00 (54.00%)
Rank: 13
Percentile: 72.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD **(ID No.** 10481 **)**

Your Score: 54.00/100.00 (54.00%)
Rank: 13
Percentile: 72.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 53 **Incorrect:** 46**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 54.00**

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	14.00	17.00	7.00	12.00	**54.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE **(ID No.** 10467 **)**

Your Score: 53.00/100.00 (53.00%)
Rank: 14
Percentile: 70.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE **(ID No.** 10467 **)**

Your Score: 53.00/100.00 (53.00%)
Rank: 14
Percentile: 70.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 **(Correct:** 52 **Incorrect:** 46**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 53.00**

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
8.00	11.00	12.00	7.00	15.00	**53.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE **(ID No.** 10468 **)**

Your Score: 53.00/100.00 (53.00%)
Rank: 14
Percentile: 70.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE **(ID No.** 10468 **)**

Your Score: 53.00/100.00 (53.00%)
Rank: 14
Percentile: 70.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 98 **(Correct:** 52 **Incorrect:** 46**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 53.00**

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
8.00	10.00	14.00	9.00	12.00	**53.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR **(ID No.** 10412 **)**

Your Score: 52.00/100.00 (52.00%)
Rank: 15
Percentile: 69.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR **(ID No.** 10412 **)**

Your Score: 52.00/100.00 (52.00%)
Rank: 15
Percentile: 69.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 51 **Incorrect:** 48**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 52.00**

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	15.00	17.00	7.00	9.00	**52.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE **(ID No.** 10127 **)**

Your Score: 51.00/100.00 (51.00%)
Rank: 16
Percentile: 68.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE **(ID No.** 10127 **)**

Your Score: 51.00/100.00 (51.00%)
Rank: 16
Percentile: 68.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 50 **Incorrect:** 49**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 51.00**

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
3.00	8.00	16.00	10.00	14.00	**51.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT **(ID No.** 10402 **)**

Your Score: 51.00/100.00 (51.00%)
Rank: 16
Percentile: 68.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT **(ID No.** 10402 **)**

Your Score: 51.00/100.00 (51.00%)
Rank: 16
Percentile: 68.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 50 **Incorrect:** 49**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 51.00**

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
7.00	11.00	15.00	6.00	12.00	**51.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR **(ID No.** 10443 **)**

Your Score: 51.00/100.00 (51.00%)
Rank: 16
Percentile: 68.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR **(ID No.** 10443 **)**

Your Score: 51.00/100.00 (51.00%)
Rank: 16
Percentile: 68.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 50 **Incorrect:** 49**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 51.00**

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
5.00	10.00	16.00	12.00	8.00	**51.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE **(ID No.** 10471 **)**

Your Score: 51.00/100.00 (51.00%)
Rank: 16
Percentile: 68.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE **(ID No.** 10471 **)**

Your Score: 51.00/100.00 (51.00%)
Rank: 16
Percentile: 68.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 97 **(Correct:** 50 **Incorrect:** 47**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 51.00**

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
6.00	11.00	15.00	5.00	14.00	**51.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE **(ID No.** 10422 **)**

Your Score: 50.00/100.00 (50.00%)
Rank: 17
Percentile: 66.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE **(ID No.** 10422 **)**

Your Score: 50.00/100.00 (50.00%)
Rank: 17
Percentile: 66.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 **(Correct:** 49 **Incorrect:** 49**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 50.00**

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
5.00	11.00	15.00	7.00	12.00	**50.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS J. RAYANE **(ID No.** 10472 **)**

Your Score: 50.00/100.00 (50.00%)
Rank: 17
Percentile: 66.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS J. RAYANE **(ID No.** 10472 **)**

Your Score: 50.00/100.00 (50.00%)
Rank: 17
Percentile: 66.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 49 **Incorrect:** 50**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 50.00**

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
6.00	12.00	13.00	11.00	8.00	**50.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO **(ID No.** 10131 **)**

Your Score: 49.00/100.00 (49.00%)
Rank: 18
Percentile: 65.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO **(ID No.** 10131 **)**

Your Score: 49.00/100.00 (49.00%)
Rank: 18
Percentile: 65.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 95 **(Correct:** 48 **Incorrect:** 47**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 49.00**

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
8.00	9.00	10.00	7.00	15.00	**49.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV V. SONAWANE **(ID No.** 10437 **)**

Your Score: 49.00/100.00 (49.00%)
Rank: 18
Percentile: 65.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV V. SONAWANE **(ID No.** 10437 **)**

Your Score: 49.00/100.00 (49.00%)
Rank: 18
Percentile: 65.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 97 **(Correct:** 48 **Incorrect:** 49**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 49.00**

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
5.00	11.00	15.00	6.00	12.00	**49.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL **(ID No.** 10455 **)**

Your Score: 49.00/100.00 (49.00%)
Rank: 18
Percentile: 65.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL **(ID No.** 10455 **)**

Your Score: 49.00/100.00 (49.00%)
Rank: 18
Percentile: 65.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 48 **Incorrect:** 51**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 49.00**

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
6.00	11.00	14.00	6.00	12.00	**49.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR **(ID No.** 10461 **)**

Your Score: 49.00/100.00 (49.00%)
Rank: 18
Percentile: 65.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR **(ID No.** 10461 **)**

Your Score: 49.00/100.00 (49.00%)
Rank: 18
Percentile: 65.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 97 **(Correct:** 48 **Incorrect:** 49**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 49.00**

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
5.00	14.00	10.00	8.00	12.00	**49.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE **(ID No.** 10474 **)**

Your Score: 49.00/100.00 (49.00%)
Rank: 18
Percentile: 65.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE **(ID No.** 10474 **)**

Your Score: 49.00/100.00 (49.00%)
Rank: 18
Percentile: 65.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 72 **(Correct:** 48 **Incorrect:** 24**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 49.00**

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
2.00	10.00	14.00	9.00	14.00	**49.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE **(ID No.** 10446 **)**

Your Score: 48.00/100.00 (48.00%)
Rank: 19
Percentile: 64.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE **(ID No.** 10446 **)**

Your Score: 48.00/100.00 (48.00%)
Rank: 19
Percentile: 64.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 47 **Incorrect:** 52**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 48.00**

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
7.00	12.00	12.00	9.00	8.00	**48.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR **(ID No.** 10448 **)**

Your Score: 48.00/100.00 (48.00%)
Rank: 19
Percentile: 64.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR **(ID No.** 10448 **)**

Your Score: 48.00/100.00 (48.00%)
Rank: 19
Percentile: 64.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 96 **(Correct:** 47 **Incorrect:** 49**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 48.00**

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
10.00	8.00	16.00	4.00	10.00	**48.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE **(ID No.** 10447 **)**

Your Score: 47.00/100.00 (47.00%)
Rank: 20
Percentile: 62.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE **(ID No.** 10447 **)**

Your Score: 47.00/100.00 (47.00%)
Rank: 20
Percentile: 62.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 98 **(Correct:** 46 **Incorrect:** 52**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 47.00**

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
3.00	8.00	15.00	6.00	15.00	**47.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE **(ID No.** 10119 **)**

Your Score: 45.00/100.00 (45.00%)
Rank: 21
Percentile: 60.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE **(ID No.** 10119 **)**

Your Score: 45.00/100.00 (45.00%)
Rank: 21
Percentile: 60.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 44 **Incorrect:** 55**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 45.00**

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
1.00	12.00	11.00	10.00	11.00	**45.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE **(ID No.** 10174 **)**

Your Score: 45.00/100.00 (45.00%)
Rank: 21
Percentile: 60.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE **(ID No.** 10174 **)**

Your Score: 45.00/100.00 (45.00%)
Rank: 21
Percentile: 60.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 44 **Incorrect:** 55**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 45.00**

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	5.00	14.00	8.00	14.00	**45.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE **(ID No.** 10406 **)**

Your Score: 45.00/100.00 (45.00%)
Rank: 21
Percentile: 60.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE **(ID No.** 10406 **)**

Your Score: 45.00/100.00 (45.00%)
Rank: 21
Percentile: 60.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 95 **(Correct:** 44 **Incorrect:** 51**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 45.00**

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
7.00	7.00	11.00	7.00	13.00	**45.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHIKA DINKAR WAZIRE **(ID No.** 10444 **)**

Your Score: 45.00/100.00 (45.00%)
Rank: 21
Percentile: 60.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHIKA DINKAR WAZIRE **(ID No.** 10444 **)**

Your Score: 45.00/100.00 (45.00%)
Rank: 21
Percentile: 60.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 44 **Incorrect:** 55**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 45.00**

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	12.00	12.00	4.00	13.00	**45.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA **(ID No.** 10178 **)**

Your Score: 44.00/100.00 (44.00%)
Rank: 22
Percentile: 58.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA **(ID No.** 10178 **)**

Your Score: 44.00/100.00 (44.00%)
Rank: 22
Percentile: 58.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 43 **Incorrect:** 56**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 44.00**

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
6.00	9.00	9.00	6.00	14.00	**44.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN **(ID No.** 10194 **)**

Your Score: 44.00/100.00 (44.00%)
Rank: 22
Percentile: 58.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN **(ID No.** 10194 **)**

Your Score: 44.00/100.00 (44.00%)
Rank: 22
Percentile: 58.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 43 **Incorrect:** 56**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 44.00**

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
3.00	8.00	14.00	7.00	12.00	**44.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJASHREE MILIND RELE **(ID No.** 10445 **)**

Your Score: 44.00/100.00 (44.00%)
Rank: 22
Percentile: 58.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJASHREE MILIND RELE **(ID No.** 10445 **)**

Your Score: 44.00/100.00 (44.00%)
Rank: 22
Percentile: 58.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 43 **Incorrect:** 56**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 44.00**

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
3.00	11.00	13.00	3.00	14.00	**44.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE **(ID No.** 10449 **)**

Your Score: 44.00/100.00 (44.00%)
Rank: 22
Percentile: 58.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE **(ID No.** 10449 **)**

Your Score: 44.00/100.00 (44.00%)
Rank: 22
Percentile: 58.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 43 **Incorrect:** 56**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 44.00**

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
5.00	9.00	11.00	10.00	9.00	**44.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR **(ID No.** 10116 **)**

Your Score: 43.00/100.00 (43.00%)
Rank: 23
Percentile: 57.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR **(ID No.** 10116 **)**

Your Score: 43.00/100.00 (43.00%)
Rank: 23
Percentile: 57.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 96 **(Correct:** 42 **Incorrect:** 54**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 43.00**

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	7.00	12.00	6.00	14.00	**43.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE **(ID No.** 10418 **)**

Your Score: 43.00/100.00 (43.00%)
Rank: 23
Percentile: 57.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE **(ID No.** 10418 **)**

Your Score: 43.00/100.00 (43.00%)
Rank: 23
Percentile: 57.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 42 **Incorrect:** 57**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 43.00**

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	11.00	14.00	5.00	9.00	**43.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE **(ID No.** 10441 **)**

Your Score: 43.00/100.00 (43.00%)
Rank: 23
Percentile: 57.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE **(ID No.** 10441 **)**

Your Score: 43.00/100.00 (43.00%)
Rank: 23
Percentile: 57.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 42 **Incorrect:** 57**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 43.00**

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
7.00	9.00	9.00	4.00	14.00	**43.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE **(ID No.** 10463 **)**

Your Score: 43.00/100.00 (43.00%)
Rank: 23
Percentile: 57.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE **(ID No.** 10463 **)**

Your Score: 43.00/100.00 (43.00%)
Rank: 23
Percentile: 57.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 **(Correct:** 42 **Incorrect:** 56**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 43.00**

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
5.00	10.00	16.00	4.00	8.00	**43.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHA RAJNISH GHOPE **(ID No.** 10142 **)**

Your Score: 42.00/100.00 (42.00%)
Rank: 24
Percentile: 56.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHA RAJNISH GHOPE **(ID No.** 10142 **)**

Your Score: 42.00/100.00 (42.00%)
Rank: 24
Percentile: 56.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 **(Correct:** 41 **Incorrect:** 58**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 42.00**

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
8.00	9.00	10.00	4.00	11.00	**42.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANITA UMESH TAYADE **(ID No.** 10149 **)**

Your Score: 41.00/100.00 (41.00%)
Rank: 25
Percentile: 54.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANITA UMESH TAYADE **(ID No.** 10149 **)**

Your Score: 41.00/100.00 (41.00%)
Rank: 25
Percentile: 54.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 40 **Incorrect:** 59**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 41.00**

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
6.00	7.00	11.00	8.00	9.00	**41.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN **(ID No.** 10410 **)**

Your Score: 41.00/100.00 (41.00%)
Rank: 25
Percentile: 54.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN **(ID No.** 10410 **)**

Your Score: 41.00/100.00 (41.00%)
Rank: 25
Percentile: 54.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 40 **Incorrect:** 59**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 41.00**

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	4.00	13.00	6.00	14.00	**41.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR **(ID No.** 10438 **)**

Your Score: 40.00/100.00 (40.00%)
Rank: 26
Percentile: 53.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR **(ID No.** 10438 **)**

Your Score: 40.00/100.00 (40.00%)
Rank: 26
Percentile: 53.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 39 **Incorrect:** 60**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 40.00**

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
5.00	11.00	9.00	6.00	9.00	**40.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA **(ID No.** 10480 **)**

Your Score: 40.00/100.00 (40.00%)
Rank: 26
Percentile: 53.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	A	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA **(ID No.** 10480 **)**

Your Score: 40.00/100.00 (40.00%)
Rank: 26
Percentile: 53.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 **(Correct:** 39 **Incorrect:** 59**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 40.00**

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
6.00	9.00	11.00	5.00	9.00	**40.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE **(ID No.** 10133 **)**

Your Score: 39.00/100.00 (39.00%)
Rank: 27
Percentile: 52.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE **(ID No.** 10133 **)**

Your Score: 39.00/100.00 (39.00%)
Rank: 27
Percentile: 52.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 **(Correct:** 38 **Incorrect:** 61**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 39.00**

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	9.00	10.00	5.00	11.00	**39.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE **(ID No.** 10405 **)**

Your Score: 39.00/100.00 (39.00%)
Rank: 27
Percentile: 52.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE **(ID No.** 10405 **)**

Your Score: 39.00/100.00 (39.00%)
Rank: 27
Percentile: 52.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 38 **Incorrect:** 61**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 39.00**

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
6.00	9.00	10.00	5.00	9.00	**39.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR **(ID No.** 10122 **)**

Your Score: 38.00/100.00 (38.00%)
Rank: 28
Percentile: 50.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR **(ID No.** 10122 **)**

Your Score: 38.00/100.00 (38.00%)
Rank: 28
Percentile: 50.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 37 **Incorrect:** 62**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 38.00**

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
6.00	8.00	11.00	5.00	8.00	**38.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR **(ID No.** 10137 **)**

Your Score: 38.00/100.00 (38.00%)
Rank: 28
Percentile: 50.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR **(ID No.** 10137 **)**

Your Score: 38.00/100.00 (38.00%)
Rank: 28
Percentile: 50.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 37 **Incorrect:** 62**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 38.00**

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	7.00	8.00	9.00	10.00	**38.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE **(ID No.** 10176 **)**

Your Score: 38.00/100.00 (38.00%)
Rank: 28
Percentile: 50.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	C	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE **(ID No.** 10176 **)**

Your Score: 38.00/100.00 (38.00%)
Rank: 28
Percentile: 50.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 37 **Incorrect:** 62**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 38.00**

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	9.00	7.00	4.00	14.00	**38.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRACHI P. KHANDARE **(ID No.** 10435 **)**

Your Score: 38.00/100.00 (38.00%)
Rank: 28
Percentile: 50.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRACHI P. KHANDARE **(ID No.** 10435 **)**

Your Score: 38.00/100.00 (38.00%)
Rank: 28
Percentile: 50.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 96 **(Correct:** 37 **Incorrect:** 59**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 38.00**

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
1.00	9.00	8.00	9.00	11.00	**38.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV P. THAKARE **(ID No.** 10436 **)**

Your Score: 37.00/100.00 (37.00%)
Rank: 29
Percentile: 49.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV P. THAKARE **(ID No.** 10436 **)**

Your Score: 37.00/100.00 (37.00%)
Rank: 29
Percentile: 49.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 36 **Incorrect:** 63**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 37.00**

Total Positive Marks: 37.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	9.00	8.00	6.00	10.00	**37.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE **(ID No.** 10427 **)**

Your Score: 36.00/100.00 (36.00%)
Rank: 30
Percentile: 48.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE **(ID No.** 10427 **)**

Your Score: 36.00/100.00 (36.00%)
Rank: 30
Percentile: 48.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 35 **Incorrect:** 64**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 36.00**

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
3.00	8.00	11.00	7.00	7.00	**36.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR **(ID No.** 10102 **)**

Your Score: 35.00/100.00 (35.00%)
Rank: 31
Percentile: 46.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR **(ID No.** 10102 **)**

Your Score: 35.00/100.00 (35.00%)
Rank: 31
Percentile: 46.67

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 **(Correct:** 34 **Incorrect:** 64**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 35.00**

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
2.00	9.00	11.00	4.00	9.00	**35.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE **(ID No.** 10440 **)**

Your Score: 33.00/100.00 (33.00%)
Rank: 32
Percentile: 44.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE **(ID No.** 10440 **)**

Your Score: 33.00/100.00 (33.00%)
Rank: 32
Percentile: 44.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 **(Correct:** 32 **Incorrect:** 66**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 33.00**

Total Positive Marks: 33.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
3.00	6.00	5.00	10.00	9.00	**33.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE **(ID No.** 10108 **)**

Your Score: 30.00/100.00 (30.00%)
Rank: 33
Percentile: 40.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	D	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE **(ID No.** 10108 **)**

Your Score: 30.00/100.00 (30.00%)
Rank: 33
Percentile: 40.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 29 **Incorrect:** 70**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 30.00**

Total Positive Marks: 30.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
3.00	8.00	7.00	3.00	9.00	**30.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE **(ID No.** 10456 **)**

Your Score: 30.00/100.00 (30.00%)
Rank: 33
Percentile: 40.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	B	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE **(ID No.** 10456 **)**

Your Score: 30.00/100.00 (30.00%)
Rank: 33
Percentile: 40.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 93 **(Correct:** 29 **Incorrect:** 64**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 30.00**

Total Positive Marks: 30.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
4.00	7.00	7.00	4.00	8.00	**30.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP **(ID No.** 10432 **)**

Your Score: 28.00/100.00 (28.00%)
Rank: 34
Percentile: 37.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	AC	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		BD	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	BC	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	BC	W	0.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	CD	W	0.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	CD	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	AD	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP **(ID No.** 10432 **)**

Your Score: 28.00/100.00 (28.00%)
Rank: 34
Percentile: 37.33

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	AB	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	AB	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	AD	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	AC	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	CD	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	AD	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	AC	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	BD	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	CD	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct:** 27 **Incorrect:** 72**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 28.00**

Total Positive Marks: 28.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
5.00	6.00	3.00	5.00	9.00	**28.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDANT BABAN THOTE **(ID No.** 10475 **)**

Your Score: 27.00/100.00 (27.00%)
Rank: 35
Percentile: 36.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.40	16.88	80.52	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	96.10	22.08	74.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.40	32.47	64.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	97.40	7.79	89.61	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	96.10	36.36	59.74	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	98.70	20.78	77.92	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.40	24.68	72.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.40	42.86	54.55	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	38.96	61.04	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.40	27.27	70.13	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	98.70	23.38	75.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	97.40	22.08	75.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.40	28.57	68.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.40	31.17	66.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.40	44.16	53.25	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	12.99	87.01	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.40	37.66	59.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	35.06	64.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	98.70	49.35	49.35	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	66.23	33.77	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	100.00	76.62	23.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	100.00	62.34	37.66	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	CHEM	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	10.39	89.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	98.70	27.27	71.43	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.70	87.01	11.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	59.74	40.26	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.40	35.06	62.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	98.70	66.23	32.47	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	94.81	49.35	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	96.10	25.97	70.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	98.70	50.65	48.05	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.70	37.66	61.04	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	97.40	51.95	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	100.00	37.66	62.34	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	98.70	35.06	63.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	55.84	44.16	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	36.36	63.64	BIO	TWO ANS 1	1.00	0.00	AC	A	R	1.00
45	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	71.43	28.57	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	98.70	50.65	48.05	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	100.00	67.53	32.47	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	100.00	57.14	42.86	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
51	98.70	87.01	11.69	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	100.00	74.03	25.97	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	49.35	50.65	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDANT BABAN THOTE **(ID No.** 10475 **)**

Your Score: 27.00/100.00 (27.00%)
Rank: 35
Percentile: 36.00

Max Score: 75.00
Min Score: 27.00
Avg Score: 49.26

TEST: COMPETITIVE TEST 4 (STD 10) (**ID:** 749 **DT:** 06-Nov-2023)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.01	12.99	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	83.12	16.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	80.52	19.48	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	93.51	6.49	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	100.00	79.22	20.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	31.17	68.83	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	97.40	33.77	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	96.10	45.45	50.65	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	88.31	11.69	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	67.53	32.47	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	96.10	38.96	57.14	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	55.84	44.16	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.40	44.16	53.25	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.40	27.27	70.13	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	96.10	46.75	49.35	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	98.70	42.86	55.84	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	94.81	22.08	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	98.70	57.14	41.56	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.70	45.45	53.25	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.40	22.08	75.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	100.00	15.58	84.42	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	14.29	85.71	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	98.70	14.29	84.42	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	98.70	23.38	75.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	98.70	15.58	83.12	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.70	44.16	54.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	100.00	36.36	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	7.79	92.21	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	92.21	7.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	79.22	20.78	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	98.70	50.65	48.05	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	98.70	51.95	46.75	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.81	37.66	57.14	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	55.84	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	100.00	85.71	14.29	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	97.40	46.75	50.65	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	100.00	93.51	6.49	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	94.81	50.65	44.16	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	72.73	27.27	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	100.00	63.64	36.36	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	100.00	57.14	42.86	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	75.32	24.68	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	87.01	12.99	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 **(Correct:** 26 **Incorrect:** 73**) Score Rate:** 0.00 **Strike Rate:** 0.00 **Total: 27.00**

Total Positive Marks: 27.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	**Total**
3.00	6.00	8.00	5.00	5.00	**27.00**

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%