

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAMAN SHAILESH DUBEY ( ID No. 91006 )

**Your Score:** 63.00/100.00 (63.00%)

**Max Score:** 63.00

**Rank:** 1

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 100.00

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAMAN SHAILESH DUBEY ( ID No. 91006 )

**Your Score:** 63.00/100.00 (63.00%)

**Max Score:** 63.00

**Rank:** 1

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 100.00

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 63 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 63.00

**Total Positive Marks:** 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	9.00	18.00	13.00	13.00	63.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KRISHNA PRAMOD SHUKLA ( ID No. 92023 )

**Your Score:** 61.00/100.00 (61.00%)

**Max Score:** 63.00

**Rank:** 2

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 96.83

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KRISHNA PRAMOD SHUKLA ( ID No. 92023 )

**Your Score:** 61.00/100.00 (61.00%)

**Max Score:** 63.00

**Rank:** 2

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 96.83

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 61 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 61.00

**Total Positive Marks:** 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
14.00	11.00	18.00	9.00	9.00	61.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHIRAG RAKESH SHARMA ( ID No. 92011 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 63.00

**Rank:** 3

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 95.24

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHIRAG RAKESH SHARMA ( ID No. 92011 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 63.00

**Rank:** 3

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 95.24

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 60.00

**Total Positive Marks:** 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	9.00	17.00	9.00	13.00	60.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADVAIT HEMANT BANAIT ( ID No. 92005 )

**Your Score:** 57.00/100.00 (57.00%)

**Max Score:** 63.00

**Rank:** 4

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 90.48

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADVAIT HEMANT BANAIT ( ID No. 92005 )

**Your Score:** 57.00/100.00 (57.00%)

**Max Score:** 63.00

**Rank:** 4

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 90.48

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 98 (**Correct:** 57 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 57.00

**Total Positive Marks:** 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	8.00	16.00	10.00	16.00	57.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM PRAVIN MOHOD ( ID No. 92031 )

**Your Score:** 57.00/100.00 (57.00%)

**Max Score:** 63.00

**Rank:** 4

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 90.48

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM PRAVIN MOHOD ( ID No. 92031 )

**Your Score:** 57.00/100.00 (57.00%)

**Max Score:** 63.00

**Rank:** 4

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 90.48

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 57 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 57.00

**Total Positive Marks:** 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	10.00	18.00	9.00	12.00	57.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATIK SUNIL GAVHALE ( ID No. 92033 )

**Your Score:** 56.00/100.00 (56.00%)

**Max Score:** 63.00

**Rank:** 5

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 88.89

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATIK SUNIL GAVHALE ( ID No. 92033 )

**Your Score:** 56.00/100.00 (56.00%)

**Max Score:** 63.00

**Rank:** 5

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 88.89

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 56.00

**Total Positive Marks:** 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	12.00	16.00	9.00	9.00	56.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV DILIP UPADHYE ( ID No. 92002 )

**Your Score:** 55.00/100.00 (55.00%)

**Max Score:** 63.00

**Rank:** 6

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 87.30

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV DILIP UPADHYE ( ID No. 92002 )

**Your Score:** 55.00/100.00 (55.00%)

**Max Score:** 63.00

**Rank:** 6

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 87.30

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 55.00

**Total Positive Marks:** 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	8.00	14.00	10.00	13.00	55.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NINAD RAJESH NITNAWARE ( ID No. 92029 )

**Your Score:** 55.00/100.00 (55.00%)

**Max Score:** 63.00

**Rank:** 6

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 87.30

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NINAD RAJESH NITNAWARE ( ID No. 92029 )

**Your Score:** 55.00/100.00 (55.00%)

**Max Score:** 63.00

**Rank:** 6

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 87.30

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 55.00

**Total Positive Marks:** 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	5.00	13.00	13.00	12.00	55.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREYASH NILESH GORE ( ID No. 92037 )

**Your Score:** 55.00/100.00 (55.00%)

**Max Score:** 63.00

**Rank:** 6

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 87.30

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREYASH NILESH GORE ( ID No. 92037 )

**Your Score:** 55.00/100.00 (55.00%)

**Max Score:** 63.00

**Rank:** 6

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 87.30

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 55.00

**Total Positive Marks:** 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	8.00	16.00	11.00	9.00	55.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DARSHANA P. NANDAPURE ( ID No. 92012 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 63.00

**Rank:** 7

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 84.13

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DARSHANA P. NANDAPURE ( ID No. 92012 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 63.00

**Rank:** 7

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 84.13

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 53.00

**Total Positive Marks:** 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	6.00	17.00	10.00	10.00	53.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ISHANT SATISH TAKSALE ( ID No. 92018 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 63.00

**Rank:** 7

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 84.13

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ISHANT SATISH TAKSALE ( ID No. 92018 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 63.00

**Rank:** 7

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 84.13

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 53.00

**Total Positive Marks:** 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	5.00	13.00	7.00	16.00	53.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM ANIL GAYAKWAD ( ID No. 92030 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 63.00

**Rank:** 7

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 84.13

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM ANIL GAYAKWAD ( ID No. 92030 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 63.00

**Rank:** 7

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 84.13

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 53.00

**Total Positive Marks:** 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	10.00	17.00	5.00	10.00	53.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAYURI P. BHOJANE ( ID No. 92027 )

**Your Score:** 51.00/100.00 (51.00%)

**Max Score:** 63.00

**Rank:** 8

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 80.95

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAYURI P. BHOJANE ( ID No. 92027 )

**Your Score:** 51.00/100.00 (51.00%)

**Max Score:** 63.00

**Rank:** 8

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 80.95

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 51.00

**Total Positive Marks:** 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	9.00	12.00	10.00	14.00	51.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANAVI SUNIL LADDHA ( ID No. 92008 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 63.00

**Rank:** 9

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 77.78

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANAVI SUNIL LADDHA ( ID No. 92008 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 63.00

**Rank:** 9

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 77.78

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 49.00

**Total Positive Marks:** 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	7.00	11.00	9.00	11.00	49.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GAYATRI PRASHANT UMALE ( ID No. 92014 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 63.00

**Rank:** 9

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 77.78

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GAYATRI PRASHANT UMALE ( ID No. 92014 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 63.00

**Rank:** 9

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 77.78

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 49.00

**Total Positive Marks:** 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	9.00	14.00	4.00	14.00	49.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSH H. RATHOD ( ID No. 92016 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 63.00

**Rank:** 9

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 77.78

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSH H. RATHOD ( ID No. 92016 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 63.00

**Rank:** 9

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 77.78

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 49.00

**Total Positive Marks:** 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	7.00	16.00	10.00	8.00	49.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSH MUKUNDA JAGTAP ( ID No. 92017 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 63.00

**Rank:** 9

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 77.78

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSH MUKUNDA JAGTAP ( ID No. 92017 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 63.00

**Rank:** 9

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 77.78

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 49.00

**Total Positive Marks:** 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	8.00	15.00	8.00	10.00	49.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KRUSHNALI S. ARBAT ( ID No. 92025 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 63.00

**Rank:** 9

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 77.78

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KRUSHNALI S. ARBAT ( ID No. 92025 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 63.00

**Rank:** 9

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 77.78

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 49.00

**Total Positive Marks:** 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	9.00	17.00	8.00	9.00	49.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARAH RAFI SHAIKH ( ID No. 91011 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 63.00

**Rank:** 10

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 76.19

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARAH RAFI SHAIKH ( ID No. 91011 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 63.00

**Rank:** 10

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 76.19

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 48.00

**Total Positive Marks:** 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	8.00	15.00	8.00	10.00	48.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** YASHIKA NILESH HUTKE ( ID No. 91016 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 63.00

**Rank:** 10

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 76.19

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** YASHIKA NILESH HUTKE ( ID No. 91016 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 63.00

**Rank:** 10

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 76.19

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 48.00

**Total Positive Marks:** 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	6.00	17.00	7.00	12.00	48.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRANAV KESHAV GHATE ( ID No. 91007 )

**Your Score:** 47.00/100.00 (47.00%)

**Max Score:** 63.00

**Rank:** 11

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 74.60

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRANAV KESHAV GHATE ( ID No. 91007 )

**Your Score:** 47.00/100.00 (47.00%)

**Max Score:** 63.00

**Rank:** 11

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 74.60

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 47 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 47.00

**Total Positive Marks:** 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	9.00	16.00	6.00	7.00	47.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JANHAVI SHIVAJI DANDALE ( ID No. 92019 )

**Your Score:** 47.00/100.00 (47.00%)

**Max Score:** 63.00

**Rank:** 11

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 74.60

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JANHAVI SHIVAJI DANDALE ( ID No. 92019 )

**Your Score:** 47.00/100.00 (47.00%)

**Max Score:** 63.00

**Rank:** 11

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 74.60

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 47 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 47.00

**Total Positive Marks:** 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	10.00	16.00	5.00	10.00	47.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA RAVI INGLE ( ID No. 92004 )

**Your Score:** 45.00/100.00 (45.00%)

**Max Score:** 63.00

**Rank:** 12

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 71.43

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA RAVI INGLE ( ID No. 92004 )

**Your Score:** 45.00/100.00 (45.00%)

**Max Score:** 63.00

**Rank:** 12

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 71.43

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 45.00

**Total Positive Marks:** 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	6.00	15.00	6.00	10.00	45.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VIVEK DHANANJAY GADHE ( ID No. 92040 )

**Your Score:** 45.00/100.00 (45.00%)

**Max Score:** 63.00

**Rank:** 12

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 71.43

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VIVEK DHANANJAY GADHE ( ID No. 92040 )

**Your Score:** 45.00/100.00 (45.00%)

**Max Score:** 63.00

**Rank:** 12

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 71.43

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 45.00

**Total Positive Marks:** 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	11.00	14.00	6.00	9.00	45.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITI ATUL BHENDE ( ID No. 91001 )

**Your Score:** 43.00/100.00 (43.00%)

**Max Score:** 63.00

**Rank:** 13

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 68.25

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITI ATUL BHENDE ( ID No. 91001 )

**Your Score:** 43.00/100.00 (43.00%)

**Max Score:** 63.00

**Rank:** 13

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 68.25

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 43 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 43.00

**Total Positive Marks:** 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	5.00	13.00	6.00	12.00	43.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RADHA PRASHANT PAGRUT ( ID No. 91009 )

**Your Score:** 42.00/100.00 (42.00%)

**Max Score:** 63.00

**Rank:** 14

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 66.67

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RADHA PRASHANT PAGRUT ( ID No. 91009 )

**Your Score:** 42.00/100.00 (42.00%)

**Max Score:** 63.00

**Rank:** 14

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 66.67

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 42 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 42.00

**Total Positive Marks:** 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	7.00	14.00	8.00	7.00	42.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RAJKUMARI R. HANUMANTE ( ID No. 91010 )

**Your Score:** 42.00/100.00 (42.00%)

**Max Score:** 63.00

**Rank:** 14

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 66.67

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RAJKUMARI R. HANUMANTE ( ID No. 91010 )

**Your Score:** 42.00/100.00 (42.00%)

**Max Score:** 63.00

**Rank:** 14

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 66.67

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 42 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 42.00

**Total Positive Marks:** 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	5.00	14.00	7.00	8.00	42.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GUNJAN A. NANDANWAR ( ID No. 92015 )

**Your Score:** 42.00/100.00 (42.00%)

**Max Score:** 63.00

**Rank:** 14

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 66.67

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GUNJAN A. NANDANWAR ( ID No. 92015 )

**Your Score:** 42.00/100.00 (42.00%)

**Max Score:** 63.00

**Rank:** 14

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 66.67

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 42 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 42.00

**Total Positive Marks:** 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	9.00	13.00	7.00	7.00	42.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHUBHRA SHARAD GHUGE ( ID No. 92038 )

**Your Score:** 42.00/100.00 (42.00%)

**Max Score:** 63.00

**Rank:** 14

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 66.67

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHUBHRA SHARAD GHUGE ( ID No. 92038 )

**Your Score:** 42.00/100.00 (42.00%)

**Max Score:** 63.00

**Rank:** 14

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 66.67

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	AC	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	AB	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 42 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 42.00

**Total Positive Marks:** 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	8.00	12.00	8.00	6.00	42.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VAIBHAV G. RATNAPARKHI ( ID No. 92039 )

**Your Score:** 40.00/100.00 (40.00%)

**Max Score:** 63.00

**Rank:** 15

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 63.49

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VAIBHAV G. RATNAPARKHI ( ID No. 92039 )

**Your Score:** 40.00/100.00 (40.00%)

**Max Score:** 63.00

**Rank:** 15

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 63.49

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 40 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 40.00

**Total Positive Marks:** 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	11.00	7.00	9.00	9.00	40.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KRUSHNA ANANTA MOHOD ( ID No. 92024 )

**Your Score:** 39.00/100.00 (39.00%)

**Max Score:** 63.00

**Rank:** 16

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 61.90

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KRUSHNA ANANTA MOHOD ( ID No. 92024 )

**Your Score:** 39.00/100.00 (39.00%)

**Max Score:** 63.00

**Rank:** 16

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 61.90

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 39 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 39.00

**Total Positive Marks:** 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
3.00	11.00	6.00	10.00	9.00	39.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JANHAVI PRAKASH SANGLE ( ID No. 92041 )

**Your Score:** 36.00/100.00 (36.00%)

**Max Score:** 63.00

**Rank:** 17

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 57.14

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JANHAVI PRAKASH SANGLE ( ID No. 92041 )

**Your Score:** 36.00/100.00 (36.00%)

**Max Score:** 63.00

**Rank:** 17

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 57.14

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 86 (**Correct:** 36 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 36.00

**Total Positive Marks:** 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	6.00	12.00	3.00	11.00	36.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANJALI DILIP TAYADE ( ID No. 92042 )

**Your Score:** 36.00/100.00 (36.00%)

**Max Score:** 63.00

**Rank:** 17

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 57.14

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.55	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	51.52	48.48	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	96.97	33.33	63.64	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	6.06	93.94	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	96.97	3.03	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	96.97	15.15	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	57.58	42.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	69.70	30.30	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
16	100.00	42.42	57.58	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.97	45.45	51.52	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	96.97	9.09	87.88	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
22	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	96.97	63.64	33.33	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	30.30	69.70	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	100.00	60.61	39.39	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	100.00	18.18	81.82	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	15.15	84.85	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	100.00	12.12	87.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	100.00	66.67	33.33	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	51.52	48.48	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	100.00	39.39	60.61	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	48.48	51.52	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	57.58	42.42	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	93.94	6.06	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	96.97	66.67	30.30	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	15.15	84.85	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANJALI DILIP TAYADE ( ID No. 92042 )

**Your Score:** 36.00/100.00 (36.00%)

**Max Score:** 63.00

**Rank:** 17

**Min Score:** 36.00

**TEST:** COMPETITIVE TEST 4 (STD 9) ( ID: 748 DT: 06-Nov-2023 )

**Percentile:** 57.14

**Avg Score:** 48.97

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
55	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	87.88	12.12	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.76	24.24	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	100.00	84.85	15.15	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	33.33	66.67	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	78.79	21.21	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	96.97	24.24	72.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	96.97	78.79	18.18	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	15.15	84.85	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.97	27.27	69.70	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
69	100.00	30.30	69.70	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	3.03	96.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	100.00	57.58	42.42	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	66.67	33.33	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	96.97	57.58	39.39	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	96.97	45.45	51.52	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	100.00	21.21	78.79	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	100.00	9.09	90.91	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	100.00	24.24	75.76	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	96.97	33.33	63.64	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	18.18	81.82	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	96.97	12.12	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	100.00	51.52	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	96.97	78.79	18.18	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
89	100.00	54.55	45.45	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	100.00	15.15	84.85	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
93	96.97	48.48	48.48	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	90.91	9.09	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	21.21	78.79	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	100.00	66.67	33.33	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	57.58	42.42	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	87.88	12.12	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	42.42	57.58	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 36 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 36.00

**Total Positive Marks:** 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	3.00	12.00	7.00	8.00	36.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%