

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 77.00/100.00 (77.00%)

Max Score: 77.00

Rank: 1

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 100.00

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 77.00/100.00 (77.00%)

Max Score: 77.00

Rank: 1

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 100.00

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 76 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 77.00

Total Positive Marks: 77.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 15.00 | 18.00 | 18.00 | 10.00 | 16.00 | 77.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE (ID No. 10185)

Your Score: 72.00/100.00 (72.00%)

Max Score: 77.00

Rank: 2

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 93.51

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE (ID No. 10185)

Your Score: 72.00/100.00 (72.00%)

Max Score: 77.00

Rank: 2

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 93.51

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 71 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 15.00 | 16.00 | 17.00 | 12.00 | 12.00 | 72.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 68.00/100.00 (68.00%)

Max Score: 77.00

Rank: 3

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 88.31

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | AB | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 68.00/100.00 (68.00%)

Max Score: 77.00

Rank: 3

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 88.31

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | C | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 67 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 68.00

Total Positive Marks: 68.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 11.00 | 16.00 | 11.00 | 14.00 | 16.00 | 68.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 66.00/100.00 (66.00%)

Max Score: 77.00

Rank: 4

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 85.71

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 66.00/100.00 (66.00%)

Max Score: 77.00

Rank: 4

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 85.71

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 65 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 15.00 | 13.00 | 16.00 | 8.00 | 14.00 | 66.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 66.00/100.00 (66.00%)

Max Score: 77.00

Rank: 4

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 85.71

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 66.00/100.00 (66.00%)

Max Score: 77.00

Rank: 4

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 85.71

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 65 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 13.00 | 13.00 | 15.00 | 10.00 | 15.00 | 66.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 66.00/100.00 (66.00%)

Max Score: 77.00

Rank: 4

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 85.71

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 66.00/100.00 (66.00%)

Max Score: 77.00

Rank: 4

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 85.71

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 65 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 12.00 | 13.00 | 15.00 | 11.00 | 15.00 | 66.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJSSINGH K. CHUNGADE (ID No. 10188)

Your Score: 65.00/100.00 (65.00%)

Max Score: 77.00

Rank: 5

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 84.42

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJ SINGH K. CHUNGADE (ID No. 10188)

Your Score: 65.00/100.00 (65.00%)

Max Score: 77.00

Rank: 5

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 84.42

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 64 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 15.00 | 13.00 | 10.00 | 17.00 | 65.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 80.52

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 80.52

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 12.00 | 14.00 | 13.00 | 7.00 | 16.00 | 62.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 80.52

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 80.52

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 61 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 14.00 | 12.00 | 12.00 | 14.00 | 62.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 80.52

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | AD | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 80.52

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | BC | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 11.00 | 14.00 | 16.00 | 8.00 | 13.00 | 62.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 80.52

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 80.52

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 12.00 | 14.00 | 8.00 | 18.00 | 62.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 80.52

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 80.52

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 96 (**Correct:** 61 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 11.00 | 12.00 | 16.00 | 9.00 | 14.00 | 62.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 61.00/100.00 (61.00%)

Max Score: 77.00

Rank: 7

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 79.22

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 61.00/100.00 (61.00%)

Max Score: 77.00

Rank: 7

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 79.22

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | A | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 11.00 | 10.00 | 17.00 | 12.00 | 11.00 | 61.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 77.92

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 77.92

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 59 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 13.00 | 10.00 | 13.00 | 11.00 | 13.00 | 60.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 77.92

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 77.92

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 59 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 11.00 | 11.00 | 15.00 | 8.00 | 15.00 | 60.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 77.92

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 77.92

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 59 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 6.00 | 12.00 | 14.00 | 9.00 | 19.00 | 60.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 76.62

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 76.62

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | A | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | BD | W | 0.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 97 (**Correct:** 58 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 12.00 | 15.00 | 14.00 | 9.00 | 9.00 | 59.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 76.62

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 76.62

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 96 (**Correct:** 58 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 5.00 | 15.00 | 17.00 | 10.00 | 12.00 | 59.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 76.62

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 9

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 76.62

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 11.00 | 13.00 | 13.00 | 9.00 | 13.00 | 59.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYANK MOHAN LAKRAS (ID No. 10139)

Your Score: 58.00/100.00 (58.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 75.32

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYANK MOHAN LAKRAS (ID No. 10139)

Your Score: 58.00/100.00 (58.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 75.32

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 57 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 12.00 | 10.00 | 12.00 | 12.00 | 12.00 | 58.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 58.00/100.00 (58.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 75.32

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 58.00/100.00 (58.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 75.32

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | C | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 10.00 | 10.00 | 14.00 | 15.00 | 58.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 58.00/100.00 (58.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 75.32

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 58.00/100.00 (58.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 75.32

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | BC | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 57 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 12.00 | 13.00 | 17.00 | 5.00 | 11.00 | 58.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 58.00/100.00 (58.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 75.32

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 58.00/100.00 (58.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 75.32

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 12.00 | 7.00 | 16.00 | 11.00 | 12.00 | 58.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 11

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 74.03

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 11

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 74.03

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 17.00 | 13.00 | 4.00 | 13.00 | 57.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANURAG N. GHAVAT (ID No. 10112)

Your Score: 56.00/100.00 (56.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 72.73

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANURAG N. GHAVAT (ID No. 10112)

Your Score: 56.00/100.00 (56.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 72.73

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | A | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 12.00 | 9.00 | 16.00 | 7.00 | 12.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 56.00/100.00 (56.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 72.73

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 56.00/100.00 (56.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 72.73

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 12.00 | 12.00 | 11.00 | 11.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 56.00/100.00 (56.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 72.73

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 56.00/100.00 (56.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 72.73

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | A | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 12.00 | 13.00 | 6.00 | 15.00 | 56.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI R. JADHAO (ID No. 10420)

Your Score: 55.00/100.00 (55.00%)

Max Score: 77.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 71.43

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI R. JADHAO (ID No. 10420)

Your Score: 55.00/100.00 (55.00%)

Max Score: 77.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 71.43

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 54 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 10.00 | 16.00 | 7.00 | 13.00 | 55.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 55.00/100.00 (55.00%)

Max Score: 77.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 71.43

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 55.00/100.00 (55.00%)

Max Score: 77.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 71.43

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 11.00 | 9.00 | 13.00 | 7.00 | 15.00 | 55.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 55.00/100.00 (55.00%)

Max Score: 77.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 71.43

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 55.00/100.00 (55.00%)

Max Score: 77.00

Rank: 13

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 71.43

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 11.00 | 14.00 | 8.00 | 14.00 | 55.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMEY NARENDRA SURE (ID No. 10106)

Your Score: 53.00/100.00 (53.00%)

Max Score: 77.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 68.83

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMEY NARENDRA SURE (ID No. 10106)

Your Score: 53.00/100.00 (53.00%)

Max Score: 77.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 68.83

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 8.00 | 9.00 | 9.00 | 13.00 | 14.00 | 53.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 53.00/100.00 (53.00%)

Max Score: 77.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 68.83

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 53.00/100.00 (53.00%)

Max Score: 77.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 68.83

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 7.00 | 9.00 | 12.00 | 9.00 | 16.00 | 53.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 53.00/100.00 (53.00%)

Max Score: 77.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 68.83

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 53.00/100.00 (53.00%)

Max Score: 77.00

Rank: 14

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 68.83

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 97 (**Correct:** 52 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 10.00 | 11.00 | 12.00 | 6.00 | 14.00 | 53.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKIT AMIT MAHAJAN (ID No. 10110)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 67.53

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKIT AMIT MAHAJAN (ID No. 10110)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 67.53

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 10.00 | 7.00 | 13.00 | 8.00 | 14.00 | 52.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 67.53

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 15

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 67.53

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|-------|-------|-------|---------|-------|
| 12.00 | 11.00 | 12.00 | 7.00 | 10.00 | 52.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 64.94

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 64.94

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | C | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|------|-------|---------|-------|
| 12.00 | 7.00 | 8.00 | 10.00 | 13.00 | 50.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 64.94

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 64.94

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|------|-------|---------|-------|
| 12.00 | 7.00 | 9.00 | 10.00 | 12.00 | 50.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 64.94

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 64.94

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 10.00 | 15.00 | 5.00 | 11.00 | 50.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 64.94

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 64.94

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 6.00 | 9.00 | 11.00 | 7.00 | 17.00 | 50.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 64.94

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 64.94

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 11.00 | 12.00 | 5.00 | 14.00 | 50.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | C | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 7.00 | 8.00 | 12.00 | 8.00 | 14.00 | 49.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 7.00 | 9.00 | 12.00 | 11.00 | 10.00 | 49.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 9.00 | 6.00 | 6.00 | 15.00 | 13.00 | 49.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PALASH N CHITLANGE (ID No. 10146)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PALASH N CHITLANGE (ID No. 10146)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 8.00 | 12.00 | 10.00 | 7.00 | 12.00 | 49.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | C | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 8.00 | 8.00 | 14.00 | 7.00 | 12.00 | 49.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN (ID No. 10194)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN (ID No. 10194)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | C | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 7.00 | 8.00 | 12.00 | 8.00 | 14.00 | 49.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 48 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 6.00 | 8.00 | 16.00 | 4.00 | 15.00 | 49.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NIRAL NAREN NIKHADE (ID No. 10143)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 62.34

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NIRAL NAREN NIKHADE (ID No. 10143)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 62.34

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 47 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 6.00 | 9.00 | 13.00 | 6.00 | 14.00 | 48.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANITA UMESH TAYADE (ID No. 10149)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 62.34

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANITA UMESH TAYADE (ID No. 10149)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 62.34

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | C | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 8.00 | 8.00 | 12.00 | 6.00 | 14.00 | 48.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 62.34

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 62.34

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 6.00 | 11.00 | 13.00 | 7.00 | 11.00 | 48.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 62.34

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | AC | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 18

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 62.34

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 6.00 | 8.00 | 11.00 | 9.00 | 14.00 | 48.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 61.04

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 61.04

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|------|-------|---------|-------|
| 8.00 | 12.00 | 8.00 | 8.00 | 11.00 | 47.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 61.04

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 61.04

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 46 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 6.00 | 5.00 | 18.00 | 5.00 | 13.00 | 47.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 61.04

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 61.04

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 8.00 | 8.00 | 10.00 | 9.00 | 12.00 | 47.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 61.04

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 61.04

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 8.00 | 7.00 | 10.00 | 6.00 | 16.00 | 47.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 61.04

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 61.04

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|------|-------|---------|-------|
| 9.00 | 10.00 | 9.00 | 5.00 | 14.00 | 47.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 46.00/100.00 (46.00%)

Max Score: 77.00

Rank: 20

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 59.74

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 46.00/100.00 (46.00%)

Max Score: 77.00

Rank: 20

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 59.74

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 45 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 9.00 | 10.00 | 14.00 | 0.00 | 13.00 | 46.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAHSIKANT Y. DESHMUKH (ID No. 10171)

Your Score: 46.00/100.00 (46.00%)

Max Score: 77.00

Rank: 20

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 59.74

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAHSIKANT Y. DESHMUKH (ID No. 10171)

Your Score: 46.00/100.00 (46.00%)

Max Score: 77.00

Rank: 20

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 59.74

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | C | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | AD | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 45 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 10.00 | 7.00 | 12.00 | 7.00 | 10.00 | 46.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 46.00/100.00 (46.00%)

Max Score: 77.00

Rank: 20

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 59.74

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | CD | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 46.00/100.00 (46.00%)

Max Score: 77.00

Rank: 20

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 59.74

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | CD | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 45 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|-------|-------|---------|-------|
| 6.00 | 11.00 | 13.00 | 4.00 | 12.00 | 46.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 58.44

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 58.44

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | C | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | AD | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|------|-------|---------|-------|
| 6.00 | 10.00 | 8.00 | 8.00 | 13.00 | 45.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 58.44

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 58.44

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 7.00 | 6.00 | 8.00 | 9.00 | 15.00 | 45.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 58.44

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 58.44

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 8.00 | 6.00 | 10.00 | 9.00 | 12.00 | 45.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 58.44

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 58.44

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|------|-------|---------|-------|
| 10.00 | 6.00 | 9.00 | 6.00 | 14.00 | 45.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 44.00/100.00 (44.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 57.14

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 44.00/100.00 (44.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 57.14

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 5.00 | 7.00 | 12.00 | 6.00 | 14.00 | 44.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 44.00/100.00 (44.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 57.14

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 44.00/100.00 (44.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 57.14

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | BD | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 **(Correct: 43 Incorrect: 56)** **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 8.00 | 8.00 | 10.00 | 8.00 | 10.00 | 44.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 44.00/100.00 (44.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 57.14

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 44.00/100.00 (44.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 57.14

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|-------|------|-------|-------|---------|-------|
| 10.00 | 6.00 | 11.00 | 6.00 | 11.00 | 44.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 44.00/100.00 (44.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 57.14

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 44.00/100.00 (44.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 57.14

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 97 (**Correct:** 43 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 5.00 | 8.00 | 10.00 | 7.00 | 14.00 | 44.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 43.00/100.00 (43.00%)

Max Score: 77.00

Rank: 23

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 55.84

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 43.00/100.00 (43.00%)

Max Score: 77.00

Rank: 23

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 55.84

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | C | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 42 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|------|-------|---------|-------|
| 8.00 | 11.00 | 9.00 | 5.00 | 10.00 | 43.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 43.00/100.00 (43.00%)

Max Score: 77.00

Rank: 23

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 55.84

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 43.00/100.00 (43.00%)

Max Score: 77.00

Rank: 23

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 55.84

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | C | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 42 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|-------|------|-------|---------|-------|
| 9.00 | 11.00 | 5.00 | 8.00 | 10.00 | 43.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 42.00/100.00 (42.00%)

Max Score: 77.00

Rank: 24

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 54.55

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 42.00/100.00 (42.00%)

Max Score: 77.00

Rank: 24

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 54.55

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 97 (**Correct:** 41 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 6.00 | 9.00 | 9.00 | 7.00 | 11.00 | 42.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI K. TIWARI (ID No. 10168)

Your Score: 42.00/100.00 (42.00%)

Max Score: 77.00

Rank: 24

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 54.55

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI K. TIWARI (ID No. 10168)

Your Score: 42.00/100.00 (42.00%)

Max Score: 77.00

Rank: 24

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 54.55

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 3.00 | 9.00 | 12.00 | 6.00 | 12.00 | 42.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 53.25

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 53.25

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 4.00 | 8.00 | 9.00 | 7.00 | 13.00 | 41.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 53.25

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | CD | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 53.25

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | AC | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 6.00 | 7.00 | 9.00 | 7.00 | 12.00 | 41.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 53.25

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 25

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 53.25

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | A | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 5.00 | 7.00 | 13.00 | 7.00 | 9.00 | 41.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 40.00/100.00 (40.00%)

Max Score: 77.00

Rank: 26

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 51.95

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 40.00/100.00 (40.00%)

Max Score: 77.00

Rank: 26

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 51.95

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 9.00 | 8.00 | 10.00 | 4.00 | 9.00 | 40.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 40.00/100.00 (40.00%)

Max Score: 77.00

Rank: 26

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 51.95

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 40.00/100.00 (40.00%)

Max Score: 77.00

Rank: 26

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 51.95

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 5.00 | 6.00 | 9.00 | 7.00 | 13.00 | 40.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 38.00/100.00 (38.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 49.35

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 38.00/100.00 (38.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 49.35

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | D | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 37 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 8.00 | 5.00 | 8.00 | 6.00 | 11.00 | 38.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDIKA RANJIT KHEDKAR (ID No. 10477)

Your Score: 38.00/100.00 (38.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 49.35

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDIKA RANJIT KHEDKAR (ID No. 10477)

Your Score: 38.00/100.00 (38.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 49.35

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | A | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 37 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 5.00 | 4.00 | 9.00 | 9.00 | 11.00 | 38.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SACHIN SHINDE (ID No. 10423)

Your Score: 37.00/100.00 (37.00%)

Max Score: 77.00

Rank: 28

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 48.05

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SACHIN SHINDE (ID No. 10423)

Your Score: 37.00/100.00 (37.00%)

Max Score: 77.00

Rank: 28

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 48.05

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 85 (**Correct:** 36 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 37.00

Total Positive Marks: 37.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 6.00 | 5.00 | 10.00 | 4.00 | 12.00 | 37.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 36.00/100.00 (36.00%)

Max Score: 77.00

Rank: 29

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 46.75

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 36.00/100.00 (36.00%)

Max Score: 77.00

Rank: 29

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 46.75

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | A | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 35 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 8.00 | 6.00 | 7.00 | 4.00 | 11.00 | 36.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 35.00/100.00 (35.00%)

Max Score: 77.00

Rank: 30

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 45.45

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 35.00/100.00 (35.00%)

Max Score: 77.00

Rank: 30

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 45.45

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 34 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 9.00 | 4.00 | 6.00 | 5.00 | 11.00 | 35.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 33.00/100.00 (33.00%)

Max Score: 77.00

Rank: 31

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 42.86

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 33.00/100.00 (33.00%)

Max Score: 77.00

Rank: 31

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 42.86

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 32 **Incorrect:** 67) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|-------|-------|---------|-------|
| 7.00 | 2.00 | 10.00 | 3.00 | 11.00 | 33.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI P. WAGHMARE (ID No. 10453)

Your Score: 32.00/100.00 (32.00%)

Max Score: 77.00

Rank: 32

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 41.56

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI P. WAGHMARE (ID No. 10453)

Your Score: 32.00/100.00 (32.00%)

Max Score: 77.00

Rank: 32

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 41.56

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | B | R | 1.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 31 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 32.00

Total Positive Marks: 32.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 4.00 | 6.00 | 4.00 | 6.00 | 12.00 | 32.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 31.00/100.00 (31.00%)

Max Score: 77.00

Rank: 33

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 40.26

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 31.00/100.00 (31.00%)

Max Score: 77.00

Rank: 33

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 40.26

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | C | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 30 **Incorrect:** 69) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 31.00

Total Positive Marks: 31.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 4.00 | 7.00 | 7.00 | 8.00 | 5.00 | 31.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKITA P. GUDADHE (ID No. 10408)

Your Score: 24.00/100.00 (24.00%)

Max Score: 77.00

Rank: 34

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 31.17

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 80.00 | 20.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 2 | 100.00 | 54.12 | 45.88 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 40.00 | 60.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 4 | 100.00 | 45.88 | 54.12 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 5 | 100.00 | 10.59 | 89.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 6 | 100.00 | 20.00 | 80.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 7 | 98.82 | 55.29 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 8 | 100.00 | 3.53 | 96.47 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 9 | 100.00 | 100.00 | 0.00 | PHY | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 10 | 100.00 | 36.47 | 63.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 11 | 100.00 | 27.06 | 72.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 12 | 97.65 | 27.06 | 70.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 13 | 98.82 | 34.12 | 64.71 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 100.00 | 28.24 | 71.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 97.65 | 40.00 | 57.65 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 16 | 100.00 | 49.41 | 50.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 98.82 | 58.82 | 40.00 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 18 | 100.00 | 30.59 | 69.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 19 | 100.00 | 67.06 | 32.94 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 56.47 | 43.53 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 21 | 100.00 | 28.24 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 22 | 98.82 | 44.71 | 54.12 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 23 | 98.82 | 37.65 | 61.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 43.53 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 25 | 98.82 | 50.59 | 48.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 26 | 97.65 | 51.76 | 45.88 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 27 | 100.00 | 41.18 | 58.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 28 | 98.82 | 63.53 | 35.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 29 | 100.00 | 57.65 | 42.35 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 30 | 100.00 | 60.00 | 40.00 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 100.00 | 67.06 | 32.94 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 32 | 100.00 | 22.35 | 77.65 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 33 | 100.00 | 49.41 | 50.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 34 | 100.00 | 61.18 | 38.82 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 35 | 100.00 | 58.82 | 41.18 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 36 | 98.82 | 42.35 | 56.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 37 | 100.00 | 63.53 | 36.47 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 38 | 100.00 | 56.47 | 43.53 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 39 | 98.82 | 23.53 | 75.29 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 97.65 | 25.88 | 71.76 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 41 | 100.00 | 27.06 | 72.94 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 43 | 98.82 | 69.41 | 29.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 44 | 98.82 | 52.94 | 45.88 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 45 | 100.00 | 41.18 | 58.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 46 | 100.00 | 30.59 | 69.41 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 68.24 | 31.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 48 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 49 | 100.00 | 82.35 | 17.65 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 100.00 | 56.47 | 43.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 51 | 100.00 | 77.65 | 22.35 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 52 | 100.00 | 28.24 | 71.76 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 20.00 | 80.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKITA P. GUDADHE (ID No. 10408)

Your Score: 24.00/100.00 (24.00%)

Max Score: 77.00

Rank: 34

Min Score: 24.00

TEST: COMPETITIVE TEST 5 (STD 10) (ID: 759 DT: 04-Dec-2023)

Percentile: 31.17

Avg Score: 50.40

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 97.65 | 42.35 | 55.29 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 55 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 56 | 100.00 | 60.00 | 40.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 57 | 100.00 | 76.47 | 23.53 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 58 | 98.82 | 70.59 | 28.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 59 | 100.00 | 75.29 | 24.71 | BIO | TWO ANS 1 | 1.00 | 0.00 | BD | A | W | 0.00 |
| 60 | 100.00 | 81.18 | 18.82 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 61 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 62 | 100.00 | 31.76 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 63 | 98.82 | 22.35 | 76.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 64 | 100.00 | 44.71 | 55.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 65 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 66 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 67 | 96.47 | 28.24 | 68.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 68 | 100.00 | 43.53 | 56.47 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 69 | 97.65 | 49.41 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 70 | 100.00 | 71.76 | 28.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 71 | 100.00 | 41.18 | 58.82 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 73 | 98.82 | 23.53 | 75.29 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 74 | 100.00 | 51.76 | 48.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 75 | 98.82 | 28.24 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 76 | 100.00 | 37.65 | 62.35 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 77 | 100.00 | 58.82 | 41.18 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 78 | 100.00 | 22.35 | 77.65 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 79 | 100.00 | 29.41 | 70.59 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 80 | 100.00 | 35.29 | 64.71 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 28.24 | 71.76 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 82 | 100.00 | 60.00 | 40.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 36.47 | 63.53 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 84 | 100.00 | 25.88 | 74.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 85 | 98.82 | 38.82 | 60.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 86 | 100.00 | 81.18 | 18.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 69.41 | 30.59 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 88 | 98.82 | 91.76 | 7.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 89 | 98.82 | 34.12 | 64.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 90 | 98.82 | 50.59 | 48.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 94.12 | 5.88 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 62.35 | 37.65 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 93 | 97.65 | 18.82 | 78.82 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 94 | 98.82 | 71.76 | 27.06 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 95 | 100.00 | 80.00 | 20.00 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 96 | 100.00 | 97.65 | 2.35 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 97 | 100.00 | 90.59 | 9.41 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 98 | 98.82 | 74.12 | 24.71 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 99 | 98.82 | 84.71 | 14.12 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 100 | 100.00 | 91.76 | 8.24 | GK+M.A. | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 97 (**Correct:** 23 **Incorrect:** 74) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 24.00

Total Positive Marks: 24.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | GK+M.A. | Total |
|------|------|------|-------|---------|-------|
| 5.00 | 3.00 | 4.00 | 2.00 | 10.00 | 24.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%