

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 66.00/100.00 (66.00%)

Max Score: 66.00

Rank: 1

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 100.00

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 66.00/100.00 (66.00%)

Max Score: 66.00

Rank: 1

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 100.00

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 65 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
14.00	11.00	16.00	11.00	14.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 64.00/100.00 (64.00%)

Max Score: 66.00

Rank: 2

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 96.97

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 64.00/100.00 (64.00%)

Max Score: 66.00

Rank: 2

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 96.97

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 63 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	10.00	16.00	12.00	14.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 61.00/100.00 (61.00%)

Max Score: 66.00

Rank: 3

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 92.42

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 61.00/100.00 (61.00%)

Max Score: 66.00

Rank: 3

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 92.42

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	10.00	13.00	13.00	13.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 60.00/100.00 (60.00%)

Max Score: 66.00

Rank: 4

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 90.91

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 60.00/100.00 (60.00%)

Max Score: 66.00

Rank: 4

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 90.91

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 59 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
13.00	13.00	13.00	7.00	14.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 60.00/100.00 (60.00%)

Max Score: 66.00

Rank: 4

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 90.91

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 60.00/100.00 (60.00%)

Max Score: 66.00

Rank: 4

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 90.91

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 59 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	11.00	15.00	10.00	13.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 59.00/100.00 (59.00%)

Max Score: 66.00

Rank: 5

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 89.39

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 59.00/100.00 (59.00%)

Max Score: 66.00

Rank: 5

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 89.39

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	BD	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 58 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	13.00	16.00	8.00	11.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 59.00/100.00 (59.00%)

Max Score: 66.00

Rank: 5

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 89.39

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 59.00/100.00 (59.00%)

Max Score: 66.00

Rank: 5

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 89.39

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	9.00	14.00	13.00	11.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 58.00/100.00 (58.00%)

Max Score: 66.00

Rank: 6

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 87.88

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	AB	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 58.00/100.00 (58.00%)

Max Score: 66.00

Rank: 6

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 87.88

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	10.00	17.00	11.00	11.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 58.00/100.00 (58.00%)

Max Score: 66.00

Rank: 6

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 87.88

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 58.00/100.00 (58.00%)

Max Score: 66.00

Rank: 6

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 87.88

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 57 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	11.00	14.00	9.00	17.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 56.00/100.00 (56.00%)

Max Score: 66.00

Rank: 7

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 84.85

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 56.00/100.00 (56.00%)

Max Score: 66.00

Rank: 7

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 84.85

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 91 (**Correct:** 55 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	12.00	12.00	7.00	14.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 56.00/100.00 (56.00%)

Max Score: 66.00

Rank: 7

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 84.85

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 56.00/100.00 (56.00%)

Max Score: 66.00

Rank: 7

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 84.85

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	10.00	16.00	7.00	15.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 55.00/100.00 (55.00%)

Max Score: 66.00

Rank: 8

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 83.33

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 55.00/100.00 (55.00%)

Max Score: 66.00

Rank: 8

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 83.33

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	9.00	13.00	9.00	13.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 54.00/100.00 (54.00%)

Max Score: 66.00

Rank: 9

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 81.82

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 54.00/100.00 (54.00%)

Max Score: 66.00

Rank: 9

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 81.82

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 92 (**Correct:** 53 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	10.00	16.00	10.00	10.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 53.00/100.00 (53.00%)

Max Score: 66.00

Rank: 10

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 80.30

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 53.00/100.00 (53.00%)

Max Score: 66.00

Rank: 10

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 80.30

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 52 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	8.00	11.00	9.00	13.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 53.00/100.00 (53.00%)

Max Score: 66.00

Rank: 10

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 80.30

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 53.00/100.00 (53.00%)

Max Score: 66.00

Rank: 10

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 80.30

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 95 (**Correct:** 52 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	13.00	13.00	9.00	11.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 52.00/100.00 (52.00%)

Max Score: 66.00

Rank: 11

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 78.79

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 52.00/100.00 (52.00%)

Max Score: 66.00

Rank: 11

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 78.79

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	7.00	15.00	6.00	14.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 50.00/100.00 (50.00%)

Max Score: 66.00

Rank: 12

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 75.76

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 50.00/100.00 (50.00%)

Max Score: 66.00

Rank: 12

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 75.76

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	7.00	12.00	8.00	13.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADAVIT HEMANT BANAIT (ID No. 92005)

Your Score: 45.00/100.00 (45.00%)

Max Score: 66.00

Rank: 13

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 68.18

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADAIT HEMANT BANAIT (ID No. 92005)

Your Score: 45.00/100.00 (45.00%)

Max Score: 66.00

Rank: 13

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 68.18

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	9.00	7.00	9.00	8.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 44.00/100.00 (44.00%)

Max Score: 66.00

Rank: 14

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 66.67

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 44.00/100.00 (44.00%)

Max Score: 66.00

Rank: 14

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 66.67

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	8.00	12.00	8.00	9.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 44.00/100.00 (44.00%)

Max Score: 66.00

Rank: 14

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 66.67

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 44.00/100.00 (44.00%)

Max Score: 66.00

Rank: 14

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 66.67

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	9.00	7.00	7.00	10.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 44.00/100.00 (44.00%)

Max Score: 66.00

Rank: 14

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 66.67

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 44.00/100.00 (44.00%)

Max Score: 66.00

Rank: 14

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 66.67

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	8.00	12.00	6.00	8.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 43.00/100.00 (43.00%)

Max Score: 66.00

Rank: 15

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 65.15

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 43.00/100.00 (43.00%)

Max Score: 66.00

Rank: 15

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 65.15

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 42 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	9.00	7.00	4.00	12.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 42.00/100.00 (42.00%)

Max Score: 66.00

Rank: 16

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 42.00/100.00 (42.00%)

Max Score: 66.00

Rank: 16

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 63.64

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	5.00	11.00	7.00	11.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 41.00/100.00 (41.00%)

Max Score: 66.00

Rank: 17

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 62.12

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 41.00/100.00 (41.00%)

Max Score: 66.00

Rank: 17

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 62.12

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	8.00	7.00	6.00	10.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 41.00/100.00 (41.00%)

Max Score: 66.00

Rank: 17

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 62.12

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 41.00/100.00 (41.00%)

Max Score: 66.00

Rank: 17

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 62.12

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	8.00	11.00	8.00	3.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 41.00/100.00 (41.00%)

Max Score: 66.00

Rank: 17

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 62.12

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 41.00/100.00 (41.00%)

Max Score: 66.00

Rank: 17

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 62.12

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	9.00	13.00	5.00	8.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 40.00/100.00 (40.00%)

Max Score: 66.00

Rank: 18

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 60.61

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 40.00/100.00 (40.00%)

Max Score: 66.00

Rank: 18

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 60.61

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	10.00	8.00	8.00	8.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 40.00/100.00 (40.00%)

Max Score: 66.00

Rank: 18

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 60.61

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 40.00/100.00 (40.00%)

Max Score: 66.00

Rank: 18

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 60.61

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	9.00	7.00	5.00	7.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 39.00/100.00 (39.00%)

Max Score: 66.00

Rank: 19

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 59.09

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 39.00/100.00 (39.00%)

Max Score: 66.00

Rank: 19

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 59.09

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 38 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	9.00	7.00	6.00	8.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 38.00/100.00 (38.00%)

Max Score: 66.00

Rank: 20

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 57.58

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 38.00/100.00 (38.00%)

Max Score: 66.00

Rank: 20

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 57.58

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 37 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	8.00	9.00	7.00	4.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 37.00/100.00 (37.00%)

Max Score: 66.00

Rank: 21

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 56.06

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 37.00/100.00 (37.00%)

Max Score: 66.00

Rank: 21

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 56.06

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	BD	W	0.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 36 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 37.00

Total Positive Marks: 37.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	5.00	12.00	4.00	8.00	37.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 36.00/100.00 (36.00%)

Max Score: 66.00

Rank: 22

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 54.55

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 36.00/100.00 (36.00%)

Max Score: 66.00

Rank: 22

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 54.55

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 35 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	4.00	10.00	6.00	11.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 35.00/100.00 (35.00%)

Max Score: 66.00

Rank: 23

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 53.03

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 35.00/100.00 (35.00%)

Max Score: 66.00

Rank: 23

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 53.03

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 34 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	9.00	7.00	5.00	9.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 34.00/100.00 (34.00%)

Max Score: 66.00

Rank: 24

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 51.52

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 34.00/100.00 (34.00%)

Max Score: 66.00

Rank: 24

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 51.52

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 33 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	4.00	6.00	7.00	8.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA ANIL KHANDEKAR (ID No. 91002)

Your Score: 33.00/100.00 (33.00%)

Max Score: 66.00

Rank: 25

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 50.00

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A	AC	W	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA ANIL KHANDEKAR (ID No. 91002)

Your Score: 33.00/100.00 (33.00%)

Max Score: 66.00

Rank: 25

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 50.00

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 32 **Incorrect:** 67) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	8.00	10.00	4.00	3.00	33.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92041)

Your Score: 22.00/100.00 (22.00%)

Max Score: 66.00

Rank: 26

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 33.33

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	19.44	80.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	94.44	19.44	75.00	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
4	100.00	94.44	5.56	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	63.89	36.11	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	97.22	44.44	52.78	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
7	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
8	97.22	27.78	69.44	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
9	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	94.44	30.56	63.89	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
11	100.00	55.56	44.44	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
12	97.22	75.00	22.22	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	97.22	5.56	91.67	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
14	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	97.22	63.89	33.33	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	94.44	50.00	44.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.22	86.11	11.11	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
19	100.00	52.78	47.22	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	97.22	19.44	77.78	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
22	94.44	25.00	69.44	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	50.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
25	97.22	58.33	38.89	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
26	100.00	33.33	66.67	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	97.22	52.78	44.44	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
28	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
29	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	100.00	47.22	52.78	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	22.22	77.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	97.22	16.67	80.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	38.89	61.11	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	100.00	41.67	58.33	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	100.00	13.89	86.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	100.00	63.89	36.11	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	97.22	58.33	38.89	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
42	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	88.89	11.11	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	94.44	41.67	52.78	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
45	100.00	44.44	55.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	52.78	47.22	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	16.67	83.33	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	80.56	19.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	58.33	41.67	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
50	100.00	27.78	72.22	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	97.22	61.11	36.11	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
52	100.00	5.56	94.44	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	100.00	47.22	52.78	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92041)

Your Score: 22.00/100.00 (22.00%)

Max Score: 66.00

Rank: 26

Min Score: 22.00

TEST: COMPETITIVE TEST 5 (STD 9) (ID: 758 DT: 04-Dec-2023)

Percentile: 33.33

Avg Score: 47.58

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	38.89	61.11	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	100.00	91.67	8.33	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	86.11	13.89	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	69.44	30.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.22	66.67	30.56	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
59	97.22	33.33	63.89	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
60	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	97.22	50.00	47.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	97.22	47.22	50.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
63	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	100.00	41.67	58.33	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
66	94.44	19.44	75.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
67	100.00	22.22	77.78	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	91.67	19.44	72.22	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
69	97.22	36.11	61.11	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	100.00	72.22	27.78	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	100.00	47.22	52.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	88.89	38.89	50.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
74	100.00	27.78	72.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.22	30.56	66.67	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.22	22.22	75.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
77	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	100.00	55.56	44.44	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.22	27.78	69.44	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
80	100.00	25.00	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
81	97.22	8.33	88.89	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
82	100.00	22.22	77.78	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
83	100.00	27.78	72.22	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	94.44	25.00	69.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	80.56	19.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	100.00	69.44	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	50.00	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	88.89	11.11	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.22	66.67	30.56	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
91	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	97.22	47.22	50.00	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
93	97.22	38.89	58.33	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
94	94.44	27.78	66.67	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	100.00	58.33	41.67	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	63.89	36.11	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	100.00	44.44	55.56	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	100.00	55.56	44.44	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	100.00	52.78	47.22	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	77.78	22.22	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 74 (**Correct:** 21 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 22.00

Total Positive Marks: 22.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	3.00	2.00	4.00	6.00	22.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%