

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 80.00/100.00 (80.00%)

Max Score: 80.00

Rank: 1

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 100.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 80.00/100.00 (80.00%)

Max Score: 80.00

Rank: 1

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 100.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 79 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 80.00

Total Positive Marks: 80.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	20.00	17.00	15.00	16.00	80.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 78.00/100.00 (78.00%)

Max Score: 80.00

Rank: 2

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 97.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 78.00/100.00 (78.00%)

Max Score: 80.00

Rank: 2

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 97.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 77 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 78.00

Total Positive Marks: 78.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
14.00	16.00	18.00	15.00	15.00	78.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 66.00/100.00 (66.00%)

Max Score: 80.00

Rank: 3

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 82.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	BC	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 66.00/100.00 (66.00%)

Max Score: 80.00

Rank: 3

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 82.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 65 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	16.00	17.00	11.00	13.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE (ID No. 10185)

Your Score: 66.00/100.00 (66.00%)

Max Score: 80.00

Rank: 3

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 82.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE (ID No. 10185)

Your Score: 66.00/100.00 (66.00%)

Max Score: 80.00

Rank: 3

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 82.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 65 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	17.00	15.00	12.00	13.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 65.00/100.00 (65.00%)

Max Score: 80.00

Rank: 4

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 81.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 65.00/100.00 (65.00%)

Max Score: 80.00

Rank: 4

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 81.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 64 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	16.00	15.00	14.00	14.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA SANJAY SHARMA (ID No. 10403)

Your Score: 64.00/100.00 (64.00%)

Max Score: 80.00

Rank: 5

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 80.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA SANJAY SHARMA (ID No. 10403)

Your Score: 64.00/100.00 (64.00%)

Max Score: 80.00

Rank: 5

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 80.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 **(Correct: 63 Incorrect: 36)** **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	15.00	15.00	9.00	14.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 63.00/100.00 (63.00%)

Max Score: 80.00

Rank: 6

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 78.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 63.00/100.00 (63.00%)

Max Score: 80.00

Rank: 6

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 78.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 62 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	17.00	17.00	10.00	9.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 62.00/100.00 (62.00%)

Max Score: 80.00

Rank: 7

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 77.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 62.00/100.00 (62.00%)

Max Score: 80.00

Rank: 7

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 77.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	14.00	15.00	9.00	13.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 62.00/100.00 (62.00%)

Max Score: 80.00

Rank: 7

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 77.50

Avq Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 62.00/100.00 (62.00%)

Max Score: 80.00

Rank: 7

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 77.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	13.00	13.00	13.00	12.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 62.00/100.00 (62.00%)

Max Score: 80.00

Rank: 7

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 77.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 62.00/100.00 (62.00%)

Max Score: 80.00

Rank: 7

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 77.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	15.00	15.00	8.00	13.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 61.00/100.00 (61.00%)

Max Score: 80.00

Rank: 8

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 76.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 61.00/100.00 (61.00%)

Max Score: 80.00

Rank: 8

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 76.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 60 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	15.00	15.00	8.00	13.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 60.00/100.00 (60.00%)

Max Score: 80.00

Rank: 9

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 75.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 60.00/100.00 (60.00%)

Max Score: 80.00

Rank: 9

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 75.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 59 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	15.00	5.00	17.00	13.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 60.00/100.00 (60.00%)

Max Score: 80.00

Rank: 9

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 75.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 60.00/100.00 (60.00%)

Max Score: 80.00

Rank: 9

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 75.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 59 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	13.00	15.00	10.00	13.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 60.00/100.00 (60.00%)

Max Score: 80.00

Rank: 9

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 75.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 60.00/100.00 (60.00%)

Max Score: 80.00

Rank: 9

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 75.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 59 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	15.00	12.00	9.00	13.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 59.00/100.00 (59.00%)

Max Score: 80.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 73.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 59.00/100.00 (59.00%)

Max Score: 80.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 73.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 58 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	16.00	13.00	9.00	9.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 59.00/100.00 (59.00%)

Max Score: 80.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 73.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 59.00/100.00 (59.00%)

Max Score: 80.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 73.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	15.00	16.00	11.00	13.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 59.00/100.00 (59.00%)

Max Score: 80.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 73.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 59.00/100.00 (59.00%)

Max Score: 80.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 73.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	14.00	15.00	7.00	14.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAUMYA S. PACHPOR (ID No. 10458)

Your Score: 59.00/100.00 (59.00%)

Max Score: 80.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 73.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAUMYA S. PACHPOR (ID No. 10458)

Your Score: 59.00/100.00 (59.00%)

Max Score: 80.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 73.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 58 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	13.00	14.00	10.00	11.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE (ID No. 10459)

Your Score: 59.00/100.00 (59.00%)

Max Score: 80.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 73.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE (ID No. 10459)

Your Score: 59.00/100.00 (59.00%)

Max Score: 80.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 73.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 90 (**Correct:** 58 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	14.00	17.00	7.00	12.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 59.00/100.00 (59.00%)

Max Score: 80.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 73.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	AC	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 59.00/100.00 (59.00%)

Max Score: 80.00

Rank: 10

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 73.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	AB	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 58 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	11.00	17.00	8.00	13.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 58.00/100.00 (58.00%)

Max Score: 80.00

Rank: 11

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 72.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 58.00/100.00 (58.00%)

Max Score: 80.00

Rank: 11

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 72.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	14.00	12.00	8.00	14.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 58.00/100.00 (58.00%)

Max Score: 80.00

Rank: 11

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 72.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 58.00/100.00 (58.00%)

Max Score: 80.00

Rank: 11

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 72.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	12.00	16.00	7.00	13.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 57.00/100.00 (57.00%)

Max Score: 80.00

Rank: 12

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 71.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 57.00/100.00 (57.00%)

Max Score: 80.00

Rank: 12

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 71.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	14.00	15.00	11.00	11.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJASHREE MILIND RELE (ID No. 10445)

Your Score: 57.00/100.00 (57.00%)

Max Score: 80.00

Rank: 12

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 71.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJASHREE MILIND RELE (ID No. 10445)

Your Score: 57.00/100.00 (57.00%)

Max Score: 80.00

Rank: 12

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 71.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	18.00	13.00	5.00	10.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 57.00/100.00 (57.00%)

Max Score: 80.00

Rank: 12

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 71.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 57.00/100.00 (57.00%)

Max Score: 80.00

Rank: 12

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 71.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	12.00	17.00	10.00	11.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE (ID No. 10474)

Your Score: 57.00/100.00 (57.00%)

Max Score: 80.00

Rank: 12

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 71.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE (ID No. 10474)

Your Score: 57.00/100.00 (57.00%)

Max Score: 80.00

Rank: 12

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 71.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 82 (**Correct:** 56 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	14.00	16.00	4.00	15.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 56.00/100.00 (56.00%)

Max Score: 80.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 70.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 56.00/100.00 (56.00%)

Max Score: 80.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 70.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 55 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	16.00	13.00	7.00	13.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 56.00/100.00 (56.00%)

Max Score: 80.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 70.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 56.00/100.00 (56.00%)

Max Score: 80.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 70.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	15.00	10.00	8.00	14.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 56.00/100.00 (56.00%)

Max Score: 80.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 70.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 56.00/100.00 (56.00%)

Max Score: 80.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 70.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	13.00	11.00	9.00	15.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 56.00/100.00 (56.00%)

Max Score: 80.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 70.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 56.00/100.00 (56.00%)

Max Score: 80.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 70.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	15.00	16.00	7.00	14.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 56.00/100.00 (56.00%)

Max Score: 80.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 70.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 56.00/100.00 (56.00%)

Max Score: 80.00

Rank: 13

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 70.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	17.00	15.00	8.00	11.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 55.00/100.00 (55.00%)

Max Score: 80.00

Rank: 14

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 68.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 55.00/100.00 (55.00%)

Max Score: 80.00

Rank: 14

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 68.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 54 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	15.00	14.00	7.00	11.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 54.00/100.00 (54.00%)

Max Score: 80.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 67.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 54.00/100.00 (54.00%)

Max Score: 80.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 67.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 94 (**Correct:** 53 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	10.00	17.00	12.00	10.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 54.00/100.00 (54.00%)

Max Score: 80.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 67.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 54.00/100.00 (54.00%)

Max Score: 80.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 67.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 53 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	14.00	12.00	9.00	10.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHATAKSHI AJAY MULEY (ID No. 10460)

Your Score: 54.00/100.00 (54.00%)

Max Score: 80.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 67.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHATAKSHI AJAY MULEY (ID No. 10460)

Your Score: 54.00/100.00 (54.00%)

Max Score: 80.00

Rank: 15

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 67.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 94 (**Correct:** 53 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	13.00	15.00	6.00	11.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00

Total Question: 100 **Attempted:** 75 (**Correct:** 52 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	15.00	13.00	11.00	2.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	12.00	12.00	7.00	13.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN (ID No. 10194)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	AC	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN (ID No. 10194)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
13.00	8.00	14.00	7.00	11.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	10.00	14.00	7.00	15.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE (ID No. 10430)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE (ID No. 10430)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 80 (**Correct:** 52 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	13.00	12.00	9.00	15.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	14.00	11.00	9.00	14.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS J. RAYANE (ID No. 10472)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS J. RAYANE (ID No. 10472)

Your Score: 53.00/100.00 (53.00%)

Max Score: 80.00

Rank: 16

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 66.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 52 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	14.00	12.00	5.00	12.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 52.00/100.00 (52.00%)

Max Score: 80.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 65.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 52.00/100.00 (52.00%)

Max Score: 80.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 65.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	9.00	11.00	11.00	14.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI K. TIWARI (ID No. 10168)

Your Score: 52.00/100.00 (52.00%)

Max Score: 80.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 65.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI K. TIWARI (ID No. 10168)

Your Score: 52.00/100.00 (52.00%)

Max Score: 80.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 65.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	11.00	10.00	11.00	13.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 52.00/100.00 (52.00%)

Max Score: 80.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 65.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 52.00/100.00 (52.00%)

Max Score: 80.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 65.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	14.00	14.00	7.00	10.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 52.00/100.00 (52.00%)

Max Score: 80.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 65.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 52.00/100.00 (52.00%)

Max Score: 80.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 65.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 93 (**Correct:** 51 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	12.00	17.00	4.00	11.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH N. MANKE (ID No. 10431)

Your Score: 52.00/100.00 (52.00%)

Max Score: 80.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 65.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	BD	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH N. MANKE (ID No. 10431)

Your Score: 52.00/100.00 (52.00%)

Max Score: 80.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 65.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 51 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	15.00	6.00	12.00	7.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 52.00/100.00 (52.00%)

Max Score: 80.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 65.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 52.00/100.00 (52.00%)

Max Score: 80.00

Rank: 17

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 65.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	9.00	15.00	6.00	13.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 51.00/100.00 (51.00%)

Max Score: 80.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 63.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 51.00/100.00 (51.00%)

Max Score: 80.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 63.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 50 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	14.00	11.00	7.00	11.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA R. RAJANDEKAR (ID No. 10158)

Your Score: 51.00/100.00 (51.00%)

Max Score: 80.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 63.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA R. RAJANDEKAR (ID No. 10158)

Your Score: 51.00/100.00 (51.00%)

Max Score: 80.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 63.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	11.00	12.00	11.00	10.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 51.00/100.00 (51.00%)

Max Score: 80.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 63.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 51.00/100.00 (51.00%)

Max Score: 80.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 63.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	9.00	15.00	10.00	9.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 51.00/100.00 (51.00%)

Max Score: 80.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 63.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 51.00/100.00 (51.00%)

Max Score: 80.00

Rank: 18

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 63.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 50 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	16.00	12.00	6.00	10.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 50.00/100.00 (50.00%)

Max Score: 80.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 50.00/100.00 (50.00%)

Max Score: 80.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	10.00	12.00	9.00	12.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 50.00/100.00 (50.00%)

Max Score: 80.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 50.00/100.00 (50.00%)

Max Score: 80.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	14.00	10.00	7.00	14.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 50.00/100.00 (50.00%)

Max Score: 80.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 50.00/100.00 (50.00%)

Max Score: 80.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	14.00	9.00	6.00	12.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 50.00/100.00 (50.00%)

Max Score: 80.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 50.00/100.00 (50.00%)

Max Score: 80.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	12.00	15.00	5.00	9.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SACHIN SHINDE (ID No. 10423)

Your Score: 50.00/100.00 (50.00%)

Max Score: 80.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SACHIN SHINDE (ID No. 10423)

Your Score: 50.00/100.00 (50.00%)

Max Score: 80.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	11.00	10.00	7.00	14.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDIKA RANJIT KHEDKAR (ID No. 10477)

Your Score: 50.00/100.00 (50.00%)

Max Score: 80.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDIKA RANJIT KHEDKAR (ID No. 10477)

Your Score: 50.00/100.00 (50.00%)

Max Score: 80.00

Rank: 19

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 62.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	9.00	18.00	6.00	12.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANURAG N. GHAVAT (ID No. 10112)

Your Score: 49.00/100.00 (49.00%)

Max Score: 80.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 61.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANURAG N. GHAVAT (ID No. 10112)

Your Score: 49.00/100.00 (49.00%)

Max Score: 80.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 61.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 48 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	8.00	11.00	11.00	9.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 49.00/100.00 (49.00%)

Max Score: 80.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 61.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 49.00/100.00 (49.00%)

Max Score: 80.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 61.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	12.00	11.00	10.00	11.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 49.00/100.00 (49.00%)

Max Score: 80.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 61.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 49.00/100.00 (49.00%)

Max Score: 80.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 61.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 48 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	12.00	14.00	3.00	11.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 49.00/100.00 (49.00%)

Max Score: 80.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 61.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 49.00/100.00 (49.00%)

Max Score: 80.00

Rank: 20

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 61.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	11.00	10.00	7.00	14.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV V. SONAWANE (ID No. 10437)

Your Score: 48.00/100.00 (48.00%)

Max Score: 80.00

Rank: 21

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 60.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV V. SONAWANE (ID No. 10437)

Your Score: 48.00/100.00 (48.00%)

Max Score: 80.00

Rank: 21

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 60.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 89 (**Correct:** 47 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	11.00	12.00	10.00	10.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 48.00/100.00 (48.00%)

Max Score: 80.00

Rank: 21

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 60.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 48.00/100.00 (48.00%)

Max Score: 80.00

Rank: 21

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 60.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	7.00	13.00	7.00	10.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKIT AMIT MAHAJAN (ID No. 10110)

Your Score: 47.00/100.00 (47.00%)

Max Score: 80.00

Rank: 22

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 58.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKIT AMIT MAHAJAN (ID No. 10110)

Your Score: 47.00/100.00 (47.00%)

Max Score: 80.00

Rank: 22

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 58.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	9.00	11.00	9.00	13.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 47.00/100.00 (47.00%)

Max Score: 80.00

Rank: 22

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 58.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 47.00/100.00 (47.00%)

Max Score: 80.00

Rank: 22

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 58.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	AD	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 94 (**Correct:** 46 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	11.00	15.00	5.00	10.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RITESH S. GAIKWAD (ID No. 10154)

Your Score: 46.00/100.00 (46.00%)

Max Score: 80.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 57.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RITESH S. GAIKWAD (ID No. 10154)

Your Score: 46.00/100.00 (46.00%)

Max Score: 80.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 57.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 45 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	11.00	11.00	6.00	8.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DINESH SOLANKE (ID No. 10189)

Your Score: 46.00/100.00 (46.00%)

Max Score: 80.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 57.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DINESH SOLANKE (ID No. 10189)

Your Score: 46.00/100.00 (46.00%)

Max Score: 80.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 57.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	BC	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 45 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	10.00	7.00	8.00	12.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 46.00/100.00 (46.00%)

Max Score: 80.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 57.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 46.00/100.00 (46.00%)

Max Score: 80.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 57.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 45 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	11.00	13.00	6.00	10.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 46.00/100.00 (46.00%)

Max Score: 80.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 57.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 46.00/100.00 (46.00%)

Max Score: 80.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 57.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 45 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	11.00	6.00	7.00	12.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 46.00/100.00 (46.00%)

Max Score: 80.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 57.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 46.00/100.00 (46.00%)

Max Score: 80.00

Rank: 23

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 57.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 45 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	9.00	10.00	7.00	12.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 45.00/100.00 (45.00%)

Max Score: 80.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 45.00/100.00 (45.00%)

Max Score: 80.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	9.00	13.00	8.00	9.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 45.00/100.00 (45.00%)

Max Score: 80.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 45.00/100.00 (45.00%)

Max Score: 80.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 44 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	8.00	14.00	3.00	11.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 45.00/100.00 (45.00%)

Max Score: 80.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 45.00/100.00 (45.00%)

Max Score: 80.00

Rank: 24

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 56.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 44 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	10.00	10.00	4.00	13.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHARAT NITIN AGRAWAL (ID No. 10121)

Your Score: 44.00/100.00 (44.00%)

Max Score: 80.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 55.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	BC	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	BC	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHARAT NITIN AGRAWAL (ID No. 10121)

Your Score: 44.00/100.00 (44.00%)

Max Score: 80.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 55.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	AC	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00

Total Question: 100 **Attempted:** 96 (**Correct:** 43 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	14.00	12.00	6.00	5.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 44.00/100.00 (44.00%)

Max Score: 80.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 55.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 44.00/100.00 (44.00%)

Max Score: 80.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 55.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 95 (**Correct:** 43 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	11.00	12.00	5.00	8.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 44.00/100.00 (44.00%)

Max Score: 80.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 55.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 44.00/100.00 (44.00%)

Max Score: 80.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 55.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	14.00	9.00	4.00	9.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 44.00/100.00 (44.00%)

Max Score: 80.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 55.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 44.00/100.00 (44.00%)

Max Score: 80.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 55.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	9.00	10.00	7.00	9.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 44.00/100.00 (44.00%)

Max Score: 80.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 55.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 44.00/100.00 (44.00%)

Max Score: 80.00

Rank: 25

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 55.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	9.00	11.00	7.00	8.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 42.00/100.00 (42.00%)

Max Score: 80.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 52.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 42.00/100.00 (42.00%)

Max Score: 80.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 52.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	7.00	10.00	5.00	12.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 42.00/100.00 (42.00%)

Max Score: 80.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 52.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	BD	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 42.00/100.00 (42.00%)

Max Score: 80.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 52.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 41 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
3.00	15.00	8.00	4.00	12.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH VILAS BHAND (ID No. 10147)

Your Score: 42.00/100.00 (42.00%)

Max Score: 80.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 52.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH VILAS BHAND (ID No. 10147)

Your Score: 42.00/100.00 (42.00%)

Max Score: 80.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 52.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	8.00	11.00	5.00	10.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PURVA KALPAK PETHE (ID No. 10153)

Your Score: 42.00/100.00 (42.00%)

Max Score: 80.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 52.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PURVA KALPAK PETHE (ID No. 10153)

Your Score: 42.00/100.00 (42.00%)

Max Score: 80.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 52.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	8.00	11.00	6.00	10.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 42.00/100.00 (42.00%)

Max Score: 80.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 52.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 42.00/100.00 (42.00%)

Max Score: 80.00

Rank: 26

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 52.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	11.00	10.00	6.00	11.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 41.00/100.00 (41.00%)

Max Score: 80.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 51.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 41.00/100.00 (41.00%)

Max Score: 80.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 51.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 40 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	10.00	11.00	8.00	8.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 41.00/100.00 (41.00%)

Max Score: 80.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 51.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 41.00/100.00 (41.00%)

Max Score: 80.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 51.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	11.00	8.00	7.00	11.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 41.00/100.00 (41.00%)

Max Score: 80.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 51.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 41.00/100.00 (41.00%)

Max Score: 80.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 51.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	7.00	6.00	10.00	13.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI P. JADHAV (ID No. 10466)

Your Score: 41.00/100.00 (41.00%)

Max Score: 80.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 51.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI P. JADHAV (ID No. 10466)

Your Score: 41.00/100.00 (41.00%)

Max Score: 80.00

Rank: 27

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 51.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 93 (**Correct:** 40 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	9.00	8.00	6.00	9.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 40.00/100.00 (40.00%)

Max Score: 80.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 50.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 40.00/100.00 (40.00%)

Max Score: 80.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 50.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	CD	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	9.00	10.00	6.00	10.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 40.00/100.00 (40.00%)

Max Score: 80.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 50.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 40.00/100.00 (40.00%)

Max Score: 80.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 50.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	16.00	6.00	6.00	3.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE (ID No. 10405)

Your Score: 40.00/100.00 (40.00%)

Max Score: 80.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 50.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	AB	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	CD	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE (ID No. 10405)

Your Score: 40.00/100.00 (40.00%)

Max Score: 80.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 50.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	10.00	7.00	3.00	11.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 40.00/100.00 (40.00%)

Max Score: 80.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 50.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 40.00/100.00 (40.00%)

Max Score: 80.00

Rank: 28

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 50.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	7.00	12.00	6.00	9.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 39.00/100.00 (39.00%)

Max Score: 80.00

Rank: 29

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 48.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	BD	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 39.00/100.00 (39.00%)

Max Score: 80.00

Rank: 29

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 48.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 90 (**Correct:** 38 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	7.00	8.00	5.00	11.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMEY NARENDRA SURE (ID No. 10106)

Your Score: 38.00/100.00 (38.00%)

Max Score: 80.00

Rank: 30

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 47.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMEY NARENDRA SURE (ID No. 10106)

Your Score: 38.00/100.00 (38.00%)

Max Score: 80.00

Rank: 30

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 47.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 37 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	8.00	8.00	3.00	13.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 38.00/100.00 (38.00%)

Max Score: 80.00

Rank: 30

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 47.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 38.00/100.00 (38.00%)

Max Score: 80.00

Rank: 30

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 47.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 37 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	10.00	6.00	4.00	9.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 36.00/100.00 (36.00%)

Max Score: 80.00

Rank: 31

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 45.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 36.00/100.00 (36.00%)

Max Score: 80.00

Rank: 31

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 45.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 35 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	8.00	7.00	7.00	10.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 36.00/100.00 (36.00%)

Max Score: 80.00

Rank: 31

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 45.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	AC	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 36.00/100.00 (36.00%)

Max Score: 80.00

Rank: 31

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 45.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 35 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	2.00	10.00	9.00	8.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKITA P. GUDADHE (ID No. 10408)

Your Score: 35.00/100.00 (35.00%)

Max Score: 80.00

Rank: 32

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 43.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKITA P. GUDADHE (ID No. 10408)

Your Score: 35.00/100.00 (35.00%)

Max Score: 80.00

Rank: 32

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 43.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	BD	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 34 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
3.00	5.00	11.00	6.00	10.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 35.00/100.00 (35.00%)

Max Score: 80.00

Rank: 32

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 43.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	BD	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 35.00/100.00 (35.00%)

Max Score: 80.00

Rank: 32

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 43.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 34 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	4.00	5.00	5.00	12.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAVI M. DALAL (ID No. 10473)

Your Score: 35.00/100.00 (35.00%)

Max Score: 80.00

Rank: 32

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 43.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAVI M. DALAL (ID No. 10473)

Your Score: 35.00/100.00 (35.00%)

Max Score: 80.00

Rank: 32

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 43.75

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 90 (**Correct:** 34 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	5.00	10.00	6.00	9.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 34.00/100.00 (34.00%)

Max Score: 80.00

Rank: 33

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 42.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 34.00/100.00 (34.00%)

Max Score: 80.00

Rank: 33

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 42.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	BD	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	AC	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 33 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	4.00	7.00	7.00	10.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 34.00/100.00 (34.00%)

Max Score: 80.00

Rank: 33

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 42.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 34.00/100.00 (34.00%)

Max Score: 80.00

Rank: 33

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 42.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 94 (**Correct:** 33 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	5.00	9.00	3.00	9.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYA G. SOLANKE (ID No. 10177)

Your Score: 33.00/100.00 (33.00%)

Max Score: 80.00

Rank: 34

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 41.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYA G. SOLANKE (ID No. 10177)

Your Score: 33.00/100.00 (33.00%)

Max Score: 80.00

Rank: 34

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 41.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 32 **Incorrect:** 67) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	3.00	7.00	5.00	11.00	33.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 30.00/100.00 (30.00%)

Max Score: 80.00

Rank: 35

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 37.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 30.00/100.00 (30.00%)

Max Score: 80.00

Rank: 35

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 37.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 29 **Incorrect:** 70) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 30.00

Total Positive Marks: 30.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	3.00	5.00	8.00	7.00	30.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TUSHAR S. INGLE (ID No. 10183)

Your Score: 30.00/100.00 (30.00%)

Max Score: 80.00

Rank: 35

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 37.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TUSHAR S. INGLE (ID No. 10183)

Your Score: 30.00/100.00 (30.00%)

Max Score: 80.00

Rank: 35

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 37.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 29 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 30.00

Total Positive Marks: 30.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
3.00	5.00	5.00	5.00	12.00	30.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 30.00/100.00 (30.00%)

Max Score: 80.00

Rank: 35

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 37.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 30.00/100.00 (30.00%)

Max Score: 80.00

Rank: 35

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 37.50

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 54 (**Correct:** 29 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 30.00

Total Positive Marks: 30.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	5.00	6.00	4.00	8.00	30.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 29.00/100.00 (29.00%)

Max Score: 80.00

Rank: 36

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 36.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 29.00/100.00 (29.00%)

Max Score: 80.00

Rank: 36

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 36.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	BC	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	BC	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 28 **Incorrect:** 71) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 29.00

Total Positive Marks: 29.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	9.00	2.00	0.00	7.00	29.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE (ID No. 10456)

Your Score: 29.00/100.00 (29.00%)

Max Score: 80.00

Rank: 36

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 36.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE (ID No. 10456)

Your Score: 29.00/100.00 (29.00%)

Max Score: 80.00

Rank: 36

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 36.25

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 89 (**Correct:** 28 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 29.00

Total Positive Marks: 29.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	2.00	11.00	6.00	5.00	29.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE (ID No. 10427)

Your Score: 28.00/100.00 (28.00%)

Max Score: 80.00

Rank: 37

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 35.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	24.77	75.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.17	26.61	71.56	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	99.08	58.72	40.37	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.17	30.28	67.89	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	31.19	68.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.08	51.38	47.71	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	99.08	42.20	56.88	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
8	96.33	45.87	50.46	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	92.66	28.44	64.22	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	100.00	78.90	21.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	100.00	19.27	80.73	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	99.08	22.94	76.15	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	99.08	27.52	71.56	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	64.22	35.78	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	93.58	37.61	55.96	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.25	10.09	87.16	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	98.17	49.54	48.62	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	97.25	13.76	83.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
20	98.17	24.77	73.39	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
21	100.00	74.31	25.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	98.17	78.90	19.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
23	97.25	42.20	55.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	99.08	44.95	54.13	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	99.08	20.18	78.90	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	23.85	76.15	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	98.17	61.47	36.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	89.91	10.09	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.08	78.90	20.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	80.73	19.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.17	46.79	51.38	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.17	47.71	50.46	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	100.00	82.57	17.43	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	52.29	47.71	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	97.25	61.47	35.78	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	97.25	63.30	33.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.08	59.63	39.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	98.17	33.94	64.22	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	99.08	51.38	47.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	96.33	27.52	68.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	73.39	26.61	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	94.50	35.78	58.72	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
43	99.08	71.56	27.52	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	54.13	45.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	97.25	44.04	53.21	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	100.00	74.31	25.69	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	99.08	56.88	42.20	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
48	100.00	67.89	32.11	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	99.08	73.39	25.69	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	97.25	39.45	57.80	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
51	97.25	53.21	44.04	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	99.08	70.64	28.44	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	99.08	42.20	56.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE (ID No. 10427)

Your Score: 28.00/100.00 (28.00%)

Max Score: 80.00

Rank: 37

Min Score: 28.00

TEST: COMPETITIVE TEST2 (STD.10) (ID: 732 DT: 04-Sep-2023)

Percentile: 35.00

Avg Score: 49.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.08	67.89	31.19	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	66.06	33.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	99.08	58.72	40.37	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.08	53.21	45.87	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
58	96.33	55.96	40.37	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.17	34.86	63.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	98.17	70.64	27.52	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	99.08	44.95	54.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
62	97.25	47.71	49.54	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	98.17	30.28	67.89	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	95.41	40.37	55.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	99.08	37.61	61.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.25	33.03	64.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	96.33	35.78	60.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	96.33	22.94	73.39	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	94.50	27.52	66.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	96.33	25.69	70.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
72	98.17	60.55	37.61	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
73	96.33	28.44	67.89	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	96.33	52.29	44.04	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	47.71	52.29	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.33	53.21	43.12	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	91.74	34.86	56.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
78	95.41	41.28	54.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	94.50	17.43	77.06	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.25	32.11	65.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	99.08	15.60	83.49	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	98.17	61.47	36.70	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	97.25	70.64	26.61	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.17	88.99	9.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	99.08	17.43	81.65	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	99.08	81.65	17.43	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.08	95.41	3.67	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
88	97.25	36.70	60.55	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	68.81	31.19	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	95.41	33.03	62.39	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.25	21.10	76.15	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	96.33	27.52	68.81	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	94.50	42.20	52.29	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	99.08	77.98	21.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	91.74	25.69	66.06	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	98.17	86.24	11.93	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	99.08	78.90	20.18	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	98.17	40.37	57.80	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	93.58	39.45	54.13	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.17	92.66	5.50	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 27 **Incorrect:** 72) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 28.00

Total Positive Marks: 28.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	5.00	6.00	2.00	5.00	28.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%