

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 71.00/100.00 (71.00%)

Max Score: 71.00

Rank: 1

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 100.00

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 71.00/100.00 (71.00%)

Max Score: 71.00

Rank: 1

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 100.00

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 71 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 71.00

Total Positive Marks: 71.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
17.00	23.00	25.00	6.00	71.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 63.00/100.00 (63.00%)

Max Score: 71.00

Rank: 2

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 88.73

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 63.00/100.00 (63.00%)

Max Score: 71.00

Rank: 2

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 88.73

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C		L	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 63 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
18.00	16.00	24.00	5.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADAVIT HEMANT BANAIT (ID No. 92005)

Your Score: 62.00/100.00 (62.00%)

Max Score: 71.00

Rank: 3

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 87.32

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADVAIT HEMANT BANAIT (ID No. 92005)

Your Score: 62.00/100.00 (62.00%)

Max Score: 71.00

Rank: 3

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 87.32

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
15.00	17.00	23.00	7.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 61.00/100.00 (61.00%)

Max Score: 71.00

Rank: 4

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 85.92

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 61.00/100.00 (61.00%)

Max Score: 71.00

Rank: 4

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 85.92

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 61 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
15.00	19.00	23.00	4.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 61.00/100.00 (61.00%)

Max Score: 71.00

Rank: 4

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 85.92

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 61.00/100.00 (61.00%)

Max Score: 71.00

Rank: 4

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 85.92

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 61 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
10.00	17.00	27.00	7.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 60.00/100.00 (60.00%)

Max Score: 71.00

Rank: 5

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 84.51

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 60.00/100.00 (60.00%)

Max Score: 71.00

Rank: 5

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 84.51

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
14.00	16.00	23.00	7.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAVI SUNIL LADDHA (ID No. 92008)

Your Score: 58.00/100.00 (58.00%)

Max Score: 71.00

Rank: 6

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 81.69

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAVI SUNIL LADDHA (ID No. 92008)

Your Score: 58.00/100.00 (58.00%)

Max Score: 71.00

Rank: 6

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 81.69

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 58 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
13.00	19.00	22.00	4.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NINAD RAJESH NITNAWARE (ID No. 92029)

Your Score: 56.00/100.00 (56.00%)

Max Score: 71.00

Rank: 7

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 78.87

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NINAD RAJESH NITNAWARE (ID No. 92029)

Your Score: 56.00/100.00 (56.00%)

Max Score: 71.00

Rank: 7

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 78.87

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
13.00	18.00	20.00	5.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 56.00/100.00 (56.00%)

Max Score: 71.00

Rank: 7

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 78.87

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 56.00/100.00 (56.00%)

Max Score: 71.00

Rank: 7

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 78.87

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	AB	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	AB	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
13.00	14.00	25.00	4.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 55.00/100.00 (55.00%)

Max Score: 71.00

Rank: 8

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 77.46

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 55.00/100.00 (55.00%)

Max Score: 71.00

Rank: 8

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 77.46

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
14.00	15.00	24.00	2.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 55.00/100.00 (55.00%)

Max Score: 71.00

Rank: 8

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 77.46

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 55.00/100.00 (55.00%)

Max Score: 71.00

Rank: 8

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 77.46

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
11.00	15.00	22.00	7.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 53.00/100.00 (53.00%)

Max Score: 71.00

Rank: 9

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 74.65

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 53.00/100.00 (53.00%)

Max Score: 71.00

Rank: 9

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 74.65

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
11.00	16.00	21.00	5.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 52.00/100.00 (52.00%)

Max Score: 71.00

Rank: 10

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 73.24

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 52.00/100.00 (52.00%)

Max Score: 71.00

Rank: 10

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 73.24

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 52 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
12.00	17.00	21.00	2.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 52.00/100.00 (52.00%)

Max Score: 71.00

Rank: 10

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 73.24

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 52.00/100.00 (52.00%)

Max Score: 71.00

Rank: 10

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 73.24

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 52 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
15.00	17.00	17.00	3.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 11

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 71.83

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 11

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 71.83

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
14.00	13.00	19.00	5.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 11

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 71.83

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 11

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 71.83

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
11.00	16.00	20.00	4.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 11

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 71.83

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 11

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 71.83

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
11.00	16.00	20.00	4.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 11

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 71.83

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 11

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 71.83

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
11.00	12.00	22.00	6.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 50.00/100.00 (50.00%)

Max Score: 71.00

Rank: 12

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 70.42

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 50.00/100.00 (50.00%)

Max Score: 71.00

Rank: 12

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 70.42

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A		L	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
14.00	14.00	19.00	3.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 50.00/100.00 (50.00%)

Max Score: 71.00

Rank: 12

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 70.42

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 50.00/100.00 (50.00%)

Max Score: 71.00

Rank: 12

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 70.42

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
12.00	12.00	21.00	5.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 50.00/100.00 (50.00%)

Max Score: 71.00

Rank: 12

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 70.42

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 50.00/100.00 (50.00%)

Max Score: 71.00

Rank: 12

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 70.42

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B		L	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 90 (**Correct:** 50 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
10.00	15.00	21.00	4.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 50.00/100.00 (50.00%)

Max Score: 71.00

Rank: 12

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 70.42

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 50.00/100.00 (50.00%)

Max Score: 71.00

Rank: 12

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 70.42

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
12.00	16.00	17.00	5.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 49.00/100.00 (49.00%)

Max Score: 71.00

Rank: 13

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 69.01

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 49.00/100.00 (49.00%)

Max Score: 71.00

Rank: 13

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 69.01

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
10.00	13.00	21.00	5.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 49.00/100.00 (49.00%)

Max Score: 71.00

Rank: 13

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 69.01

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 49.00/100.00 (49.00%)

Max Score: 71.00

Rank: 13

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 69.01

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
9.00	13.00	22.00	5.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 49.00/100.00 (49.00%)

Max Score: 71.00

Rank: 13

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 69.01

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 49.00/100.00 (49.00%)

Max Score: 71.00

Rank: 13

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 69.01

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
10.00	12.00	23.00	4.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 49.00/100.00 (49.00%)

Max Score: 71.00

Rank: 13

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 69.01

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 49.00/100.00 (49.00%)

Max Score: 71.00

Rank: 13

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 69.01

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
9.00	14.00	22.00	4.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 48.00/100.00 (48.00%)

Max Score: 71.00

Rank: 14

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 67.61

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 48.00/100.00 (48.00%)

Max Score: 71.00

Rank: 14

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 67.61

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
11.00	16.00	18.00	3.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 48.00/100.00 (48.00%)

Max Score: 71.00

Rank: 14

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 67.61

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 48.00/100.00 (48.00%)

Max Score: 71.00

Rank: 14

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 67.61

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
15.00	12.00	19.00	2.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 48.00/100.00 (48.00%)

Max Score: 71.00

Rank: 14

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 67.61

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 48.00/100.00 (48.00%)

Max Score: 71.00

Rank: 14

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 67.61

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
13.00	15.00	15.00	5.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNA ANANTA MOHOD (ID No. 92024)

Your Score: 48.00/100.00 (48.00%)

Max Score: 71.00

Rank: 14

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 67.61

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNA ANANTA MOHOD (ID No. 92024)

Your Score: 48.00/100.00 (48.00%)

Max Score: 71.00

Rank: 14

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 67.61

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
11.00	13.00	19.00	5.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 45.00/100.00 (45.00%)

Max Score: 71.00

Rank: 15

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 63.38

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 45.00/100.00 (45.00%)

Max Score: 71.00

Rank: 15

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 63.38

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
9.00	13.00	21.00	2.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 40.00/100.00 (40.00%)

Max Score: 71.00

Rank: 16

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 56.34

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	CD	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 40.00/100.00 (40.00%)

Max Score: 71.00

Rank: 16

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 56.34

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 40 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
6.00	13.00	17.00	4.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 40.00/100.00 (40.00%)

Max Score: 71.00

Rank: 16

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 56.34

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	AB	W	0.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	BD	W	0.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 40.00/100.00 (40.00%)

Max Score: 71.00

Rank: 16

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 56.34

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	AD	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 40 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
9.00	14.00	14.00	3.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHASHISH P. DESHMUKH (ID No. 91013)

Your Score: 39.00/100.00 (39.00%)

Max Score: 71.00

Rank: 17

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 54.93

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHASHISH P. DESHMUKH (ID No. 91013)

Your Score: 39.00/100.00 (39.00%)

Max Score: 71.00

Rank: 17

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 54.93

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 39 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
10.00	10.00	14.00	5.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 39.00/100.00 (39.00%)

Max Score: 71.00

Rank: 17

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 54.93

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 39.00/100.00 (39.00%)

Max Score: 71.00

Rank: 17

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 54.93

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 39 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
8.00	13.00	16.00	2.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 37.00/100.00 (37.00%)

Max Score: 71.00

Rank: 18

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 52.11

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 37.00/100.00 (37.00%)

Max Score: 71.00

Rank: 18

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 52.11

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 37 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 37.00

Total Positive Marks: 37.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
8.00	11.00	13.00	5.00	37.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 37.00/100.00 (37.00%)

Max Score: 71.00

Rank: 18

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 52.11

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 37.00/100.00 (37.00%)

Max Score: 71.00

Rank: 18

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 52.11

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 37 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 37.00

Total Positive Marks: 37.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
7.00	16.00	12.00	2.00	37.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARA SWAPNIL DESHPANDE (ID No. 91014)

Your Score: 36.00/100.00 (36.00%)

Max Score: 71.00

Rank: 19

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 50.70

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARA SWAPNIL DESHPANDE (ID No. 91014)

Your Score: 36.00/100.00 (36.00%)

Max Score: 71.00

Rank: 19

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 50.70

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 36 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
10.00	12.00	11.00	3.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA ANIL KHANDEKAR (ID No. 91002)

Your Score: 35.00/100.00 (35.00%)

Max Score: 71.00

Rank: 20

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 49.30

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	AC	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	AB	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA ANIL KHANDEKAR (ID No. 91002)

Your Score: 35.00/100.00 (35.00%)

Max Score: 71.00

Rank: 20

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 49.30

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 35 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
7.00	7.00	16.00	5.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 34.00/100.00 (34.00%)

Max Score: 71.00

Rank: 21

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 47.89

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 34.00/100.00 (34.00%)

Max Score: 71.00

Rank: 21

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 47.89

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 34 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
10.00	7.00	12.00	5.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 33.00/100.00 (33.00%)

Max Score: 71.00

Rank: 22

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 46.48

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 33.00/100.00 (33.00%)

Max Score: 71.00

Rank: 22

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 46.48

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C		L	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A		L	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 33 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
5.00	13.00	13.00	2.00	33.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92041)

Your Score: 31.00/100.00 (31.00%)

Max Score: 71.00

Rank: 23

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 43.66

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92041)

Your Score: 31.00/100.00 (31.00%)

Max Score: 71.00

Rank: 23

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 43.66

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 82 (**Correct:** 31 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 31.00

Total Positive Marks: 31.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
5.00	10.00	13.00	3.00	31.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHANTANU VISHNU LODAM (ID No. 91012)

Your Score: 24.00/100.00 (24.00%)

Max Score: 71.00

Rank: 24

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 33.80

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	32.56	67.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	97.67	76.74	20.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	93.02	23.26	69.77	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	41.86	58.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
8	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	62.79	37.21	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	34.88	65.12	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	100.00	60.47	39.53	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.67	65.12	32.56	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	100.00	67.44	32.56	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	69.77	30.23	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.67	25.58	72.09	BIO	REGULAR MT1	1.00	0.00	B	BD	W	0.00
16	100.00	20.93	79.07	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	100.00	65.12	34.88	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	100.00	58.14	41.86	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	55.81	44.19	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	74.42	25.58	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	100.00	90.70	9.30	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	79.07	20.93	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	100.00	86.05	13.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	88.37	11.63	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	97.67	41.86	55.81	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
29	100.00	72.09	27.91	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	100.00	83.72	16.28	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
31	97.67	37.21	60.47	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	53.49	46.51	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	100.00	4.65	95.35	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	48.84	51.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	97.67	18.60	79.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	76.74	23.26	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	6.98	93.02	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
42	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.67	20.93	76.74	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	100.00	83.72	16.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	100.00	58.14	41.86	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	32.56	67.44	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	97.67	48.84	48.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	100.00	23.26	76.74	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	97.67	39.53	58.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	86.05	13.95	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHANTANU VISHNU LODAM (ID No. 91012)

Your Score: 24.00/100.00 (24.00%)

Max Score: 71.00

Rank: 24

Min Score: 24.00

TEST: HBBVE Mock Test 1 (ID: 740 DT: 16-Oct-2023)

Percentile: 33.80

Avg Score: 48.30

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	41.86	58.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	60.47	39.53	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
56	100.00	20.93	79.07	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	97.67	67.44	30.23	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
58	100.00	81.40	18.60	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	46.51	53.49	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	100.00	67.44	32.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	23.26	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
63	100.00	4.65	95.35	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	76.74	23.26	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	100.00	27.91	72.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	95.35	23.26	72.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	100.00	74.42	25.58	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	16.28	83.72	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
70	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	97.67	48.84	48.84	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	30.23	69.77	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	97.67	20.93	76.74	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	53.49	46.51	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	46.51	53.49	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	100.00	48.84	51.16	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.67	25.58	72.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	34.88	65.12	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	93.02	16.28	76.74	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	60.47	39.53	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	44.19	55.81	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	97.67	23.26	74.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.67	32.56	65.12	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	97.67	55.81	41.86	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	97.67	34.88	62.79	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	11.63	88.37	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	97.67	39.53	58.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	100.00	30.23	69.77	G.K.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	95.35	53.49	41.86	G.K.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	97.67	53.49	44.19	G.K.	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	32.56	67.44	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	100.00	13.95	86.05	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	34.88	65.12	G.K.	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	95.35	16.28	79.07	G.K.	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	20.93	79.07	G.K.	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	100.00	95.35	4.65	G.K.	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	100.00	62.79	37.21	G.K.	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 24 **Incorrect:** 76) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 24.00

Total Positive Marks: 24.00 **Total Negative Marks:**

PHY	CHEM	BIO	G.K.	Total
6.00	7.00	11.00	0.00	24.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%