

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 626.00/720.00 (86.94%)

Max Score: 626.00

Rank: 1

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 100.00

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	A	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 626.00/720.00 (86.94%)

Max Score: 626.00

Rank: 1

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 100.00

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 626.00/720.00 (86.94%)

Max Score: 626.00

Rank: 1

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 100.00

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 626.00/720.00 (86.94%)

Max Score: 626.00

Rank: 1

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 100.00

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 173 (Correct: 159 Incorrect: 14) Score Rate: 0.00 Strike Rate: 0.00

Total: 626.00

Total Positive Marks: 640.00 Total Negative Marks: 14.00

PHY	CHEM	BIO	Total
151.00	120.00	355.00	626.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 625.00/720.00 (86.81%)

Max Score: 626.00

Rank: 2

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 99.84

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	A	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 625.00/720.00 (86.81%)

Max Score: 626.00

Rank: 2

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 99.84

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 625.00/720.00 (86.81%)

Max Score: 626.00

Rank: 2

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 99.84

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 625.00/720.00 (86.81%)

Max Score: 626.00

Rank: 2

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 99.84

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 179 (Correct: 160 Incorrect: 19) Score Rate: 0.00 Strike Rate: 0.00

Total: 625.00

Total Positive Marks: 644.00 Total Negative Marks: 19.00

PHY	CHEM	BIO	Total
125.00	155.00	345.00	625.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 616.00/720.00 (85.56%)

Max Score: 626.00

Rank: 3

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 98.40

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	A	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 616.00/720.00 (85.56%)

Max Score: 626.00

Rank: 3

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 98.40

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 616.00/720.00 (85.56%)

Max Score: 626.00

Rank: 3

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 98.40

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 616.00/720.00 (85.56%)

Max Score: 626.00

Rank: 3

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 98.40

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 178 (Correct: 158 Incorrect: 20) Score Rate: 0.00 Strike Rate: 0.00

Total: 616.00

Total Positive Marks: 636.00 Total Negative Marks: 20.00

PHY	CHEM	BIO	Total
125.00	150.00	341.00	616.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 591.00/720.00 (82.08%)

Max Score: 626.00

Rank: 4

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 94.41

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	A	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 591.00/720.00 (82.08%)

Max Score: 626.00

Rank: 4

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 94.41

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 591.00/720.00 (82.08%)

Max Score: 626.00

Rank: 4

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 94.41

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 591.00/720.00 (82.08%)

Max Score: 626.00

Rank: 4

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 94.41

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 168 (**Correct:** 151 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 591.00

Total Positive Marks: 608.00 **Total Negative Marks:** 17.00

PHY	CHEM	BIO	Total
95.00	136.00	360.00	591.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 553.00/720.00 (76.81%)

Max Score: 626.00

Rank: 5

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 88.34

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	B	W	-1.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 553.00/720.00 (76.81%)

Max Score: 626.00

Rank: 5

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 88.34

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 553.00/720.00 (76.81%)

Max Score: 626.00

Rank: 5

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 88.34

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 553.00/720.00 (76.81%)

Max Score: 626.00

Rank: 5

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 88.34

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

Total Question: 180 Attempted: 176 (Correct: 145 Incorrect: 31) Score Rate: 0.00 Strike Rate: 0.00

Total: 553.00

Total Positive Marks: 584.00 Total Negative Marks: 31.00

PHY	CHEM	BIO	Total
111.00	117.00	325.00	553.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 552.00/720.00 (76.67%)

Max Score: 626.00

Rank: 6

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 88.18

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	A	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 552.00/720.00 (76.67%)

Max Score: 626.00

Rank: 6

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 88.18

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 552.00/720.00 (76.67%)

Max Score: 626.00

Rank: 6

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 88.18

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 552.00/720.00 (76.67%)

Max Score: 626.00

Rank: 6

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 88.18

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 172 (Correct: 144 Incorrect: 28) Score Rate: 0.00 Strike Rate: 0.00

Total: 552.00

Total Positive Marks: 580.00 Total Negative Marks: 28.00

PHY	CHEM	BIO	Total
106.00	106.00	340.00	552.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 525.00/720.00 (72.92%)

Max Score: 626.00

Rank: 7

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 83.87

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	A	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 525.00/720.00 (72.92%)

Max Score: 626.00

Rank: 7

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 83.87

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 525.00/720.00 (72.92%)

Max Score: 626.00

Rank: 7

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 83.87

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 525.00/720.00 (72.92%)

Max Score: 626.00

Rank: 7

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 83.87

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

Total Question: 180 Attempted: 169 (Correct: 138 Incorrect: 31) Score Rate: 0.00 Strike Rate: 0.00

Total: 525.00

Total Positive Marks: 556.00 Total Negative Marks: 31.00

PHY	CHEM	BIO	Total
117.00	133.00	275.00	525.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 504.00/720.00 (70.00%)

Max Score: 626.00

Rank: 8

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 80.51

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC		L	0.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 504.00/720.00 (70.00%)

Max Score: 626.00

Rank: 8

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 80.51

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 504.00/720.00 (70.00%)

Max Score: 626.00

Rank: 8

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 80.51

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 504.00/720.00 (70.00%)

Max Score: 626.00

Rank: 8

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 80.51

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 165 (**Correct:** 133 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 504.00

Total Positive Marks: 536.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
44.00	120.00	340.00	504.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 498.00/720.00 (69.17%)

Max Score: 626.00

Rank: 9

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 79.55

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	B	W	-1.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 498.00/720.00 (69.17%)

Max Score: 626.00

Rank: 9

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 79.55

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 498.00/720.00 (69.17%)

Max Score: 626.00

Rank: 9

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 79.55

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 498.00/720.00 (69.17%)

Max Score: 626.00

Rank: 9

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 79.55

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 156 (Correct: 130 Incorrect: 26) Score Rate: 0.00 Strike Rate: 0.00

Total: 498.00

Total Positive Marks: 524.00 Total Negative Marks: 26.00

PHY	CHEM	BIO	Total
47.00	151.00	300.00	498.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 490.00/720.00 (68.06%)

Max Score: 626.00

Rank: 10

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 78.27

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	C	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 490.00/720.00 (68.06%)

Max Score: 626.00

Rank: 10

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 78.27

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 490.00/720.00 (68.06%)

Max Score: 626.00

Rank: 10

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 78.27

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 490.00/720.00 (68.06%)

Max Score: 626.00

Rank: 10

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 78.27

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 159 (Correct: 129 Incorrect: 30) Score Rate: 0.00 Strike Rate: 0.00

Total: 490.00

Total Positive Marks: 520.00 Total Negative Marks: 30.00

PHY	CHEM	BIO	Total
108.00	83.00	299.00	490.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 481.00/720.00 (66.81%)

Max Score: 626.00

Rank: 11

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 76.84

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	A	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 481.00/720.00 (66.81%)

Max Score: 626.00

Rank: 11

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 76.84

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 481.00/720.00 (66.81%)

Max Score: 626.00

Rank: 11

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 76.84

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 481.00/720.00 (66.81%)

Max Score: 626.00

Rank: 11

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 76.84

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 173 (Correct: 130 Incorrect: 43) Score Rate: 0.00 Strike Rate: 0.00

Total: 481.00

Total Positive Marks: 524.00 Total Negative Marks: 43.00

PHY	CHEM	BIO	Total
64.00	121.00	296.00	481.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 476.00/720.00 (66.11%)

Max Score: 626.00

Rank: 12

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 76.04

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	B	W	-1.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 476.00/720.00 (66.11%)

Max Score: 626.00

Rank: 12

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 76.04

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 476.00/720.00 (66.11%)

Max Score: 626.00

Rank: 12

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 76.04

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 476.00/720.00 (66.11%)

Max Score: 626.00

Rank: 12

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 76.04

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 148 (Correct: 124 Incorrect: 24) Score Rate: 0.00 Strike Rate: 0.00

Total: 476.00

Total Positive Marks: 500.00 Total Negative Marks: 24.00

PHY	CHEM	BIO	Total
70.00	86.00	320.00	476.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 450.00/720.00 (62.50%)

Max Score: 626.00

Rank: 13

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 71.88

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	D	W	-1.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 450.00/720.00 (62.50%)

Max Score: 626.00

Rank: 13

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 71.88

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 450.00/720.00 (62.50%)

Max Score: 626.00

Rank: 13

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 71.88

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 450.00/720.00 (62.50%)

Max Score: 626.00

Rank: 13

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 71.88

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

Total Question: 180 **Attempted:** 159 (**Correct:** 121 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 450.00

Total Positive Marks: 488.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
87.00	63.00	300.00	450.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 448.00/720.00 (62.22%)

Max Score: 626.00

Rank: 14

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 71.57

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC		L	0.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 448.00/720.00 (62.22%)

Max Score: 626.00

Rank: 14

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 71.57

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 448.00/720.00 (62.22%)

Max Score: 626.00

Rank: 14

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 71.57

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 448.00/720.00 (62.22%)

Max Score: 626.00

Rank: 14

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 71.57

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 136 (Correct: 116 Incorrect: 20) Score Rate: 0.00 Strike Rate: 0.00

Total: 448.00

Total Positive Marks: 468.00 Total Negative Marks: 20.00

PHY	CHEM	BIO	Total
74.00	81.00	293.00	448.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 433.00/720.00 (60.14%)

Max Score: 626.00

Rank: 15

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 69.17

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	D	W	-1.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 433.00/720.00 (60.14%)

Max Score: 626.00

Rank: 15

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 69.17

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 433.00/720.00 (60.14%)

Max Score: 626.00

Rank: 15

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 69.17

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 433.00/720.00 (60.14%)

Max Score: 626.00

Rank: 15

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 69.17

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 151 (**Correct:** 116 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 433.00

Total Positive Marks: 468.00 **Total Negative Marks:** 35.00

PHY	CHEM	BIO	Total
50.00	89.00	294.00	433.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 426.00/720.00 (59.17%)

Max Score: 626.00

Rank: 16

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 68.05

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	A	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 426.00/720.00 (59.17%)

Max Score: 626.00

Rank: 16

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 68.05

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 426.00/720.00 (59.17%)

Max Score: 626.00

Rank: 16

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 68.05

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 426.00/720.00 (59.17%)

Max Score: 626.00

Rank: 16

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 68.05

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 138 (Correct: 112 Incorrect: 26) Score Rate: 0.00 Strike Rate: 0.00

Total: 426.00

Total Positive Marks: 452.00 Total Negative Marks: 26.00

PHY	CHEM	BIO	Total
60.00	63.00	303.00	426.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 421.00/720.00 (58.47%)

Max Score: 626.00

Rank: 17

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 67.25

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	B	W	-1.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 421.00/720.00 (58.47%)

Max Score: 626.00

Rank: 17

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 67.25

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 421.00/720.00 (58.47%)

Max Score: 626.00

Rank: 17

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 67.25

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 421.00/720.00 (58.47%)

Max Score: 626.00

Rank: 17

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 67.25

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

Total Question: 180 **Attempted:** 168 (**Correct:** 117 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 421.00

Total Positive Marks: 472.00 **Total Negative Marks:** 51.00

PHY	CHEM	BIO	Total
77.00	63.00	281.00	421.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 420.00/720.00 (58.33%)

Max Score: 626.00

Rank: 18

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 67.09

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	D	W	-1.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 420.00/720.00 (58.33%)

Max Score: 626.00

Rank: 18

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 67.09

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 420.00/720.00 (58.33%)

Max Score: 626.00

Rank: 18

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 67.09

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 420.00/720.00 (58.33%)

Max Score: 626.00

Rank: 18

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 67.09

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

Total Question: 180 **Attempted:** 144 (**Correct:** 112 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 420.00

Total Positive Marks: 452.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
103.00	47.00	270.00	420.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 415.00/720.00 (57.64%)

Max Score: 626.00

Rank: 19

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 66.29

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	C	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 415.00/720.00 (57.64%)

Max Score: 626.00

Rank: 19

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 66.29

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 415.00/720.00 (57.64%)

Max Score: 626.00

Rank: 19

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 66.29

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	BC	W	-1.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 415.00/720.00 (57.64%)

Max Score: 626.00

Rank: 19

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 66.29

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

Total Question: 180 Attempted: 159 (Correct: 114 Incorrect: 45) Score Rate: 0.00 Strike Rate: 0.00

Total: 415.00

Total Positive Marks: 460.00 Total Negative Marks: 45.00

PHY	CHEM	BIO	Total
63.00	62.00	290.00	415.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 387.00/720.00 (53.75%)

Max Score: 626.00

Rank: 20

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 61.82

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	BC	W	-1.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 387.00/720.00 (53.75%)

Max Score: 626.00

Rank: 20

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 61.82

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	BD	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 387.00/720.00 (53.75%)

Max Score: 626.00

Rank: 20

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 61.82

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 387.00/720.00 (53.75%)

Max Score: 626.00

Rank: 20

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 61.82

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

Total Question: 180 Attempted: 147 (Correct: 106 Incorrect: 41) Score Rate: 0.00 Strike Rate: 0.00

Total: 387.00

Total Positive Marks: 428.00 Total Negative Marks: 41.00

PHY	CHEM	BIO	Total
53.00	67.00	267.00	387.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 378.00/720.00 (52.50%)

Max Score: 626.00

Rank: 21

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 60.38

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	D	W	-1.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 378.00/720.00 (52.50%)

Max Score: 626.00

Rank: 21

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 60.38

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 378.00/720.00 (52.50%)

Max Score: 626.00

Rank: 21

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 60.38

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 378.00/720.00 (52.50%)

Max Score: 626.00

Rank: 21

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 60.38

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 146 (**Correct:** 104 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 378.00

Total Positive Marks: 420.00 **Total Negative Marks:** 42.00

PHY	CHEM	BIO	Total
16.00	75.00	287.00	378.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 372.00/720.00 (51.67%)

Max Score: 626.00

Rank: 22

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 59.42

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	B	W	-1.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 372.00/720.00 (51.67%)

Max Score: 626.00

Rank: 22

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 59.42

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 372.00/720.00 (51.67%)

Max Score: 626.00

Rank: 22

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 59.42

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 372.00/720.00 (51.67%)

Max Score: 626.00

Rank: 22

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 59.42

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 147 (Correct: 103 Incorrect: 44) Score Rate: 0.00 Strike Rate: 0.00

Total: 372.00

Total Positive Marks: 416.00 Total Negative Marks: 44.00

PHY	CHEM	BIO	Total
63.00	43.00	266.00	372.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 366.00/720.00 (50.83%)

Max Score: 626.00

Rank: 23

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 58.47

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC		L	0.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 366.00/720.00 (50.83%)

Max Score: 626.00

Rank: 23

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 58.47

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 366.00/720.00 (50.83%)

Max Score: 626.00

Rank: 23

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 58.47

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 366.00/720.00 (50.83%)

Max Score: 626.00

Rank: 23

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 58.47

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 123 (**Correct:** 97 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 366.00

Total Positive Marks: 392.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
53.00	22.00	291.00	366.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 362.00/720.00 (50.28%)

Max Score: 626.00

Rank: 24

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 57.83

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	A	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 362.00/720.00 (50.28%)

Max Score: 626.00

Rank: 24

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 57.83

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 362.00/720.00 (50.28%)

Max Score: 626.00

Rank: 24

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 57.83

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 362.00/720.00 (50.28%)

Max Score: 626.00

Rank: 24

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 57.83

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 162 (Correct: 104 Incorrect: 58) Score Rate: 0.00 Strike Rate: 0.00

Total: 362.00

Total Positive Marks: 420.00 Total Negative Marks: 58.00

PHY	CHEM	BIO	Total
97.00	50.00	215.00	362.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 352.00/720.00 (48.89%)

Max Score: 626.00

Rank: 25

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 56.23

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	C	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 352.00/720.00 (48.89%)

Max Score: 626.00

Rank: 25

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 56.23

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 352.00/720.00 (48.89%)

Max Score: 626.00

Rank: 25

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 56.23

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 352.00/720.00 (48.89%)

Max Score: 626.00

Rank: 25

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 56.23

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 Attempted: 157 (Correct: 101 Incorrect: 56) Score Rate: 0.00 Strike Rate: 0.00

Total: 352.00

Total Positive Marks: 408.00 Total Negative Marks: 56.00

PHY	CHEM	BIO	Total
32.00	59.00	261.00	352.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 48493)

Your Score: 350.00/720.00 (48.61%)

Max Score: 626.00

Rank: 26

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 55.91

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	A	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 48493)

Your Score: 350.00/720.00 (48.61%)

Max Score: 626.00

Rank: 26

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 55.91

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT%/ R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 48493)

Your Score: 350.00/720.00 (48.61%)

Max Score: 626.00

Rank: 26

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 55.91

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 48493)

Your Score: 350.00/720.00 (48.61%)

Max Score: 626.00

Rank: 26

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 55.91

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

Total Question: 180 Attempted: 114 (Correct: 92 Incorrect: 22) Score Rate: 0.00 Strike Rate: 0.00

Total: 350.00

Total Positive Marks: 372.00 Total Negative Marks: 22.00

PHY	CHEM	BIO	Total
58.00	4.00	288.00	350.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 337.00/720.00 (46.81%)

Max Score: 626.00

Rank: 27

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 53.83

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC		L	0.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 337.00/720.00 (46.81%)

Max Score: 626.00

Rank: 27

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 53.83

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 337.00/720.00 (46.81%)

Max Score: 626.00

Rank: 27

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 53.83

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 337.00/720.00 (46.81%)

Max Score: 626.00

Rank: 27

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 53.83

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 132 (Correct: 93 Incorrect: 39) Score Rate: 0.00 Strike Rate: 0.00

Total: 337.00

Total Positive Marks: 376.00 Total Negative Marks: 39.00

PHY	CHEM	BIO	Total
63.00	64.00	210.00	337.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 314.00/720.00 (43.61%)

Max Score: 626.00

Rank: 28

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 50.16

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	C	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 314.00/720.00 (43.61%)

Max Score: 626.00

Rank: 28

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 50.16

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 314.00/720.00 (43.61%)

Max Score: 626.00

Rank: 28

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 50.16

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 314.00/720.00 (43.61%)

Max Score: 626.00

Rank: 28

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 50.16

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 Attempted: 160 (Correct: 94 Incorrect: 66) Score Rate: 0.00 Strike Rate: 0.00

Total: 314.00

Total Positive Marks: 380.00 Total Negative Marks: 66.00

PHY	CHEM	BIO	Total
63.00	50.00	201.00	314.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 313.00/720.00 (43.47%)

Max Score: 626.00

Rank: 29

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 50.00

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	A	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 313.00/720.00 (43.47%)

Max Score: 626.00

Rank: 29

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 50.00

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 313.00/720.00 (43.47%)

Max Score: 626.00

Rank: 29

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 50.00

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 313.00/720.00 (43.47%)

Max Score: 626.00

Rank: 29

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 50.00

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 Attempted: 116 (Correct: 85 Incorrect: 31) Score Rate: 0.00 Strike Rate: 0.00

Total: 313.00

Total Positive Marks: 344.00 Total Negative Marks: 31.00

PHY	CHEM	BIO	Total
60.00	43.00	210.00	313.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 307.00/720.00 (42.64%)

Max Score: 626.00

Rank: 30

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 49.04

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC		L	0.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 307.00/720.00 (42.64%)

Max Score: 626.00

Rank: 30

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 49.04

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 307.00/720.00 (42.64%)

Max Score: 626.00

Rank: 30

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 49.04

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 307.00/720.00 (42.64%)

Max Score: 626.00

Rank: 30

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 49.04

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 Attempted: 107 (Correct: 82 Incorrect: 25) Score Rate: 0.00 Strike Rate: 0.00

Total: 307.00

Total Positive Marks: 332.00 Total Negative Marks: 25.00

PHY	CHEM	BIO	Total
49.00	21.00	237.00	307.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 292.00/720.00 (40.56%)

Max Score: 626.00

Rank: 31

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 46.65

Avq Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	D	W	-1.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 292.00/720.00 (40.56%)

Max Score: 626.00

Rank: 31

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 46.65

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 292.00/720.00 (40.56%)

Max Score: 626.00

Rank: 31

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 46.65

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 292.00/720.00 (40.56%)

Max Score: 626.00

Rank: 31

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 46.65

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 117 (Correct: 81 Incorrect: 36) Score Rate: 0.00 Strike Rate: 0.00

Total: 292.00

Total Positive Marks: 328.00 Total Negative Marks: 36.00

PHY	CHEM	BIO	Total
57.00	5.00	230.00	292.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 285.00/720.00 (39.58%)

Max Score: 626.00

Rank: 32

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 45.53

Avq Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	D	W	-1.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 285.00/720.00 (39.58%)

Max Score: 626.00

Rank: 32

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 45.53

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 285.00/720.00 (39.58%)

Max Score: 626.00

Rank: 32

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 45.53

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 285.00/720.00 (39.58%)

Max Score: 626.00

Rank: 32

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 45.53

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 154 (Correct: 87 Incorrect: 67) Score Rate: 0.00 Strike Rate: 0.00

Total: 285.00

Total Positive Marks: 352.00 Total Negative Marks: 67.00

PHY	CHEM	BIO	Total
62.00	38.00	185.00	285.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS SHRIKRUSHNA INGLE (ID No. 47511)

Your Score: 272.00/720.00 (37.78%)

Max Score: 626.00

Rank: 33

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 43.45

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	BC	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC		L	0.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	CD	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS SHRIKRUSHNA INGLE (ID No. 47511)

Your Score: 272.00/720.00 (37.78%)

Max Score: 626.00

Rank: 33

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 43.45

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS SHRIKRUSHNA INGLE (ID No. 47511)

Your Score: 272.00/720.00 (37.78%)

Max Score: 626.00

Rank: 33

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 43.45

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS SHRIKRUSHNA INGLE (ID No. 47511)

Your Score: 272.00/720.00 (37.78%)

Max Score: 626.00

Rank: 33

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 43.45

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	CD	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 117 (Correct: 77 Incorrect: 40) Score Rate: 0.00 Strike Rate: 0.00

Total: 272.00

Total Positive Marks: 312.00 Total Negative Marks: 40.00

PHY	CHEM	BIO	Total
15.00	7.00	250.00	272.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 250.00/720.00 (34.72%)

Max Score: 626.00

Rank: 34

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 39.94

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	D	W	-1.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 250.00/720.00 (34.72%)

Max Score: 626.00

Rank: 34

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 39.94

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 250.00/720.00 (34.72%)

Max Score: 626.00

Rank: 34

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 39.94

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 250.00/720.00 (34.72%)

Max Score: 626.00

Rank: 34

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 39.94

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 109 (Correct: 71 Incorrect: 38) Score Rate: 0.00 Strike Rate: 0.00

Total: 250.00

Total Positive Marks: 288.00 Total Negative Marks: 38.00

PHY	CHEM	BIO	Total
21.00	42.00	187.00	250.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 239.00/720.00 (33.19%)

Max Score: 626.00

Rank: 35

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 38.18

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC		L	0.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 239.00/720.00 (33.19%)

Max Score: 626.00

Rank: 35

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 38.18

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 239.00/720.00 (33.19%)

Max Score: 626.00

Rank: 35

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 38.18

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 239.00/720.00 (33.19%)

Max Score: 626.00

Rank: 35

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 38.18

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

Total Question: 180 Attempted: 120 (Correct: 71 Incorrect: 49) Score Rate: 0.00 Strike Rate: 0.00

Total: 239.00

Total Positive Marks: 288.00 Total Negative Marks: 49.00

PHY	CHEM	BIO	Total
19.00	13.00	207.00	239.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 235.00/720.00 (32.64%)

Max Score: 626.00

Rank: 36

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 37.54

Avq Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	A	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 235.00/720.00 (32.64%)

Max Score: 626.00

Rank: 36

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 37.54

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 235.00/720.00 (32.64%)

Max Score: 626.00

Rank: 36

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 37.54

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 235.00/720.00 (32.64%)

Max Score: 626.00

Rank: 36

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 37.54

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 139 (Correct: 74 Incorrect: 65) Score Rate: 0.00 Strike Rate: 0.00

Total: 235.00

Total Positive Marks: 300.00 Total Negative Marks: 65.00

PHY	CHEM	BIO	Total
37.00	25.00	173.00	235.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 210.00/720.00 (29.17%)

Max Score: 626.00

Rank: 37

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 33.55

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	C	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 210.00/720.00 (29.17%)

Max Score: 626.00

Rank: 37

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 33.55

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 210.00/720.00 (29.17%)

Max Score: 626.00

Rank: 37

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 33.55

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 210.00/720.00 (29.17%)

Max Score: 626.00

Rank: 37

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 33.55

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 154 (**Correct:** 72 **Incorrect:** 82) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 210.00

Total Positive Marks: 292.00 **Total Negative Marks:** 82.00

PHY	CHEM	BIO	Total
26.00	8.00	176.00	210.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 106.00/720.00 (14.72%)

Max Score: 626.00

Rank: 38

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 16.93

Avq Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC	A	R	4.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 106.00/720.00 (14.72%)

Max Score: 626.00

Rank: 38

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 16.93

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 106.00/720.00 (14.72%)

Max Score: 626.00

Rank: 38

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 16.93

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 106.00/720.00 (14.72%)

Max Score: 626.00

Rank: 38

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 16.93

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 Attempted: 173 (Correct: 55 Incorrect: 118) Score Rate: 0.00 Strike Rate: 0.00

Total: 106.00

Total Positive Marks: 224.00 Total Negative Marks: 118.00

PHY	CHEM	BIO	Total
1.00	24.00	81.00	106.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 95.00/720.00 (13.19%)

Max Score: 626.00

Rank: 39

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 15.18

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.41	35.90	20.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	87.18	46.15	41.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.49	46.15	33.33	PHY	FOR MULTIPLE ANS4	4.00	1.00	AC		L	0.00
4	92.31	58.97	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	94.87	66.67	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	79.49	48.72	30.77	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	56.41	12.82	43.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	53.85	20.51	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	71.79	35.90	35.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
11	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	30.77	20.51	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	33.33	10.26	23.08	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	41.03	15.38	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	64.10	35.90	28.21	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
19	43.59	35.90	7.69	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	71.79	2.56	69.23	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	87.18	12.82	74.36	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
23	61.54	56.41	5.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	87.18	53.85	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	82.05	20.51	61.54	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	58.97	51.28	7.69	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	94.87	58.97	35.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	92.31	10.26	82.05	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	82.05	82.05	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	87.18	28.21	58.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
31	97.44	82.05	15.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	61.54	43.59	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	92.31	38.46	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	92.31	56.41	35.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	89.74	12.82	76.92	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
37	71.79	17.95	53.85	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
38	46.15	30.77	15.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
39	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
40	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	66.67	46.15	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
42	71.79	48.72	23.08	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
43	92.31	87.18	5.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
44	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
45	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
46	41.03	7.69	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	64.10	48.72	15.38	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
48	58.97	25.64	33.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	56.41	33.33	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	76.92	41.03	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	92.31	66.67	25.64	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
52	69.23	53.85	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	64.10	58.97	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 95.00/720.00 (13.19%)

Max Score: 626.00

Rank: 39

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 15.18

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	79.49	28.21	51.28	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	76.92	74.36	2.56	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
58	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	76.92	48.72	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	84.62	51.28	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	66.67	28.21	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	89.74	71.79	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	71.79	43.59	28.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	84.62	61.54	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	84.62	82.05	2.56	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	64.10	28.21	35.90	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	87.18	76.92	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	43.59	30.77	12.82	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	87.18	28.21	58.97	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	71.79	35.90	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	71.79	69.23	2.56	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	51.28	33.33	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	46.15	41.03	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	30.77	20.51	10.26	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	82.05	48.72	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	48.72	35.90	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	66.67	58.97	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	46.15	30.77	15.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.85	30.77	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	56.41	30.77	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	33.33	20.51	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	64.10	41.03	23.08	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	53.85	15.38	38.46	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	74.36	56.41	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	58.97	38.46	20.51	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
88	41.03	5.13	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
89	71.79	5.13	66.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	58.97	43.59	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
92	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
93	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
95	92.31	82.05	10.26	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
96	100.00	41.03	58.97	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
97	89.74	82.05	7.69	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
98	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
102	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
103	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
105	89.74	71.79	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
106	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 95.00/720.00 (13.19%)

Max Score: 626.00

Rank: 39

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 15.18

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
108	92.31	76.92	15.38	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
109	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
110	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
114	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
115	87.18	76.92	10.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
116	100.00	76.92	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
117	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
118	94.87	43.59	51.28	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
119	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
120	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
122	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
123	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
124	94.87	84.62	10.26	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
125	94.87	74.36	20.51	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
126	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
128	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	92.31	61.54	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
131	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
132	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	82.05	64.10	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	97.44	64.10	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	89.74	69.23	20.51	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
136	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
137	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
138	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
140	97.44	84.62	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
141	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	89.74	51.28	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
146	94.87	46.15	48.72	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
147	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
149	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
153	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	92.31	74.36	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
155	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	87.18	84.62	2.56	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
159	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 95.00/720.00 (13.19%)

Max Score: 626.00

Rank: 39

Min Score: 95.00

TEST: LT-01 (NEET) DT. 29-11-2023 (ID: 751 DT: 29-Nov-2023)

Percentile: 15.18

Avg Score: 394.15

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	69.23	30.77	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	66.67	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
162	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
163	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	89.74	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	94.87	41.03	53.85	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	89.74	84.62	5.13	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
170	100.00	97.44	2.56	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	87.18	66.67	20.51	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
172	97.44	46.15	51.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
175	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
176	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
177	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	89.74	61.54	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
180	94.87	53.85	41.03	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

Total Question: 180 Attempted: 89 (Correct: 36 Incorrect: 53) Score Rate: 0.00 Strike Rate: 0.00

Total: 95.00

Total Positive Marks: 148.00 Total Negative Marks: 53.00

PHY	CHEM	BIO	Total
15.00	17.00	63.00	95.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%