

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 681.00/720.00 (94.58%)

Max Score: 681.00

Rank: 1

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 100.00

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 681.00/720.00 (94.58%)

Max Score: 681.00

Rank: 1

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 100.00

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 681.00/720.00 (94.58%)

Max Score: 681.00

Rank: 1

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 100.00

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 681.00/720.00 (94.58%)

Max Score: 681.00

Rank: 1

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 100.00

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 172 **Incorrect:** 7) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 681.00

Total Positive Marks: 688.00 **Total Negative Marks:** 7.00

PHY	CHEM	BIO	Total
151.00	170.00	360.00	681.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 611.00/720.00 (84.86%)

Max Score: 681.00

Rank: 2

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 89.72

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 611.00/720.00 (84.86%)

Max Score: 681.00

Rank: 2

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 89.72

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 611.00/720.00 (84.86%)

Max Score: 681.00

Rank: 2

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 89.72

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 611.00/720.00 (84.86%)

Max Score: 681.00

Rank: 2

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 89.72

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 174 (**Correct:** 157 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 611.00

Total Positive Marks: 628.00 **Total Negative Marks:** 17.00

PHY	CHEM	BIO	Total
122.00	139.00	350.00	611.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 605.00/720.00 (84.03%)

Max Score: 681.00

Rank: 3

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 88.84

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	AB	W	-1.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	BD	W	-1.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 605.00/720.00 (84.03%)

Max Score: 681.00

Rank: 3

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 88.84

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 605.00/720.00 (84.03%)

Max Score: 681.00

Rank: 3

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 88.84

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 605.00/720.00 (84.03%)

Max Score: 681.00

Rank: 3

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 88.84

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 175 (**Correct:** 156 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 605.00

Total Positive Marks: 624.00 **Total Negative Marks:** 19.00

PHY	CHEM	BIO	Total
127.00	143.00	335.00	605.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 550.00/720.00 (76.39%)

Max Score: 681.00

Rank: 4

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 80.76

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 550.00/720.00 (76.39%)

Max Score: 681.00

Rank: 4

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 80.76

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 550.00/720.00 (76.39%)

Max Score: 681.00

Rank: 4

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 80.76

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 550.00/720.00 (76.39%)

Max Score: 681.00

Rank: 4

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 80.76

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 165 (Correct: 143 Incorrect: 22) Score Rate: 0.00 Strike Rate: 0.00

Total: 550.00

Total Positive Marks: 572.00 Total Negative Marks: 22.00

PHY	CHEM	BIO	Total
95.00	104.00	351.00	550.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 543.00/720.00 (75.42%)

Max Score: 681.00

Rank: 5

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 79.74

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 543.00/720.00 (75.42%)

Max Score: 681.00

Rank: 5

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 79.74

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 543.00/720.00 (75.42%)

Max Score: 681.00

Rank: 5

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 79.74

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 543.00/720.00 (75.42%)

Max Score: 681.00

Rank: 5

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 79.74

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 Attempted: 162 (Correct: 141 Incorrect: 21) Score Rate: 0.00 Strike Rate: 0.00

Total: 543.00

Total Positive Marks: 564.00 Total Negative Marks: 21.00

PHY	CHEM	BIO	Total
88.00	165.00	290.00	543.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 503.00/720.00 (69.86%)

Max Score: 681.00

Rank: 6

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 73.86

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 503.00/720.00 (69.86%)

Max Score: 681.00

Rank: 6

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 73.86

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 503.00/720.00 (69.86%)

Max Score: 681.00

Rank: 6

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 73.86

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 503.00/720.00 (69.86%)

Max Score: 681.00

Rank: 6

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 73.86

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 172 (Correct: 135 Incorrect: 37) Score Rate: 0.00 Strike Rate: 0.00

Total: 503.00

Total Positive Marks: 540.00 Total Negative Marks: 37.00

PHY	CHEM	BIO	Total
80.00	118.00	305.00	503.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 470.00/720.00 (65.28%)

Max Score: 681.00

Rank: 7

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 69.02

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 470.00/720.00 (65.28%)

Max Score: 681.00

Rank: 7

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 69.02

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 470.00/720.00 (65.28%)

Max Score: 681.00

Rank: 7

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 69.02

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 470.00/720.00 (65.28%)

Max Score: 681.00

Rank: 7

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 69.02

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 145 (Correct: 123 Incorrect: 22) Score Rate: 0.00 Strike Rate: 0.00

Total: 470.00

Total Positive Marks: 492.00 Total Negative Marks: 22.00

PHY	CHEM	BIO	Total
43.00	144.00	283.00	470.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 451.00/720.00 (62.64%)

Max Score: 681.00

Rank: 8

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 66.23

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 451.00/720.00 (62.64%)

Max Score: 681.00

Rank: 8

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 66.23

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 451.00/720.00 (62.64%)

Max Score: 681.00

Rank: 8

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 66.23

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 451.00/720.00 (62.64%)

Max Score: 681.00

Rank: 8

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 66.23

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 164 (Correct: 123 Incorrect: 41) Score Rate: 0.00 Strike Rate: 0.00

Total: 451.00

Total Positive Marks: 492.00 Total Negative Marks: 41.00

PHY	CHEM	BIO	Total
77.00	96.00	278.00	451.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 432.00/720.00 (60.00%)

Max Score: 681.00

Rank: 9

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 63.44

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 432.00/720.00 (60.00%)

Max Score: 681.00

Rank: 9

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 63.44

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 432.00/720.00 (60.00%)

Max Score: 681.00

Rank: 9

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 63.44

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 432.00/720.00 (60.00%)

Max Score: 681.00

Rank: 9

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 63.44

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 133 (**Correct:** 113 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 432.00

Total Positive Marks: 452.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
13.00	123.00	296.00	432.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 420.00/720.00 (58.33%)

Max Score: 681.00

Rank: 10

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 61.67

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 420.00/720.00 (58.33%)

Max Score: 681.00

Rank: 10

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 61.67

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 420.00/720.00 (58.33%)

Max Score: 681.00

Rank: 10

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 61.67

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 420.00/720.00 (58.33%)

Max Score: 681.00

Rank: 10

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 61.67

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 140 (**Correct:** 112 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 420.00

Total Positive Marks: 448.00 **Total Negative Marks:** 28.00

PHY	CHEM	BIO	Total
60.00	78.00	282.00	420.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 407.00/720.00 (56.53%)

Max Score: 681.00

Rank: 11

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 59.77

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 407.00/720.00 (56.53%)

Max Score: 681.00

Rank: 11

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 59.77

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 407.00/720.00 (56.53%)

Max Score: 681.00

Rank: 11

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 59.77

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 407.00/720.00 (56.53%)

Max Score: 681.00

Rank: 11

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 59.77

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 158 (Correct: 113 Incorrect: 45) Score Rate: 0.00 Strike Rate: 0.00

Total: 407.00

Total Positive Marks: 452.00 Total Negative Marks: 45.00

PHY	CHEM	BIO	Total
63.00	44.00	300.00	407.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 400.00/720.00 (55.56%)

Max Score: 681.00

Rank: 12

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 58.74

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 400.00/720.00 (55.56%)

Max Score: 681.00

Rank: 12

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 58.74

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 400.00/720.00 (55.56%)

Max Score: 681.00

Rank: 12

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 58.74

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 400.00/720.00 (55.56%)

Max Score: 681.00

Rank: 12

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 58.74

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 120 (**Correct:** 104 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 400.00

Total Positive Marks: 416.00 **Total Negative Marks:** 16.00

PHY	CHEM	BIO	Total
51.00	102.00	247.00	400.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 395.00/720.00 (54.86%)

Max Score: 681.00

Rank: 13

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 58.00

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 395.00/720.00 (54.86%)

Max Score: 681.00

Rank: 13

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 58.00

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 395.00/720.00 (54.86%)

Max Score: 681.00

Rank: 13

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 58.00

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 395.00/720.00 (54.86%)

Max Score: 681.00

Rank: 13

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 58.00

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 130 (Correct: 105 Incorrect: 25) Score Rate: 0.00 Strike Rate: 0.00

Total: 395.00

Total Positive Marks: 420.00 Total Negative Marks: 25.00

PHY	CHEM	BIO	Total
39.00	87.00	269.00	395.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 394.00/720.00 (54.72%)

Max Score: 681.00

Rank: 14

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 57.86

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 394.00/720.00 (54.72%)

Max Score: 681.00

Rank: 14

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 57.86

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 394.00/720.00 (54.72%)

Max Score: 681.00

Rank: 14

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 57.86

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 394.00/720.00 (54.72%)

Max Score: 681.00

Rank: 14

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 57.86

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 151 (Correct: 109 Incorrect: 42) Score Rate: 0.00 Strike Rate: 0.00

Total: 394.00

Total Positive Marks: 436.00 Total Negative Marks: 42.00

PHY	CHEM	BIO	Total
28.00	107.00	259.00	394.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 369.00/720.00 (51.25%)

Max Score: 681.00

Rank: 15

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 54.19

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 369.00/720.00 (51.25%)

Max Score: 681.00

Rank: 15

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 54.19

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 369.00/720.00 (51.25%)

Max Score: 681.00

Rank: 15

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 54.19

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 369.00/720.00 (51.25%)

Max Score: 681.00

Rank: 15

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 54.19

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 Attempted: 156 (Correct: 105 Incorrect: 51) Score Rate: 0.00 Strike Rate: 0.00

Total: 369.00

Total Positive Marks: 420.00 Total Negative Marks: 51.00

PHY	CHEM	BIO	Total
47.00	111.00	211.00	369.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 361.00/720.00 (50.14%)

Max Score: 681.00

Rank: 16

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 53.01

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 361.00/720.00 (50.14%)

Max Score: 681.00

Rank: 16

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 53.01

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 361.00/720.00 (50.14%)

Max Score: 681.00

Rank: 16

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 53.01

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 361.00/720.00 (50.14%)

Max Score: 681.00

Rank: 16

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 53.01

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 119 (Correct: 96 Incorrect: 23) Score Rate: 0.00 Strike Rate: 0.00

Total: 361.00

Total Positive Marks: 384.00 Total Negative Marks: 23.00

PHY	CHEM	BIO	Total
68.00	20.00	273.00	361.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 355.00/720.00 (49.31%)

Max Score: 681.00

Rank: 17

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 52.13

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 355.00/720.00 (49.31%)

Max Score: 681.00

Rank: 17

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 52.13

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 355.00/720.00 (49.31%)

Max Score: 681.00

Rank: 17

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 52.13

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 355.00/720.00 (49.31%)

Max Score: 681.00

Rank: 17

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 52.13

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 Attempted: 165 (Correct: 104 Incorrect: 61) Score Rate: 0.00 Strike Rate: 0.00

Total: 355.00

Total Positive Marks: 416.00 Total Negative Marks: 61.00

PHY	CHEM	BIO	Total
36.00	105.00	214.00	355.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 354.00/720.00 (49.17%)

Max Score: 681.00

Rank: 18

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 51.98

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 354.00/720.00 (49.17%)

Max Score: 681.00

Rank: 18

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 51.98

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 354.00/720.00 (49.17%)

Max Score: 681.00

Rank: 18

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 51.98

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 354.00/720.00 (49.17%)

Max Score: 681.00

Rank: 18

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 51.98

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 151 (**Correct:** 101 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 354.00

Total Positive Marks: 404.00 **Total Negative Marks:** 50.00

PHY	CHEM	BIO	Total
39.00	111.00	204.00	354.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 326.00/720.00 (45.28%)

Max Score: 681.00

Rank: 19

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 47.87

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 326.00/720.00 (45.28%)

Max Score: 681.00

Rank: 19

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 47.87

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 326.00/720.00 (45.28%)

Max Score: 681.00

Rank: 19

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 47.87

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 326.00/720.00 (45.28%)

Max Score: 681.00

Rank: 19

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 47.87

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 159 (Correct: 97 Incorrect: 62) Score Rate: 0.00 Strike Rate: 0.00

Total: 326.00

Total Positive Marks: 388.00 Total Negative Marks: 62.00

PHY	CHEM	BIO	Total
30.00	54.00	242.00	326.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 307.00/720.00 (42.64%)

Max Score: 681.00

Rank: 20

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 45.08

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 307.00/720.00 (42.64%)

Max Score: 681.00

Rank: 20

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 45.08

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 307.00/720.00 (42.64%)

Max Score: 681.00

Rank: 20

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 45.08

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	AC	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 307.00/720.00 (42.64%)

Max Score: 681.00

Rank: 20

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 45.08

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 93 (Correct: 80 Incorrect: 13) Score Rate: 0.00 Strike Rate: 0.00

Total: 307.00

Total Positive Marks: 320.00 Total Negative Marks: 13.00

PHY	CHEM	BIO	Total
3.00	45.00	259.00	307.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 294.00/720.00 (40.83%)

Max Score: 681.00

Rank: 21

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 43.17

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 294.00/720.00 (40.83%)

Max Score: 681.00

Rank: 21

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 43.17

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 294.00/720.00 (40.83%)

Max Score: 681.00

Rank: 21

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 43.17

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 294.00/720.00 (40.83%)

Max Score: 681.00

Rank: 21

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 43.17

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

Total Question: 180 Attempted: 121 (Correct: 83 Incorrect: 38) Score Rate: 0.00 Strike Rate: 0.00

Total: 294.00

Total Positive Marks: 332.00 Total Negative Marks: 38.00

PHY	CHEM	BIO	Total
39.00	55.00	200.00	294.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 290.00/720.00 (40.28%)

Max Score: 681.00

Rank: 22

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 42.58

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 290.00/720.00 (40.28%)

Max Score: 681.00

Rank: 22

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 42.58

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 290.00/720.00 (40.28%)

Max Score: 681.00

Rank: 22

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 42.58

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 290.00/720.00 (40.28%)

Max Score: 681.00

Rank: 22

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 42.58

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

Total Question: 180 Attempted: 115 (Correct: 81 Incorrect: 34) Score Rate: 0.00 Strike Rate: 0.00

Total: 290.00

Total Positive Marks: 324.00 Total Negative Marks: 34.00

PHY	CHEM	BIO	Total
24.00	18.00	248.00	290.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 280.00/720.00 (38.89%)

Max Score: 681.00

Rank: 23

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 41.12

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 280.00/720.00 (38.89%)

Max Score: 681.00

Rank: 23

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 41.12

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 280.00/720.00 (38.89%)

Max Score: 681.00

Rank: 23

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 41.12

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 280.00/720.00 (38.89%)

Max Score: 681.00

Rank: 23

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 41.12

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 150 (Correct: 86 Incorrect: 64) Score Rate: 0.00 Strike Rate: 0.00

Total: 280.00

Total Positive Marks: 344.00 Total Negative Marks: 64.00

PHY	CHEM	BIO	Total
68.00	57.00	155.00	280.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 248.00/720.00 (34.44%)

Max Score: 681.00

Rank: 24

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 36.42

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 248.00/720.00 (34.44%)

Max Score: 681.00

Rank: 24

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 36.42

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 248.00/720.00 (34.44%)

Max Score: 681.00

Rank: 24

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 36.42

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 248.00/720.00 (34.44%)

Max Score: 681.00

Rank: 24

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 36.42

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 102 (**Correct:** 70 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 248.00

Total Positive Marks: 280.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
18.00	81.00	149.00	248.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 203.00/720.00 (28.19%)

Max Score: 681.00

Rank: 25

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 29.81

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 203.00/720.00 (28.19%)

Max Score: 681.00

Rank: 25

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 29.81

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 203.00/720.00 (28.19%)

Max Score: 681.00

Rank: 25

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 29.81

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 203.00/720.00 (28.19%)

Max Score: 681.00

Rank: 25

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 29.81

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 127 (Correct: 66 Incorrect: 61) Score Rate: 0.00 Strike Rate: 0.00

Total: 203.00

Total Positive Marks: 264.00 Total Negative Marks: 61.00

PHY	CHEM	BIO	Total
20.00	26.00	157.00	203.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 120.00/720.00 (16.67%)

Max Score: 681.00

Rank: 26

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 17.62

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 120.00/720.00 (16.67%)

Max Score: 681.00

Rank: 26

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 17.62

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 120.00/720.00 (16.67%)

Max Score: 681.00

Rank: 26

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 17.62

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 120.00/720.00 (16.67%)

Max Score: 681.00

Rank: 26

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 17.62

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 Attempted: 160 (Correct: 56 Incorrect: 104) Score Rate: 0.00 Strike Rate: 0.00

Total: 120.00

Total Positive Marks: 224.00 Total Negative Marks: 104.00

PHY	CHEM	BIO	Total
31.00	29.00	60.00	120.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 118.00/720.00 (16.39%)

Max Score: 681.00

Rank: 27

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 17.33

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 118.00/720.00 (16.39%)

Max Score: 681.00

Rank: 27

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 17.33

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 118.00/720.00 (16.39%)

Max Score: 681.00

Rank: 27

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 17.33

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 118.00/720.00 (16.39%)

Max Score: 681.00

Rank: 27

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 17.33

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 142 (**Correct:** 52 **Incorrect:** 90) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 118.00

Total Positive Marks: 208.00 **Total Negative Marks:** 90.00

PHY	CHEM	BIO	Total
26.00	28.00	64.00	118.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 104.00/720.00 (14.44%)

Max Score: 681.00

Rank: 28

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 15.27

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 104.00/720.00 (14.44%)

Max Score: 681.00

Rank: 28

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 15.27

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 104.00/720.00 (14.44%)

Max Score: 681.00

Rank: 28

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 15.27

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 104.00/720.00 (14.44%)

Max Score: 681.00

Rank: 28

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 15.27

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 Attempted: 76 (Correct: 36 Incorrect: 40) Score Rate: 0.00 Strike Rate: 0.00

Total: 104.00

Total Positive Marks: 144.00 Total Negative Marks: 40.00

PHY	CHEM	BIO	Total
40.00	2.00	62.00	104.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 97.00/720.00 (13.47%)

Max Score: 681.00

Rank: 29

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 14.24

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.10	79.31	13.79	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	96.55	68.97	27.59	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	79.31	55.17	24.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	79.31	10.34	68.97	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
6	75.86	41.38	34.48	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
7	31.03	3.45	27.59	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	86.21	55.17	31.03	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
9	100.00	72.41	27.59	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
10	65.52	13.79	51.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	96.55	62.07	34.48	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.52	20.69	44.83	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	62.07	0.00	62.07	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	86.21	62.07	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	48.28	31.03	17.24	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	75.86	68.97	6.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	68.97	24.14	44.83	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	48.28	34.48	13.79	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
20	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
21	68.97	65.52	3.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	62.07	51.72	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	55.17	31.03	24.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
24	75.86	20.69	55.17	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	55.17	27.59	27.59	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	75.86	34.48	41.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	75.86	13.79	62.07	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	65.52	37.93	27.59	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	37.93	24.14	13.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
31	82.76	58.62	24.14	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
32	58.62	27.59	31.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	62.07	37.93	24.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	79.31	65.52	13.79	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	55.17	24.14	31.03	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	31.03	20.69	10.34	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	72.41	48.28	24.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
38	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
39	41.38	24.14	17.24	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
40	65.52	17.24	48.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	55.17	13.79	41.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	37.93	10.34	27.59	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
43	58.62	51.72	6.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	72.41	55.17	17.24	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
45	65.52	41.38	24.14	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
46	65.52	34.48	31.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
47	62.07	37.93	24.14	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
49	89.66	82.76	6.90	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
50	75.86	62.07	13.79	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	27.59	17.24	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	82.76	72.41	10.34	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	65.52	37.93	27.59	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 97.00/720.00 (13.47%)

Max Score: 681.00

Rank: 29

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 14.24

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	68.97	68.97	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
55	62.07	48.28	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	62.07	55.17	6.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	55.17	44.83	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	48.28	48.28	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	58.62	48.28	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	55.17	48.28	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	48.28	17.24	31.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	86.21	75.86	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	27.59	6.90	20.69	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
64	58.62	17.24	41.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	75.86	65.52	10.34	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	34.48	24.14	10.34	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	41.38	31.03	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	62.07	41.38	20.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	31.03	20.69	10.34	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	62.07	20.69	41.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	68.97	31.03	37.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	96.55	62.07	34.48	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	86.21	79.31	6.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	82.76	79.31	3.45	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	82.76	24.14	58.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	79.31	65.52	13.79	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	89.66	79.31	10.34	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	79.31	55.17	24.14	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	72.41	27.59	44.83	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	82.76	68.97	13.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	82.76	55.17	27.59	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	89.66	75.86	13.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
87	75.86	58.62	17.24	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
88	79.31	31.03	48.28	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	79.31	20.69	58.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	89.66	86.21	3.45	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
92	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
93	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
94	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
95	82.76	51.72	31.03	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
96	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	93.10	62.07	31.03	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
98	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
99	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
100	96.55	48.28	48.28	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
101	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
102	65.52	51.72	13.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
103	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
104	55.17	34.48	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	86.21	58.62	27.59	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
106	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 97.00/720.00 (13.47%)

Max Score: 681.00

Rank: 29

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 14.24

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.66	62.07	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
108	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
109	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	62.07	51.72	10.34	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
111	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
112	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	79.31	58.62	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.10	86.21	6.90	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
116	93.10	51.72	41.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
117	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
118	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	100.00	79.31	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
120	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
121	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
122	96.55	68.97	27.59	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
123	93.10	58.62	34.48	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
125	86.21	44.83	41.38	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
126	100.00	96.55	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	89.66	58.62	31.03	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
129	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	96.55	93.10	3.45	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	96.55	75.86	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
132	100.00	82.76	17.24	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
134	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	82.76	82.76	0.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
136	100.00	68.97	31.03	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
137	89.66	89.66	0.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
138	75.86	65.52	10.34	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
139	82.76	62.07	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
140	86.21	72.41	13.79	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
141	89.66	55.17	34.48	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
142	75.86	48.28	27.59	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
143	96.55	89.66	6.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
144	89.66	75.86	13.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
145	82.76	75.86	6.90	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
146	51.72	27.59	24.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	75.86	31.03	44.83	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
148	89.66	79.31	10.34	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
149	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
150	82.76	79.31	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
152	93.10	82.76	10.34	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
153	96.55	79.31	17.24	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
154	86.21	65.52	20.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
155	93.10	75.86	17.24	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
156	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
157	93.10	41.38	51.72	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	86.21	68.97	17.24	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
159	93.10	68.97	24.14	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 97.00/720.00 (13.47%)

Max Score: 681.00

Rank: 29

Min Score: 97.00

TEST: LT-2 (NEET) (ID: 755 DT: 02-Dec-2023)

Percentile: 14.24

Avg Score: 368.55

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.10	48.28	44.83	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
162	93.10	65.52	27.59	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	89.66	48.28	41.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	86.21	82.76	3.45	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	86.21	86.21	0.00	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
167	100.00	93.10	6.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
169	93.10	55.17	37.93	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
170	82.76	65.52	17.24	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
171	93.10	72.41	20.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
172	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
173	89.66	72.41	17.24	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
174	82.76	72.41	10.34	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
175	96.55	86.21	10.34	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	79.31	44.83	34.48	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	79.31	62.07	17.24	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
178	96.55	82.76	13.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
179	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
180	96.55	65.52	31.03	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

Total Question: 180 Attempted: 108 (Correct: 41 Incorrect: 67) Score Rate: 0.00 Strike Rate: 0.00

Total: 97.00

Total Positive Marks: 164.00 Total Negative Marks: 67.00

PHY	CHEM	BIO	Total
13.00	35.00	49.00	97.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%