

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 690.00/720.00 (95.83%)

Max Score: 690.00

Rank: 1

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 100.00

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 690.00/720.00 (95.83%)

Max Score: 690.00

Rank: 1

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 100.00

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 690.00/720.00 (95.83%)

Max Score: 690.00

Rank: 1

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 100.00

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 690.00/720.00 (95.83%)

Max Score: 690.00

Rank: 1

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 100.00

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 177 (Correct: 171 Incorrect: 6) Score Rate: 0.00 Strike Rate: 0.00

Total: 690.00

Total Positive Marks: 696.00 Total Negative Marks: 6.00

PHY	CHEM	BIO	Total
165.00	175.00	350.00	690.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 637.00/720.00 (88.47%)

Max Score: 690.00

Rank: 2

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 92.32

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	D	W	-1.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 637.00/720.00 (88.47%)

Max Score: 690.00

Rank: 2

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 92.32

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 637.00/720.00 (88.47%)

Max Score: 690.00

Rank: 2

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 92.32

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 637.00/720.00 (88.47%)

Max Score: 690.00

Rank: 2

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 92.32

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 175 (Correct: 160 Incorrect: 15) Score Rate: 0.00 Strike Rate: 0.00

Total: 637.00

Total Positive Marks: 652.00 Total Negative Marks: 15.00

PHY	CHEM	BIO	Total
132.00	160.00	345.00	637.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 633.00/720.00 (87.92%)

Max Score: 690.00

Rank: 3

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 91.74

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	A	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 633.00/720.00 (87.92%)

Max Score: 690.00

Rank: 3

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 91.74

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 633.00/720.00 (87.92%)

Max Score: 690.00

Rank: 3

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 91.74

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 633.00/720.00 (87.92%)

Max Score: 690.00

Rank: 3

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 91.74

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 174 (**Correct:** 159 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 633.00

Total Positive Marks: 648.00 **Total Negative Marks:** 15.00

PHY	CHEM	BIO	Total
141.00	141.00	351.00	633.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 624.00/720.00 (86.67%)

Max Score: 690.00

Rank: 4

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 90.43

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 624.00/720.00 (86.67%)

Max Score: 690.00

Rank: 4

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 90.43

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 624.00/720.00 (86.67%)

Max Score: 690.00

Rank: 4

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 90.43

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 624.00/720.00 (86.67%)

Max Score: 690.00

Rank: 4

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 90.43

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 168 (**Correct:** 156 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 624.00

Total Positive Marks: 636.00 **Total Negative Marks:** 12.00

PHY	CHEM	BIO	Total
139.00	140.00	345.00	624.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 610.00/720.00 (84.72%)

Max Score: 690.00

Rank: 5

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 88.41

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 610.00/720.00 (84.72%)

Max Score: 690.00

Rank: 5

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 88.41

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		C	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 610.00/720.00 (84.72%)

Max Score: 690.00

Rank: 5

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 88.41

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 610.00/720.00 (84.72%)

Max Score: 690.00

Rank: 5

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 88.41

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 177 (Correct: 155 Incorrect: 22) Score Rate: 0.00 Strike Rate: 0.00

Total: 610.00

Total Positive Marks: 632.00 Total Negative Marks: 22.00

PHY	CHEM	BIO	Total
135.00	155.00	320.00	610.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 599.00/720.00 (83.19%)

Max Score: 690.00

Rank: 6

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 86.81

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	A	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 599.00/720.00 (83.19%)

Max Score: 690.00

Rank: 6

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 86.81

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		D	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 599.00/720.00 (83.19%)

Max Score: 690.00

Rank: 6

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 86.81

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 599.00/720.00 (83.19%)

Max Score: 690.00

Rank: 6

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 86.81

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 173 (Correct: 152 Incorrect: 21) Score Rate: 0.00 Strike Rate: 0.00

Total: 599.00

Total Positive Marks: 620.00 Total Negative Marks: 21.00

PHY	CHEM	BIO	Total
123.00	146.00	330.00	599.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 552.00/720.00 (76.67%)

Max Score: 690.00

Rank: 7

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 80.00

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 552.00/720.00 (76.67%)

Max Score: 690.00

Rank: 7

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 80.00

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 552.00/720.00 (76.67%)

Max Score: 690.00

Rank: 7

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 80.00

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 552.00/720.00 (76.67%)

Max Score: 690.00

Rank: 7

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 80.00

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 165 (**Correct:** 141 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 552.00

Total Positive Marks: 576.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
112.00	130.00	310.00	552.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 551.00/720.00 (76.53%)

Max Score: 690.00

Rank: 8

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 79.86

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	A	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 551.00/720.00 (76.53%)

Max Score: 690.00

Rank: 8

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 79.86

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		C	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 551.00/720.00 (76.53%)

Max Score: 690.00

Rank: 8

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 79.86

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 551.00/720.00 (76.53%)

Max Score: 690.00

Rank: 8

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 79.86

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 176 (**Correct:** 143 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 551.00

Total Positive Marks: 584.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
105.00	150.00	296.00	551.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 543.00/720.00 (75.42%)

Max Score: 690.00

Rank: 9

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 78.70

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 543.00/720.00 (75.42%)

Max Score: 690.00

Rank: 9

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 78.70

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 543.00/720.00 (75.42%)

Max Score: 690.00

Rank: 9

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 78.70

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 543.00/720.00 (75.42%)

Max Score: 690.00

Rank: 9

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 78.70

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 169 (Correct: 140 Incorrect: 29) Score Rate: 0.00 Strike Rate: 0.00

Total: 543.00

Total Positive Marks: 572.00 Total Negative Marks: 29.00

PHY	CHEM	BIO	Total
146.00	163.00	234.00	543.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 540.00/720.00 (75.00%)

Max Score: 690.00

Rank: 10

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 78.26

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	A	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 540.00/720.00 (75.00%)

Max Score: 690.00

Rank: 10

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 78.26

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 540.00/720.00 (75.00%)

Max Score: 690.00

Rank: 10

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 78.26

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 540.00/720.00 (75.00%)

Max Score: 690.00

Rank: 10

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 78.26

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 147 (**Correct:** 135 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 540.00

Total Positive Marks: 552.00 **Total Negative Marks:** 12.00

PHY	CHEM	BIO	Total
105.00	118.00	317.00	540.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 539.00/720.00 (74.86%)

Max Score: 690.00

Rank: 11

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 78.12

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 539.00/720.00 (74.86%)

Max Score: 690.00

Rank: 11

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 78.12

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 539.00/720.00 (74.86%)

Max Score: 690.00

Rank: 11

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 78.12

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 539.00/720.00 (74.86%)

Max Score: 690.00

Rank: 11

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 78.12

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 158 (**Correct:** 137 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 539.00

Total Positive Marks: 560.00 **Total Negative Marks:** 21.00

PHY	CHEM	BIO	Total
93.00	141.00	305.00	539.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 513.00/720.00 (71.25%)

Max Score: 690.00

Rank: 12

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 74.35

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 513.00/720.00 (71.25%)

Max Score: 690.00

Rank: 12

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 74.35

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 513.00/720.00 (71.25%)

Max Score: 690.00

Rank: 12

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 74.35

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 513.00/720.00 (71.25%)

Max Score: 690.00

Rank: 12

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 74.35

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

Total Question: 180 **Attempted:** 159 (**Correct:** 132 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 513.00

Total Positive Marks: 540.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
99.00	144.00	270.00	513.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 509.00/720.00 (70.69%)

Max Score: 690.00

Rank: 13

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 73.77

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB		L	0.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 509.00/720.00 (70.69%)

Max Score: 690.00

Rank: 13

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 73.77

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 509.00/720.00 (70.69%)

Max Score: 690.00

Rank: 13

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 73.77

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 509.00/720.00 (70.69%)

Max Score: 690.00

Rank: 13

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 73.77

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

Total Question: 180 **Attempted:** 168 (**Correct:** 133 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 509.00

Total Positive Marks: 544.00 **Total Negative Marks:** 35.00

PHY	CHEM	BIO	Total
123.00	108.00	278.00	509.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 490.00/720.00 (68.06%)

Max Score: 690.00

Rank: 14

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 71.01

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 490.00/720.00 (68.06%)

Max Score: 690.00

Rank: 14

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 71.01

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		A	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 490.00/720.00 (68.06%)

Max Score: 690.00

Rank: 14

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 71.01

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 490.00/720.00 (68.06%)

Max Score: 690.00

Rank: 14

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 71.01

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 167 (**Correct:** 129 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 490.00

Total Positive Marks: 528.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
69.00	128.00	293.00	490.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 489.00/720.00 (67.92%)

Max Score: 690.00

Rank: 15

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 70.87

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB		L	0.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 489.00/720.00 (67.92%)

Max Score: 690.00

Rank: 15

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 70.87

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 489.00/720.00 (67.92%)

Max Score: 690.00

Rank: 15

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 70.87

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 489.00/720.00 (67.92%)

Max Score: 690.00

Rank: 15

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 70.87

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 158 (Correct: 127 Incorrect: 31) Score Rate: 0.00 Strike Rate: 0.00

Total: 489.00

Total Positive Marks: 520.00 Total Negative Marks: 31.00

PHY	CHEM	BIO	Total
80.00	129.00	280.00	489.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 484.00/720.00 (67.22%)

Max Score: 690.00

Rank: 16

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 70.14

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 484.00/720.00 (67.22%)

Max Score: 690.00

Rank: 16

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 70.14

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 484.00/720.00 (67.22%)

Max Score: 690.00

Rank: 16

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 70.14

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 484.00/720.00 (67.22%)

Max Score: 690.00

Rank: 16

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 70.14

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 163 (**Correct:** 127 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 484.00

Total Positive Marks: 520.00 **Total Negative Marks:** 36.00

PHY	CHEM	BIO	Total
85.00	109.00	290.00	484.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 446.00/720.00 (61.94%)

Max Score: 690.00

Rank: 17

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 64.64

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 446.00/720.00 (61.94%)

Max Score: 690.00

Rank: 17

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 64.64

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 446.00/720.00 (61.94%)

Max Score: 690.00

Rank: 17

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 64.64

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 446.00/720.00 (61.94%)

Max Score: 690.00

Rank: 17

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 64.64

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 161 (**Correct:** 119 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 446.00

Total Positive Marks: 488.00 **Total Negative Marks:** 42.00

PHY	CHEM	BIO	Total
112.00	89.00	245.00	446.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 439.00/720.00 (60.97%)

Max Score: 690.00

Rank: 18

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 63.62

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	A	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 439.00/720.00 (60.97%)

Max Score: 690.00

Rank: 18

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 63.62

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 439.00/720.00 (60.97%)

Max Score: 690.00

Rank: 18

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 63.62

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 439.00/720.00 (60.97%)

Max Score: 690.00

Rank: 18

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 63.62

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

Total Question: 180 Attempted: 133 (Correct: 112 Incorrect: 21) Score Rate: 0.00 Strike Rate: 0.00

Total: 439.00

Total Positive Marks: 460.00 Total Negative Marks: 21.00

PHY	CHEM	BIO	Total
107.00	54.00	278.00	439.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 437.00/720.00 (60.69%)

Max Score: 690.00

Rank: 19

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 63.33

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 437.00/720.00 (60.69%)

Max Score: 690.00

Rank: 19

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 63.33

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		A	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 437.00/720.00 (60.69%)

Max Score: 690.00

Rank: 19

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 63.33

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 437.00/720.00 (60.69%)

Max Score: 690.00

Rank: 19

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 63.33

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 160 (Correct: 117 Incorrect: 43) Score Rate: 0.00 Strike Rate: 0.00

Total: 437.00

Total Positive Marks: 480.00 Total Negative Marks: 43.00

PHY	CHEM	BIO	Total
88.00	124.00	225.00	437.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 434.00/720.00 (60.28%)

Max Score: 690.00

Rank: 20

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 62.90

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	D	W	-1.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 434.00/720.00 (60.28%)

Max Score: 690.00

Rank: 20

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 62.90

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		C	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 434.00/720.00 (60.28%)

Max Score: 690.00

Rank: 20

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 62.90

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 434.00/720.00 (60.28%)

Max Score: 690.00

Rank: 20

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 62.90

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 163 (**Correct:** 117 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 434.00

Total Positive Marks: 480.00 **Total Negative Marks:** 46.00

PHY	CHEM	BIO	Total
99.00	102.00	233.00	434.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 422.00/720.00 (58.61%)

Max Score: 690.00

Rank: 21

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 61.16

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 422.00/720.00 (58.61%)

Max Score: 690.00

Rank: 21

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 61.16

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		D	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 422.00/720.00 (58.61%)

Max Score: 690.00

Rank: 21

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 61.16

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 422.00/720.00 (58.61%)

Max Score: 690.00

Rank: 21

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 61.16

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 165 (**Correct:** 115 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 422.00

Total Positive Marks: 472.00 **Total Negative Marks:** 50.00

PHY	CHEM	BIO	Total
62.00	125.00	235.00	422.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 398.00/720.00 (55.28%)

Max Score: 690.00

Rank: 22

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 57.68

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	AD	W	-1.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	A	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 398.00/720.00 (55.28%)

Max Score: 690.00

Rank: 22

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 57.68

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 398.00/720.00 (55.28%)

Max Score: 690.00

Rank: 22

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 57.68

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 398.00/720.00 (55.28%)

Max Score: 690.00

Rank: 22

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 57.68

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 164 (**Correct:** 110 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 398.00

Total Positive Marks: 452.00 **Total Negative Marks:** 54.00

PHY	CHEM	BIO	Total
80.00	94.00	224.00	398.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 398.00/720.00 (55.28%)

Max Score: 690.00

Rank: 22

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 57.68

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	A	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 398.00/720.00 (55.28%)

Max Score: 690.00

Rank: 22

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 57.68

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		C	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 398.00/720.00 (55.28%)

Max Score: 690.00

Rank: 22

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 57.68

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 398.00/720.00 (55.28%)

Max Score: 690.00

Rank: 22

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 57.68

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 144 (Correct: 106 Incorrect: 38) Score Rate: 0.00 Strike Rate: 0.00

Total: 398.00

Total Positive Marks: 436.00 Total Negative Marks: 38.00

PHY	CHEM	BIO	Total
62.00	69.00	267.00	398.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 396.00/720.00 (55.00%)

Max Score: 690.00

Rank: 23

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 57.39

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB		L	0.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 396.00/720.00 (55.00%)

Max Score: 690.00

Rank: 23

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 57.39

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 396.00/720.00 (55.00%)

Max Score: 690.00

Rank: 23

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 57.39

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 396.00/720.00 (55.00%)

Max Score: 690.00

Rank: 23

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 57.39

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

Total Question: 180 **Attempted:** 141 (**Correct:** 105 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 396.00

Total Positive Marks: 432.00 **Total Negative Marks:** 36.00

PHY	CHEM	BIO	Total
70.00	82.00	244.00	396.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 358.00/720.00 (49.72%)

Max Score: 690.00

Rank: 24

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 51.88

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	D	W	-1.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 358.00/720.00 (49.72%)

Max Score: 690.00

Rank: 24

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 51.88

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 358.00/720.00 (49.72%)

Max Score: 690.00

Rank: 24

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 51.88

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 358.00/720.00 (49.72%)

Max Score: 690.00

Rank: 24

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 51.88

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00

Total Question: 180 **Attempted:** 134 (**Correct:** 96 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 358.00

Total Positive Marks: 396.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
40.00	52.00	266.00	358.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 358.00/720.00 (49.72%)

Max Score: 690.00

Rank: 24

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 51.88

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB		L	0.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 358.00/720.00 (49.72%)

Max Score: 690.00

Rank: 24

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 51.88

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 358.00/720.00 (49.72%)

Max Score: 690.00

Rank: 24

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 51.88

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 358.00/720.00 (49.72%)

Max Score: 690.00

Rank: 24

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 51.88

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D		L	0.00

Total Question: 180 **Attempted:** 119 (**Correct:** 93 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 358.00

Total Positive Marks: 384.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
82.00	83.00	193.00	358.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 352.00/720.00 (48.89%)

Max Score: 690.00

Rank: 25

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 51.01

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB		L	0.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 352.00/720.00 (48.89%)

Max Score: 690.00

Rank: 25

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 51.01

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 352.00/720.00 (48.89%)

Max Score: 690.00

Rank: 25

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 51.01

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 352.00/720.00 (48.89%)

Max Score: 690.00

Rank: 25

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 51.01

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 120 (**Correct:** 92 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 352.00

Total Positive Marks: 380.00 **Total Negative Marks:** 28.00

PHY	CHEM	BIO	Total
65.00	38.00	249.00	352.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 343.00/720.00 (47.64%)

Max Score: 690.00

Rank: 26

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 49.71

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB		L	0.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 343.00/720.00 (47.64%)

Max Score: 690.00

Rank: 26

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 49.71

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 343.00/720.00 (47.64%)

Max Score: 690.00

Rank: 26

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 49.71

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 343.00/720.00 (47.64%)

Max Score: 690.00

Rank: 26

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 49.71

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 109 (**Correct:** 88 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 343.00

Total Positive Marks: 364.00 **Total Negative Marks:** 21.00

PHY	CHEM	BIO	Total
60.00	11.00	272.00	343.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 304.00/720.00 (42.22%)

Max Score: 690.00

Rank: 27

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 44.06

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 304.00/720.00 (42.22%)

Max Score: 690.00

Rank: 27

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 44.06

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 304.00/720.00 (42.22%)

Max Score: 690.00

Rank: 27

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 44.06

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 304.00/720.00 (42.22%)

Max Score: 690.00

Rank: 27

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 44.06

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

Total Question: 180 **Attempted:** 163 (**Correct:** 91 **Incorrect:** 72) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 304.00

Total Positive Marks: 376.00 **Total Negative Marks:** 72.00

PHY	CHEM	BIO	Total
40.00	95.00	169.00	304.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 302.00/720.00 (41.94%)

Max Score: 690.00

Rank: 28

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 43.77

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	A	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 302.00/720.00 (41.94%)

Max Score: 690.00

Rank: 28

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 43.77

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	CD	W	-1.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 302.00/720.00 (41.94%)

Max Score: 690.00

Rank: 28

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 43.77

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 302.00/720.00 (41.94%)

Max Score: 690.00

Rank: 28

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 43.77

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 155 (**Correct:** 89 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 302.00

Total Positive Marks: 368.00 **Total Negative Marks:** 66.00

PHY	CHEM	BIO	Total
70.00	74.00	158.00	302.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 265.00/720.00 (36.81%)

Max Score: 690.00

Rank: 29

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 38.41

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	C	W	-1.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 265.00/720.00 (36.81%)

Max Score: 690.00

Rank: 29

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 38.41

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 265.00/720.00 (36.81%)

Max Score: 690.00

Rank: 29

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 38.41

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 265.00/720.00 (36.81%)

Max Score: 690.00

Rank: 29

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 38.41

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00

Total Question: 180 **Attempted:** 157 (**Correct:** 82 **Incorrect:** 75) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 265.00

Total Positive Marks: 340.00 **Total Negative Marks:** 75.00

PHY	CHEM	BIO	Total
60.00	23.00	182.00	265.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 262.00/720.00 (36.39%)

Max Score: 690.00

Rank: 30

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 37.97

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	BD	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB		L	0.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 262.00/720.00 (36.39%)

Max Score: 690.00

Rank: 30

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 37.97

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 262.00/720.00 (36.39%)

Max Score: 690.00

Rank: 30

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 37.97

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 262.00/720.00 (36.39%)

Max Score: 690.00

Rank: 30

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 37.97

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 140 (**Correct:** 78 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 262.00

Total Positive Marks: 324.00 **Total Negative Marks:** 62.00

PHY	CHEM	BIO	Total
42.00	74.00	146.00	262.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 255.00/720.00 (35.42%)

Max Score: 690.00

Rank: 31

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 36.96

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	C	W	-1.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 255.00/720.00 (35.42%)

Max Score: 690.00

Rank: 31

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 36.96

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 255.00/720.00 (35.42%)

Max Score: 690.00

Rank: 31

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 36.96

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 255.00/720.00 (35.42%)

Max Score: 690.00

Rank: 31

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 36.96

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

Total Question: 180 Attempted: 157 (Correct: 80 Incorrect: 77) Score Rate: 0.00 Strike Rate: 0.00

Total: 255.00

Total Positive Marks: 332.00 Total Negative Marks: 77.00

PHY	CHEM	BIO	Total
60.00	24.00	171.00	255.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 251.00/720.00 (34.86%)

Max Score: 690.00

Rank: 32

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 36.38

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	B	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 251.00/720.00 (34.86%)

Max Score: 690.00

Rank: 32

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 36.38

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		C	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 251.00/720.00 (34.86%)

Max Score: 690.00

Rank: 32

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 36.38

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 251.00/720.00 (34.86%)

Max Score: 690.00

Rank: 32

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 36.38

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

Total Question: 180 Attempted: 151 (Correct: 78 Incorrect: 73) Score Rate: 0.00 Strike Rate: 0.00

Total: 251.00

Total Positive Marks: 324.00 Total Negative Marks: 73.00

PHY	CHEM	BIO	Total
20.00	52.00	179.00	251.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 246.00/720.00 (34.17%)

Max Score: 690.00

Rank: 33

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 35.65

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB		L	0.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 246.00/720.00 (34.17%)

Max Score: 690.00

Rank: 33

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 35.65

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		A	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 246.00/720.00 (34.17%)

Max Score: 690.00

Rank: 33

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 35.65

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 246.00/720.00 (34.17%)

Max Score: 690.00

Rank: 33

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 35.65

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 121 (**Correct:** 71 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 246.00

Total Positive Marks: 296.00 **Total Negative Marks:** 50.00

PHY	CHEM	BIO	Total
73.00	45.00	128.00	246.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 231.00/720.00 (32.08%)

Max Score: 690.00

Rank: 34

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 33.48

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB		L	0.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 231.00/720.00 (32.08%)

Max Score: 690.00

Rank: 34

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 33.48

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 231.00/720.00 (32.08%)

Max Score: 690.00

Rank: 34

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 33.48

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 231.00/720.00 (32.08%)

Max Score: 690.00

Rank: 34

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 33.48

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 96 (**Correct:** 63 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 231.00

Total Positive Marks: 264.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
26.00	4.00	201.00	231.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 164.00/720.00 (22.78%)

Max Score: 690.00

Rank: 35

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 23.77

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB		L	0.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 164.00/720.00 (22.78%)

Max Score: 690.00

Rank: 35

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 23.77

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 164.00/720.00 (22.78%)

Max Score: 690.00

Rank: 35

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 23.77

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 164.00/720.00 (22.78%)

Max Score: 690.00

Rank: 35

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 23.77

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D		L	0.00

Total Question: 180 Attempted: 78 (Correct: 46 Incorrect: 32) Score Rate: 0.00 Strike Rate: 0.00

Total: 164.00

Total Positive Marks: 196.00 Total Negative Marks: 32.00

PHY	CHEM	BIO	Total
41.00	42.00	81.00	164.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 126.00/720.00 (17.50%)

Max Score: 690.00

Rank: 36

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 18.26

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	A	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 126.00/720.00 (17.50%)

Max Score: 690.00

Rank: 36

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 18.26

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 126.00/720.00 (17.50%)

Max Score: 690.00

Rank: 36

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 18.26

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 126.00/720.00 (17.50%)

Max Score: 690.00

Rank: 36

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 18.26

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D		L	0.00

Total Question: 180 **Attempted:** 156 (**Correct:** 54 **Incorrect:** 102) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 126.00

Total Positive Marks: 228.00 **Total Negative Marks:** 102.00

PHY	CHEM	BIO	Total
42.00	40.00	44.00	126.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 107.00/720.00 (14.86%)

Max Score: 690.00

Rank: 37

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 15.51

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.87	46.15	48.72	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
3	92.31	41.03	51.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	74.36	53.85	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	92.31	74.36	17.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	74.36	10.26	64.10	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	84.62	35.90	48.72	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
8	84.62	28.21	56.41	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	76.92	41.03	35.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	58.97	33.33	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	58.97	43.59	15.38	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	97.44	97.44	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	89.74	33.33	56.41	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
15	61.54	35.90	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
16	61.54	23.08	38.46	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	97.44	64.10	33.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	82.05	69.23	12.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
19	87.18	74.36	12.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	71.79	46.15	25.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	100.00	74.36	25.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
22	89.74	74.36	15.38	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	92.31	64.10	28.21	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	94.87	79.49	15.38	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	87.18	56.41	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	97.44	76.92	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
27	76.92	51.28	25.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	69.23	30.77	38.46	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
29	92.31	53.85	38.46	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	66.67	56.41	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	87.18	61.54	25.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	76.92	43.59	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
33	79.49	46.15	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
34	71.79	53.85	17.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
35	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
36	46.15	35.90	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
37	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	48.72	33.33	15.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	79.49	79.49	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	79.49	51.28	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	74.36	61.54	12.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
42	74.36	61.54	12.82	PHY	FOR TWO ANS4	4.00	1.00	AB	A	R	4.00
43	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
44	97.44	7.69	89.74	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
45	89.74	46.15	43.59	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
46	92.31	46.15	46.15	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
47	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
48	89.74	76.92	12.82	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
49	79.49	53.85	25.64	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
50	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
51	87.18	69.23	17.95	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	82.05	79.49	2.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 107.00/720.00 (14.86%)

Max Score: 690.00

Rank: 37

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 15.51

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		C	C	4.00
55	71.79	58.97	12.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
56	71.79	41.03	30.77	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	79.49	38.46	41.03	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
59	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	74.36	41.03	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	79.49	35.90	43.59	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	61.54	48.72	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	53.85	41.03	12.82	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
66	64.10	33.33	30.77	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
67	97.44	43.59	53.85	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	38.46	20.51	17.95	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
69	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
70	69.23	61.54	7.69	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	64.10	53.85	10.26	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	56.41	23.08	33.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	87.18	66.67	20.51	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
74	71.79	51.28	20.51	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
75	79.49	66.67	12.82	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
76	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	79.49	71.79	7.69	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
78	79.49	64.10	15.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	84.62	46.15	38.46	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	74.36	61.54	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
81	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	79.49	61.54	17.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	66.67	48.72	17.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	71.79	48.72	23.08	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
85	74.36	64.10	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	79.49	74.36	5.13	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
87	74.36	46.15	28.21	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
88	69.23	64.10	5.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	71.79	56.41	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	76.92	66.67	10.26	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
91	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
92	89.74	64.10	25.64	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
93	92.31	64.10	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
94	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
95	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	100.00	100.00	0.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
97	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
98	94.87	82.05	12.82	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
99	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
100	100.00	74.36	25.64	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
101	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
103	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
104	100.00	64.10	35.90	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	100.00	79.49	20.51	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 107.00/720.00 (14.86%)

Max Score: 690.00

Rank: 37

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 15.51

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	97.44	74.36	23.08	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
108	97.44	79.49	17.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
109	100.00	66.67	33.33	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
110	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
111	100.00	82.05	17.95	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
113	97.44	82.05	15.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
114	100.00	87.18	12.82	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
118	97.44	76.92	20.51	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
119	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
120	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	97.44	66.67	30.77	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	94.87	64.10	30.77	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	94.87	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	92.31	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	92.31	79.49	12.82	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
126	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
127	92.31	87.18	5.13	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	100.00	89.74	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	92.31	71.79	20.51	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	100.00	84.62	15.38	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
131	97.44	87.18	10.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
132	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	97.44	71.79	25.64	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
136	94.87	87.18	7.69	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
137	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
138	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
139	84.62	23.08	61.54	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	66.67	43.59	23.08	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	92.31	69.23	23.08	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	79.49	41.03	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
143	97.44	94.87	2.56	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	87.18	58.97	28.21	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
145	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
146	94.87	79.49	15.38	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
148	94.87	17.95	76.92	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
149	94.87	58.97	35.90	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	89.74	43.59	46.15	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
151	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
152	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
154	82.05	69.23	12.82	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
155	87.18	48.72	38.46	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	92.31	35.90	56.41	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	84.62	38.46	46.15	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
159	100.00	56.41	43.59	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 107.00/720.00 (14.86%)

Max Score: 690.00

Rank: 37

Min Score: 107.00

TEST: LT-03 (NEET) (ID: 757 DT: 05-Dec-2023)

Percentile: 15.51

Avg Score: 417.87

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	89.74	74.36	15.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
161	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
162	84.62	74.36	10.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
163	94.87	76.92	17.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
164	92.31	89.74	2.56	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
165	69.23	41.03	28.21	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
166	87.18	71.79	15.38	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
167	92.31	48.72	43.59	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
168	94.87	92.31	2.56	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
169	94.87	56.41	38.46	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
170	89.74	76.92	12.82	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
171	84.62	46.15	38.46	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
172	97.44	92.31	5.13	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
174	94.87	71.79	23.08	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
175	94.87	94.87	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	94.87	69.23	25.64	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
177	97.44	89.74	7.69	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	64.10	30.77	33.33	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	92.31	58.97	33.33	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
180	92.31	66.67	25.64	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

Total Question: 180 Attempted: 130 (Correct: 45 Incorrect: 85) Score Rate: 0.00 Strike Rate: 0.00

Total: 107.00

Total Positive Marks: 192.00 Total Negative Marks: 85.00

PHY	CHEM	BIO	Total
9.00	20.00	78.00	107.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%