

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 685.00/720.00 (95.14%)

Max Score: 685.00

Rank: 1

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 100.00

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 685.00/720.00 (95.14%)

Max Score: 685.00

Rank: 1

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 100.00

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 685.00/720.00 (95.14%)

Max Score: 685.00

Rank: 1

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 100.00

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 685.00/720.00 (95.14%)

Max Score: 685.00

Rank: 1

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 100.00

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 179 (Correct: 172 Incorrect: 7) Score Rate: 0.00 Strike Rate: 0.00

Total: 685.00

Total Positive Marks: 692.00 Total Negative Marks: 7.00

PHY	CHEM	BIO	Total
170.00	175.00	340.00	685.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 680.00/720.00 (94.44%)

Max Score: 685.00

Rank: 2

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 99.27

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 680.00/720.00 (94.44%)

Max Score: 685.00

Rank: 2

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 99.27

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 680.00/720.00 (94.44%)

Max Score: 685.00

Rank: 2

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 99.27

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 680.00/720.00 (94.44%)

Max Score: 685.00

Rank: 2

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 99.27

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 179 (Correct: 171 Incorrect: 8) Score Rate: 0.00 Strike Rate: 0.00

Total: 680.00

Total Positive Marks: 688.00 Total Negative Marks: 8.00

PHY	CHEM	BIO	Total
155.00	175.00	350.00	680.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 675.00/720.00 (93.75%)

Max Score: 685.00

Rank: 3

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 98.54

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 675.00/720.00 (93.75%)

Max Score: 685.00

Rank: 3

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 98.54

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 675.00/720.00 (93.75%)

Max Score: 685.00

Rank: 3

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 98.54

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 675.00/720.00 (93.75%)

Max Score: 685.00

Rank: 3

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 98.54

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 170 **Incorrect:** 9) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 675.00

Total Positive Marks: 684.00 **Total Negative Marks:** 9.00

PHY	CHEM	BIO	Total
160.00	160.00	355.00	675.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 644.00/720.00 (89.44%)

Max Score: 685.00

Rank: 4

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 94.01

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 644.00/720.00 (89.44%)

Max Score: 685.00

Rank: 4

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 94.01

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 644.00/720.00 (89.44%)

Max Score: 685.00

Rank: 4

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 94.01

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 644.00/720.00 (89.44%)

Max Score: 685.00

Rank: 4

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 94.01

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 175 (Correct: 163 Incorrect: 12) Score Rate: 0.00 Strike Rate: 0.00

Total: 644.00

Total Positive Marks: 656.00 Total Negative Marks: 12.00

PHY	CHEM	BIO	Total
143.00	161.00	340.00	644.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 617.00/720.00 (85.69%)

Max Score: 685.00

Rank: 5

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 90.07

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 617.00/720.00 (85.69%)

Max Score: 685.00

Rank: 5

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 90.07

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 617.00/720.00 (85.69%)

Max Score: 685.00

Rank: 5

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 90.07

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 617.00/720.00 (85.69%)

Max Score: 685.00

Rank: 5

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 90.07

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 177 (**Correct:** 158 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 617.00

Total Positive Marks: 636.00 **Total Negative Marks:** 19.00

PHY	CHEM	BIO	Total
112.00	165.00	340.00	617.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 614.00/720.00 (85.28%)

Max Score: 685.00

Rank: 6

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 89.64

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 614.00/720.00 (85.28%)

Max Score: 685.00

Rank: 6

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 89.64

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 614.00/720.00 (85.28%)

Max Score: 685.00

Rank: 6

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 89.64

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 614.00/720.00 (85.28%)

Max Score: 685.00

Rank: 6

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 89.64

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 175 (**Correct:** 157 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 614.00

Total Positive Marks: 632.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
148.00	170.00	296.00	614.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 597.00/720.00 (82.92%)

Max Score: 685.00

Rank: 7

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 87.15

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 597.00/720.00 (82.92%)

Max Score: 685.00

Rank: 7

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 87.15

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 597.00/720.00 (82.92%)

Max Score: 685.00

Rank: 7

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 87.15

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 597.00/720.00 (82.92%)

Max Score: 685.00

Rank: 7

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 87.15

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 167 (Correct: 152 Incorrect: 15) Score Rate: 0.00 Strike Rate: 0.00

Total: 597.00

Total Positive Marks: 612.00 Total Negative Marks: 15.00

PHY	CHEM	BIO	Total
92.00	165.00	340.00	597.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 595.00/720.00 (82.64%)

Max Score: 685.00

Rank: 8

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 86.86

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 595.00/720.00 (82.64%)

Max Score: 685.00

Rank: 8

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 86.86

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 595.00/720.00 (82.64%)

Max Score: 685.00

Rank: 8

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 86.86

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 595.00/720.00 (82.64%)

Max Score: 685.00

Rank: 8

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 86.86

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 169 (Correct: 152 Incorrect: 17) Score Rate: 0.00 Strike Rate: 0.00

Total: 595.00

Total Positive Marks: 612.00 Total Negative Marks: 17.00

PHY	CHEM	BIO	Total
94.00	156.00	345.00	595.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 590.00/720.00 (81.94%)

Max Score: 685.00

Rank: 9

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 86.13

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 590.00/720.00 (81.94%)

Max Score: 685.00

Rank: 9

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 86.13

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 590.00/720.00 (81.94%)

Max Score: 685.00

Rank: 9

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 86.13

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 590.00/720.00 (81.94%)

Max Score: 685.00

Rank: 9

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 86.13

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 174 (Correct: 152 Incorrect: 22) Score Rate: 0.00 Strike Rate: 0.00

Total: 590.00

Total Positive Marks: 612.00 Total Negative Marks: 22.00

PHY	CHEM	BIO	Total
132.00	131.00	327.00	590.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 585.00/720.00 (81.25%)

Max Score: 685.00

Rank: 10

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 85.40

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 585.00/720.00 (81.25%)

Max Score: 685.00

Rank: 10

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 85.40

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 585.00/720.00 (81.25%)

Max Score: 685.00

Rank: 10

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 85.40

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 585.00/720.00 (81.25%)

Max Score: 685.00

Rank: 10

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 85.40

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 174 (**Correct:** 151 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 585.00

Total Positive Marks: 608.00 **Total Negative Marks:** 23.00

PHY	CHEM	BIO	Total
105.00	150.00	330.00	585.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 557.00/720.00 (77.36%)

Max Score: 685.00

Rank: 11

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 81.31

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 557.00/720.00 (77.36%)

Max Score: 685.00

Rank: 11

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 81.31

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 557.00/720.00 (77.36%)

Max Score: 685.00

Rank: 11

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 81.31

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 557.00/720.00 (77.36%)

Max Score: 685.00

Rank: 11

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 81.31

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 152 (Correct: 141 Incorrect: 11) Score Rate: 0.00 Strike Rate: 0.00

Total: 557.00

Total Positive Marks: 568.00 Total Negative Marks: 11.00

PHY	CHEM	BIO	Total
88.00	127.00	342.00	557.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 526.00/720.00 (73.06%)

Max Score: 685.00

Rank: 12

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 76.79

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 526.00/720.00 (73.06%)

Max Score: 685.00

Rank: 12

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 76.79

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 526.00/720.00 (73.06%)

Max Score: 685.00

Rank: 12

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 76.79

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 526.00/720.00 (73.06%)

Max Score: 685.00

Rank: 12

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 76.79

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 158 (**Correct:** 136 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 526.00

Total Positive Marks: 548.00 **Total Negative Marks:** 22.00

PHY	CHEM	BIO	Total
61.00	160.00	305.00	526.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 524.00/720.00 (72.78%)

Max Score: 685.00

Rank: 13

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 76.50

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 524.00/720.00 (72.78%)

Max Score: 685.00

Rank: 13

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 76.50

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	BC	W	-1.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 524.00/720.00 (72.78%)

Max Score: 685.00

Rank: 13

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 76.50

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 524.00/720.00 (72.78%)

Max Score: 685.00

Rank: 13

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 76.50

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 170 (Correct: 138 Incorrect: 32) Score Rate: 0.00 Strike Rate: 0.00

Total: 524.00

Total Positive Marks: 556.00 Total Negative Marks: 32.00

PHY	CHEM	BIO	Total
84.00	145.00	295.00	524.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 513.00/720.00 (71.25%)

Max Score: 685.00

Rank: 14

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 74.89

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 513.00/720.00 (71.25%)

Max Score: 685.00

Rank: 14

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 74.89

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 513.00/720.00 (71.25%)

Max Score: 685.00

Rank: 14

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 74.89

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 513.00/720.00 (71.25%)

Max Score: 685.00

Rank: 14

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 74.89

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 161 (Correct: 134 Incorrect: 27) Score Rate: 0.00 Strike Rate: 0.00

Total: 513.00

Total Positive Marks: 540.00 Total Negative Marks: 27.00

PHY	CHEM	BIO	Total
76.00	142.00	295.00	513.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 507.00/720.00 (70.42%)

Max Score: 685.00

Rank: 15

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 74.01

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 507.00/720.00 (70.42%)

Max Score: 685.00

Rank: 15

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 74.01

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 507.00/720.00 (70.42%)

Max Score: 685.00

Rank: 15

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 74.01

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 507.00/720.00 (70.42%)

Max Score: 685.00

Rank: 15

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 74.01

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 162 (**Correct:** 133 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 507.00

Total Positive Marks: 536.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
66.00	156.00	285.00	507.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 503.00/720.00 (69.86%)

Max Score: 685.00

Rank: 16

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 73.43

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 503.00/720.00 (69.86%)

Max Score: 685.00

Rank: 16

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 73.43

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 503.00/720.00 (69.86%)

Max Score: 685.00

Rank: 16

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 73.43

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 503.00/720.00 (69.86%)

Max Score: 685.00

Rank: 16

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 73.43

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 156 (**Correct:** 131 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 503.00

Total Positive Marks: 528.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
71.00	126.00	306.00	503.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 496.00/720.00 (68.89%)

Max Score: 685.00

Rank: 17

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 72.41

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 496.00/720.00 (68.89%)

Max Score: 685.00

Rank: 17

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 72.41

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 496.00/720.00 (68.89%)

Max Score: 685.00

Rank: 17

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 72.41

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 496.00/720.00 (68.89%)

Max Score: 685.00

Rank: 17

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 72.41

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

Total Question: 180 Attempted: 148 (Correct: 128 Incorrect: 20) Score Rate: 0.00 Strike Rate: 0.00

Total: 496.00

Total Positive Marks: 516.00 Total Negative Marks: 20.00

PHY	CHEM	BIO	Total
94.00	149.00	253.00	496.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 493.00/720.00 (68.47%)

Max Score: 685.00

Rank: 18

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 71.97

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 493.00/720.00 (68.47%)

Max Score: 685.00

Rank: 18

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 71.97

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 493.00/720.00 (68.47%)

Max Score: 685.00

Rank: 18

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 71.97

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 493.00/720.00 (68.47%)

Max Score: 685.00

Rank: 18

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 71.97

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 156 (**Correct:** 129 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 493.00

Total Positive Marks: 520.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
61.00	120.00	312.00	493.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 471.00/720.00 (65.42%)

Max Score: 685.00

Rank: 19

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 68.76

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 471.00/720.00 (65.42%)

Max Score: 685.00

Rank: 19

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 68.76

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 471.00/720.00 (65.42%)

Max Score: 685.00

Rank: 19

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 68.76

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 471.00/720.00 (65.42%)

Max Score: 685.00

Rank: 19

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 68.76

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 163 (**Correct:** 126 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 471.00

Total Positive Marks: 508.00 **Total Negative Marks:** 37.00

PHY	CHEM	BIO	Total
62.00	152.00	257.00	471.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 468.00/720.00 (65.00%)

Max Score: 685.00

Rank: 20

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 68.32

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 468.00/720.00 (65.00%)

Max Score: 685.00

Rank: 20

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 68.32

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 468.00/720.00 (65.00%)

Max Score: 685.00

Rank: 20

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 68.32

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 468.00/720.00 (65.00%)

Max Score: 685.00

Rank: 20

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 68.32

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 151 (**Correct:** 123 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 468.00

Total Positive Marks: 496.00 **Total Negative Marks:** 28.00

PHY	CHEM	BIO	Total
77.00	107.00	284.00	468.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 442.00/720.00 (61.39%)

Max Score: 685.00

Rank: 21

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 64.53

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 442.00/720.00 (61.39%)

Max Score: 685.00

Rank: 21

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 64.53

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 442.00/720.00 (61.39%)

Max Score: 685.00

Rank: 21

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 64.53

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 442.00/720.00 (61.39%)

Max Score: 685.00

Rank: 21

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 64.53

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 147 (**Correct:** 117 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 442.00

Total Positive Marks: 472.00 **Total Negative Marks:** 30.00

PHY	CHEM	BIO	Total
49.00	111.00	282.00	442.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 430.00/720.00 (59.72%)

Max Score: 685.00

Rank: 22

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 62.77

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 430.00/720.00 (59.72%)

Max Score: 685.00

Rank: 22

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 62.77

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 430.00/720.00 (59.72%)

Max Score: 685.00

Rank: 22

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 62.77

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 430.00/720.00 (59.72%)

Max Score: 685.00

Rank: 22

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 62.77

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 159 (Correct: 117 Incorrect: 42) Score Rate: 0.00 Strike Rate: 0.00

Total: 430.00

Total Positive Marks: 472.00 Total Negative Marks: 42.00

PHY	CHEM	BIO	Total
65.00	144.00	221.00	430.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 428.00/720.00 (59.44%)

Max Score: 685.00

Rank: 23

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 62.48

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 428.00/720.00 (59.44%)

Max Score: 685.00

Rank: 23

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 62.48

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 428.00/720.00 (59.44%)

Max Score: 685.00

Rank: 23

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 62.48

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 428.00/720.00 (59.44%)

Max Score: 685.00

Rank: 23

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 62.48

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 131 (**Correct:** 111 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 428.00

Total Positive Marks: 448.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
39.00	138.00	251.00	428.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 425.00/720.00 (59.03%)

Max Score: 685.00

Rank: 24

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 62.04

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 425.00/720.00 (59.03%)

Max Score: 685.00

Rank: 24

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 62.04

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 425.00/720.00 (59.03%)

Max Score: 685.00

Rank: 24

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 62.04

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 425.00/720.00 (59.03%)

Max Score: 685.00

Rank: 24

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 62.04

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 164 (**Correct:** 117 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 425.00

Total Positive Marks: 472.00 **Total Negative Marks:** 47.00

PHY	CHEM	BIO	Total
65.00	137.00	223.00	425.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 386.00/720.00 (53.61%)

Max Score: 685.00

Rank: 25

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 56.35

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 386.00/720.00 (53.61%)

Max Score: 685.00

Rank: 25

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 56.35

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 386.00/720.00 (53.61%)

Max Score: 685.00

Rank: 25

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 56.35

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	L	0.00	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 386.00/720.00 (53.61%)

Max Score: 685.00

Rank: 25

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 56.35

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 113 (**Correct:** 99 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 386.00

Total Positive Marks: 400.00 **Total Negative Marks:** 14.00

PHY	CHEM	BIO	Total
36.00	58.00	292.00	386.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 367.00/720.00 (50.97%)

Max Score: 685.00

Rank: 26

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 53.58

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 367.00/720.00 (50.97%)

Max Score: 685.00

Rank: 26

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 53.58

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 367.00/720.00 (50.97%)

Max Score: 685.00

Rank: 26

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 53.58

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 367.00/720.00 (50.97%)

Max Score: 685.00

Rank: 26

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 53.58

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 137 (**Correct:** 100 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 367.00

Total Positive Marks: 404.00 **Total Negative Marks:** 37.00

PHY	CHEM	BIO	Total
44.00	120.00	203.00	367.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 342.00/720.00 (47.50%)

Max Score: 685.00

Rank: 27

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 49.93

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 342.00/720.00 (47.50%)

Max Score: 685.00

Rank: 27

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 49.93

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 342.00/720.00 (47.50%)

Max Score: 685.00

Rank: 27

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 49.93

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 342.00/720.00 (47.50%)

Max Score: 685.00

Rank: 27

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 49.93

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 152 (Correct: 98 Incorrect: 54) Score Rate: 0.00 Strike Rate: 0.00

Total: 342.00

Total Positive Marks: 396.00 Total Negative Marks: 54.00

PHY	CHEM	BIO	Total
66.00	62.00	214.00	342.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 300.00/720.00 (41.67%)

Max Score: 685.00

Rank: 28

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 43.80

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 300.00/720.00 (41.67%)

Max Score: 685.00

Rank: 28

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 43.80

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 300.00/720.00 (41.67%)

Max Score: 685.00

Rank: 28

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 43.80

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 300.00/720.00 (41.67%)

Max Score: 685.00

Rank: 28

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 43.80

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 114 (**Correct:** 82 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 300.00

Total Positive Marks: 332.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
53.00	7.00	240.00	300.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 283.00/720.00 (39.31%)

Max Score: 685.00

Rank: 29

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 41.31

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 283.00/720.00 (39.31%)

Max Score: 685.00

Rank: 29

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 41.31

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 283.00/720.00 (39.31%)

Max Score: 685.00

Rank: 29

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 41.31

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 283.00/720.00 (39.31%)

Max Score: 685.00

Rank: 29

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 41.31

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 101 (**Correct:** 76 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 283.00

Total Positive Marks: 308.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
56.00	54.00	173.00	283.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 279.00/720.00 (38.75%)

Max Score: 685.00

Rank: 30

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 40.73

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 279.00/720.00 (38.75%)

Max Score: 685.00

Rank: 30

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 40.73

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 279.00/720.00 (38.75%)

Max Score: 685.00

Rank: 30

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 40.73

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 279.00/720.00 (38.75%)

Max Score: 685.00

Rank: 30

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 40.73

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

Total Question: 180 **Attempted:** 105 (**Correct:** 76 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 279.00

Total Positive Marks: 308.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
53.00	65.00	161.00	279.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 4749)

Your Score: 261.00/720.00 (36.25%)

Max Score: 685.00

Rank: 31

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 38.10

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 4749)

Your Score: 261.00/720.00 (36.25%)

Max Score: 685.00

Rank: 31

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 38.10

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 4749)

Your Score: 261.00/720.00 (36.25%)

Max Score: 685.00

Rank: 31

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 38.10

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 4749)

Your Score: 261.00/720.00 (36.25%)

Max Score: 685.00

Rank: 31

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 38.10

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

Total Question: 180 **Attempted:** 103 (**Correct:** 72 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 261.00

Total Positive Marks: 292.00 **Total Negative Marks:** 31.00

PHY	CHEM	BIO	Total
49.00	40.00	172.00	261.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 248.00/720.00 (34.44%)

Max Score: 685.00

Rank: 32

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 36.20

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 248.00/720.00 (34.44%)

Max Score: 685.00

Rank: 32

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 36.20

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 248.00/720.00 (34.44%)

Max Score: 685.00

Rank: 32

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 36.20

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 248.00/720.00 (34.44%)

Max Score: 685.00

Rank: 32

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 36.20

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 161 (Correct: 81 Incorrect: 80) Score Rate: 0.00 Strike Rate: 0.00

Total: 248.00

Total Positive Marks: 328.00 Total Negative Marks: 80.00

PHY	CHEM	BIO	Total
25.00	25.00	198.00	248.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 239.00/720.00 (33.19%)

Max Score: 685.00

Rank: 33

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 34.89

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 239.00/720.00 (33.19%)

Max Score: 685.00

Rank: 33

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 34.89

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 239.00/720.00 (33.19%)

Max Score: 685.00

Rank: 33

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 34.89

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 239.00/720.00 (33.19%)

Max Score: 685.00

Rank: 33

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 34.89

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 85 (Correct: 64 Incorrect: 21) Score Rate: 0.00 Strike Rate: 0.00

Total: 239.00

Total Positive Marks: 260.00 Total Negative Marks: 21.00

PHY	CHEM	BIO	Total
23.00	35.00	181.00	239.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 145.00/720.00 (20.14%)

Max Score: 685.00

Rank: 34

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 21.17

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 145.00/720.00 (20.14%)

Max Score: 685.00

Rank: 34

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 21.17

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 145.00/720.00 (20.14%)

Max Score: 685.00

Rank: 34

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 21.17

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 145.00/720.00 (20.14%)

Max Score: 685.00

Rank: 34

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 21.17

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

Total Question: 180 Attempted: 79 (Correct: 44 Incorrect: 35) Score Rate: 0.00 Strike Rate: 0.00

Total: 145.00

Total Positive Marks: 180.00 Total Negative Marks: 35.00

PHY	CHEM	BIO	Total
47.00	14.00	84.00	145.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 129.00/720.00 (17.92%)

Max Score: 685.00

Rank: 35

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 18.83

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 129.00/720.00 (17.92%)

Max Score: 685.00

Rank: 35

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 18.83

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 129.00/720.00 (17.92%)

Max Score: 685.00

Rank: 35

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 18.83

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 129.00/720.00 (17.92%)

Max Score: 685.00

Rank: 35

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 18.83

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

Total Question: 180 **Attempted:** 160 (**Correct:** 57 **Incorrect:** 103) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 129.00

Total Positive Marks: 232.00 **Total Negative Marks:** 103.00

PHY	CHEM	BIO	Total
35.00	11.00	83.00	129.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 88.00/720.00 (12.22%)

Max Score: 685.00

Rank: 36

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 12.85

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 88.00/720.00 (12.22%)

Max Score: 685.00

Rank: 36

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 12.85

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 88.00/720.00 (12.22%)

Max Score: 685.00

Rank: 36

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 12.85

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 88.00/720.00 (12.22%)

Max Score: 685.00

Rank: 36

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 12.85

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

Total Question: 180 **Attempted:** 171 (**Correct:** 51 **Incorrect:** 120) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 88.00

Total Positive Marks: 208.00 **Total Negative Marks:** 120.00

PHY	CHEM	BIO	Total
35.00	10.00	43.00	88.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 58.00/720.00 (8.06%)

Max Score: 685.00

Rank: 37

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 8.47

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 58.00/720.00 (8.06%)

Max Score: 685.00

Rank: 37

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 8.47

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 58.00/720.00 (8.06%)

Max Score: 685.00

Rank: 37

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 8.47

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 58.00/720.00 (8.06%)

Max Score: 685.00

Rank: 37

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 8.47

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

Total Question: 180 **Attempted:** 81 (**Correct:** 27 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 112.00 **Total Negative Marks:** 54.00

PHY	CHEM	BIO	Total
21.00	0.00	37.00	58.00

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 55.00/720.00 (7.64%)

Max Score: 685.00

Rank: 38

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 8.03

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	63.16	52.63	10.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	31.58	18.42	13.16	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
4	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	68.42	28.95	39.47	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	81.58	78.95	2.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	71.05	47.37	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	78.95	71.05	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	71.05	42.11	28.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	86.84	68.42	18.42	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
11	73.68	68.42	5.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	81.58	76.32	5.26	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
13	52.63	36.84	15.79	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	84.21	23.68	60.53	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
15	92.11	84.21	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	57.89	28.95	28.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	60.53	44.74	15.79	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	42.11	31.58	10.53	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	36.84	21.05	15.79	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	68.42	31.58	36.84	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	68.42	52.63	15.79	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	71.05	63.16	7.89	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
23	57.89	34.21	23.68	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	47.37	23.68	23.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	81.58	57.89	23.68	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	23.68	5.26	18.42	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
28	84.21	76.32	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	50.00	10.53	39.47	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	86.84	42.11	44.74	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	78.95	50.00	28.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	50.00	21.05	28.95	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
33	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	65.79	52.63	13.16	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	73.68	50.00	23.68	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
36	86.84	63.16	23.68	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
37	55.26	44.74	10.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
38	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	D	AD	W	-1.00
39	81.58	34.21	47.37	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
40	81.58	73.68	7.89	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
41	68.42	44.74	23.68	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
42	73.68	44.74	28.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
43	65.79	23.68	42.11	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	42.11	28.95	13.16	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	78.95	63.16	15.79	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
46	86.84	81.58	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
47	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	89.47	78.95	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
49	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
50	94.74	81.58	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
51	81.58	68.42	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	76.32	63.16	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	89.47	71.05	18.42	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
54	84.21	26.32	57.89	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 55.00/720.00 (7.64%)

Max Score: 685.00

Rank: 38

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 8.03

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	89.47	81.58	7.89	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
59	84.21	31.58	52.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	84.21	81.58	2.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	63.16	50.00	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	84.21	44.74	39.47	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	84.21	68.42	15.79	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	86.84	68.42	18.42	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	78.95	60.53	18.42	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	78.95	36.84	42.11	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	76.32	50.00	26.32	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	78.95	68.42	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	73.68	68.42	5.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	81.58	76.32	5.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	68.42	55.26	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	71.05	36.84	34.21	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	84.21	71.05	13.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	78.95	71.05	7.89	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	81.58	71.05	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	86.84	84.21	2.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	71.05	55.26	15.79	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	78.95	65.79	13.16	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	81.58	73.68	7.89	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	73.68	63.16	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	78.95	52.63	26.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
87	57.89	42.11	15.79	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	68.42	57.89	10.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
89	76.32	55.26	21.05	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
90	65.79	52.63	13.16	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
91	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
92	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
93	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
94	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
95	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
96	94.74	76.32	18.42	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
97	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
98	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
99	73.68	52.63	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
100	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
101	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
102	76.32	47.37	28.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
103	84.21	65.79	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
104	73.68	63.16	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
105	89.47	71.05	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
106	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
107	86.84	65.79	21.05	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 55.00/720.00 (7.64%)

Max Score: 685.00

Rank: 38

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 8.03

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
109	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
110	89.47	63.16	26.32	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
111	94.74	68.42	26.32	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
112	92.11	78.95	13.16	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
113	94.74	92.11	2.63	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
114	97.37	81.58	15.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
115	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
116	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
117	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
118	94.74	57.89	36.84	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
119	97.37	89.47	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
120	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
121	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
122	97.37	92.11	5.26	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
123	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
124	97.37	94.74	2.63	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
125	94.74	86.84	7.89	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
126	92.11	81.58	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
127	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
128	97.37	71.05	26.32	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
129	94.74	71.05	23.68	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
130	94.74	81.58	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
131	89.47	76.32	13.16	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
132	97.37	86.84	10.53	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
133	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
134	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
135	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
136	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
137	89.47	60.53	28.95	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
138	92.11	92.11	0.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
139	89.47	57.89	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
140	97.37	84.21	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
141	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
142	94.74	84.21	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
143	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
144	89.47	68.42	21.05	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
145	97.37	78.95	18.42	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
146	92.11	86.84	5.26	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
147	92.11	73.68	18.42	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
148	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
149	86.84	21.05	65.79	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
150	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
151	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
152	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
153	86.84	44.74	42.11	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
154	94.74	78.95	15.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
155	92.11	71.05	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
156	84.21	71.05	13.16	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
157	81.58	71.05	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
158	89.47	84.21	5.26	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
159	73.68	42.11	31.58	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
160	86.84	63.16	23.68	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
161	55.26	21.05	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 55.00/720.00 (7.64%)

Max Score: 685.00

Rank: 38

Min Score: 55.00

TEST: LT-04 (NEET) (ID: 760 DT: 08-Dec-2023)

Percentile: 8.03

Avg Score: 427.50

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	89.47	81.58	7.89	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
163	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
164	86.84	76.32	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
165	78.95	68.42	10.53	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
166	92.11	84.21	7.89	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
167	86.84	78.95	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
168	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
169	89.47	73.68	15.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
170	86.84	52.63	34.21	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
171	78.95	57.89	21.05	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
172	86.84	71.05	15.79	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
173	86.84	47.37	39.47	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
174	86.84	73.68	13.16	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
175	81.58	65.79	15.79	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
176	81.58	73.68	7.89	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
177	86.84	68.42	18.42	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
178	86.84	60.53	26.32	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
179	92.11	89.47	2.63	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
180	89.47	78.95	10.53	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

Total Question: 180 Attempted: 34 (Correct: 17 Incorrect: 17) Score Rate: 0.00 Strike Rate: 0.00

Total: 55.00

Total Positive Marks: 72.00 Total Negative Marks: 17.00

PHY	CHEM	BIO	Total
55.00	0.00	0.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%