

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 686.00/720.00 (95.28%)

Max Score: 686.00

Rank: 1

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 100.00

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		A	C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 686.00/720.00 (95.28%)

Max Score: 686.00

Rank: 1

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 100.00

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 686.00/720.00 (95.28%)

Max Score: 686.00

Rank: 1

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 100.00

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 686.00/720.00 (95.28%)

Max Score: 686.00

Rank: 1

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 100.00

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 172 **Incorrect:** 6) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 686.00

Total Positive Marks: 692.00 **Total Negative Marks:** 6.00

PHY	CHEM	BIO	Total
161.00	175.00	350.00	686.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 676.00/720.00 (93.89%)

Max Score: 686.00

Rank: 2

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 98.54

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		C	C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 676.00/720.00 (93.89%)

Max Score: 686.00

Rank: 2

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 98.54

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 676.00/720.00 (93.89%)

Max Score: 686.00

Rank: 2

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 98.54

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 676.00/720.00 (93.89%)

Max Score: 686.00

Rank: 2

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 98.54

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 170 **Incorrect:** 8) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 676.00

Total Positive Marks: 684.00 **Total Negative Marks:** 8.00

PHY	CHEM	BIO	Total
166.00	165.00	345.00	676.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 655.00/720.00 (90.97%)

Max Score: 686.00

Rank: 3

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 95.48

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		A	C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 655.00/720.00 (90.97%)

Max Score: 686.00

Rank: 3

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 95.48

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 655.00/720.00 (90.97%)

Max Score: 686.00

Rank: 3

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 95.48

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 655.00/720.00 (90.97%)

Max Score: 686.00

Rank: 3

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 95.48

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 166 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 655.00

Total Positive Marks: 668.00 **Total Negative Marks:** 13.00

PHY	CHEM	BIO	Total
145.00	160.00	350.00	655.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 651.00/720.00 (90.42%)

Max Score: 686.00

Rank: 4

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 94.90

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		D	C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 651.00/720.00 (90.42%)

Max Score: 686.00

Rank: 4

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 94.90

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 651.00/720.00 (90.42%)

Max Score: 686.00

Rank: 4

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 94.90

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 651.00/720.00 (90.42%)

Max Score: 686.00

Rank: 4

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 94.90

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 165 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 651.00

Total Positive Marks: 664.00 **Total Negative Marks:** 13.00

PHY	CHEM	BIO	Total
166.00	150.00	335.00	651.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 643.00/720.00 (89.31%)

Max Score: 686.00

Rank: 5

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 93.73

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 643.00/720.00 (89.31%)

Max Score: 686.00

Rank: 5

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 93.73

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 643.00/720.00 (89.31%)

Max Score: 686.00

Rank: 5

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 93.73

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 643.00/720.00 (89.31%)

Max Score: 686.00

Rank: 5

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 93.73

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 176 (Correct: 163 Incorrect: 13) Score Rate: 0.00 Strike Rate: 0.00

Total: 643.00

Total Positive Marks: 656.00 Total Negative Marks: 13.00

PHY	CHEM	BIO	Total
141.00	147.00	355.00	643.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 625.00/720.00 (86.81%)

Max Score: 686.00

Rank: 6

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 91.11

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 625.00/720.00 (86.81%)

Max Score: 686.00

Rank: 6

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 91.11

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 625.00/720.00 (86.81%)

Max Score: 686.00

Rank: 6

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 91.11

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 625.00/720.00 (86.81%)

Max Score: 686.00

Rank: 6

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 91.11

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 174 (**Correct:** 159 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 625.00

Total Positive Marks: 640.00 **Total Negative Marks:** 15.00

PHY	CHEM	BIO	Total
109.00	161.00	355.00	625.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 586.00/720.00 (81.39%)

Max Score: 686.00

Rank: 7

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 85.42

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		C	C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS
QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 586.00/720.00 (81.39%)

Max Score: 686.00

Rank: 7

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 85.42

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 586.00/720.00 (81.39%)

Max Score: 686.00

Rank: 7

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 85.42

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 586.00/720.00 (81.39%)

Max Score: 686.00

Rank: 7

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 85.42

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 168 (Correct: 150 Incorrect: 18) Score Rate: 0.00 Strike Rate: 0.00

Total: 586.00

Total Positive Marks: 604.00 Total Negative Marks: 18.00

PHY	CHEM	BIO	Total
118.00	147.00	321.00	586.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 584.00/720.00 (81.11%)

Max Score: 686.00

Rank: 8

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 85.13

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 584.00/720.00 (81.11%)

Max Score: 686.00

Rank: 8

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 85.13

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 584.00/720.00 (81.11%)

Max Score: 686.00

Rank: 8

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 85.13

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 584.00/720.00 (81.11%)

Max Score: 686.00

Rank: 8

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 85.13

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 165 (**Correct:** 149 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 584.00

Total Positive Marks: 600.00 **Total Negative Marks:** 16.00

PHY	CHEM	BIO	Total
120.00	133.00	331.00	584.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 564.00/720.00 (78.33%)

Max Score: 686.00

Rank: 9

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 82.22

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 564.00/720.00 (78.33%)

Max Score: 686.00

Rank: 9

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 82.22

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 564.00/720.00 (78.33%)

Max Score: 686.00

Rank: 9

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 82.22

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 564.00/720.00 (78.33%)

Max Score: 686.00

Rank: 9

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 82.22

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 165 (**Correct:** 145 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 564.00

Total Positive Marks: 584.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
107.00	117.00	340.00	564.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 551.00/720.00 (76.53%)

Max Score: 686.00

Rank: 10

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 80.32

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		C	C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 551.00/720.00 (76.53%)

Max Score: 686.00

Rank: 10

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 80.32

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 551.00/720.00 (76.53%)

Max Score: 686.00

Rank: 10

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 80.32

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 551.00/720.00 (76.53%)

Max Score: 686.00

Rank: 10

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 80.32

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 173 (**Correct:** 144 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 551.00

Total Positive Marks: 580.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
115.00	116.00	320.00	551.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 547.00/720.00 (75.97%)

Max Score: 686.00

Rank: 11

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 79.74

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS
QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 547.00/720.00 (75.97%)

Max Score: 686.00

Rank: 11

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 79.74

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 547.00/720.00 (75.97%)

Max Score: 686.00

Rank: 11

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 79.74

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 547.00/720.00 (75.97%)

Max Score: 686.00

Rank: 11

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 79.74

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 152 (**Correct:** 139 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 547.00

Total Positive Marks: 560.00 **Total Negative Marks:** 13.00

PHY	CHEM	BIO	Total
89.00	132.00	326.00	547.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 538.00/720.00 (74.72%)

Max Score: 686.00

Rank: 12

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 78.43

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 538.00/720.00 (74.72%)

Max Score: 686.00

Rank: 12

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 78.43

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 538.00/720.00 (74.72%)

Max Score: 686.00

Rank: 12

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 78.43

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 538.00/720.00 (74.72%)

Max Score: 686.00

Rank: 12

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 78.43

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 166 (**Correct:** 140 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 538.00

Total Positive Marks: 564.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
117.00	115.00	306.00	538.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS
QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 514.00/720.00 (71.39%)

Max Score: 686.00

Rank: 13

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 74.93

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 514.00/720.00 (71.39%)

Max Score: 686.00

Rank: 13

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 74.93

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 514.00/720.00 (71.39%)

Max Score: 686.00

Rank: 13

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 74.93

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 514.00/720.00 (71.39%)

Max Score: 686.00

Rank: 13

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 74.93

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 170 (**Correct:** 136 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 514.00

Total Positive Marks: 548.00 **Total Negative Marks:** 34.00

PHY	CHEM	BIO	Total
110.00	122.00	282.00	514.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 512.00/720.00 (71.11%)

Max Score: 686.00

Rank: 14

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 74.64

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		B	C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 512.00/720.00 (71.11%)

Max Score: 686.00

Rank: 14

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 74.64

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 512.00/720.00 (71.11%)

Max Score: 686.00

Rank: 14

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 74.64

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 512.00/720.00 (71.11%)

Max Score: 686.00

Rank: 14

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 74.64

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 157 (**Correct:** 133 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 512.00

Total Positive Marks: 536.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
47.00	155.00	310.00	512.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 494.00/720.00 (68.61%)

Max Score: 686.00

Rank: 15

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 72.01

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 494.00/720.00 (68.61%)

Max Score: 686.00

Rank: 15

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 72.01

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS
QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 494.00/720.00 (68.61%)

Max Score: 686.00

Rank: 15

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 72.01

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 494.00/720.00 (68.61%)

Max Score: 686.00

Rank: 15

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 72.01

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 160 (Correct: 130 Incorrect: 30) Score Rate: 0.00 Strike Rate: 0.00

Total: 494.00

Total Positive Marks: 524.00 Total Negative Marks: 30.00

PHY	CHEM	BIO	Total
62.00	130.00	302.00	494.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 488.00/720.00 (67.78%)

Max Score: 686.00

Rank: 16

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 71.14

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 488.00/720.00 (67.78%)

Max Score: 686.00

Rank: 16

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 71.14

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 488.00/720.00 (67.78%)

Max Score: 686.00

Rank: 16

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 71.14

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 488.00/720.00 (67.78%)

Max Score: 686.00

Rank: 16

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 71.14

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 171 (**Correct:** 131 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 488.00

Total Positive Marks: 528.00 **Total Negative Marks:** 40.00

PHY	CHEM	BIO	Total
122.00	128.00	238.00	488.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS
QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 479.00/720.00 (66.53%)

Max Score: 686.00

Rank: 17

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 69.83

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 479.00/720.00 (66.53%)

Max Score: 686.00

Rank: 17

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 69.83

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 479.00/720.00 (66.53%)

Max Score: 686.00

Rank: 17

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 69.83

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	ABD	W	-1.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	BC	W	-1.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 479.00/720.00 (66.53%)

Max Score: 686.00

Rank: 17

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 69.83

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 165 (Correct: 128 Incorrect: 37) Score Rate: 0.00 Strike Rate: 0.00

Total: 479.00

Total Positive Marks: 516.00 Total Negative Marks: 37.00

PHY	CHEM	BIO	Total
67.00	112.00	300.00	479.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 467.00/720.00 (64.86%)

Max Score: 686.00

Rank: 18

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 68.08

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 467.00/720.00 (64.86%)

Max Score: 686.00

Rank: 18

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 68.08

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 467.00/720.00 (64.86%)

Max Score: 686.00

Rank: 18

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 68.08

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 467.00/720.00 (64.86%)

Max Score: 686.00

Rank: 18

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 68.08

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 172 (Correct: 127 Incorrect: 45) Score Rate: 0.00 Strike Rate: 0.00

Total: 467.00

Total Positive Marks: 512.00 Total Negative Marks: 45.00

PHY	CHEM	BIO	Total
75.00	97.00	295.00	467.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 456.00/720.00 (63.33%)

Max Score: 686.00

Rank: 19

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 66.47

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		C	C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 456.00/720.00 (63.33%)

Max Score: 686.00

Rank: 19

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 66.47

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 456.00/720.00 (63.33%)

Max Score: 686.00

Rank: 19

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 66.47

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 456.00/720.00 (63.33%)

Max Score: 686.00

Rank: 19

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 66.47

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00

Total Question: 180 **Attempted:** 148 (**Correct:** 120 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 456.00

Total Positive Marks: 484.00 **Total Negative Marks:** 28.00

PHY	CHEM	BIO	Total
56.00	115.00	285.00	456.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 449.00/720.00 (62.36%)

Max Score: 686.00

Rank: 20

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 65.45

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 449.00/720.00 (62.36%)

Max Score: 686.00

Rank: 20

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 65.45

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS
QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 449.00/720.00 (62.36%)

Max Score: 686.00

Rank: 20

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 65.45

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 449.00/720.00 (62.36%)

Max Score: 686.00

Rank: 20

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 65.45

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 165 (**Correct:** 122 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 449.00

Total Positive Marks: 492.00 **Total Negative Marks:** 43.00

PHY	CHEM	BIO	Total
58.00	93.00	298.00	449.00

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 435.00/720.00 (60.42%)

Max Score: 686.00

Rank: 21

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 63.41

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 435.00/720.00 (60.42%)

Max Score: 686.00

Rank: 21

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 63.41

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 435.00/720.00 (60.42%)

Max Score: 686.00

Rank: 21

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 63.41

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 435.00/720.00 (60.42%)

Max Score: 686.00

Rank: 21

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 63.41

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 144 (**Correct:** 115 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 435.00

Total Positive Marks: 464.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
60.00	97.00	278.00	435.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 427.00/720.00 (59.31%)

Max Score: 686.00

Rank: 22

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 62.24

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 427.00/720.00 (59.31%)

Max Score: 686.00

Rank: 22

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 62.24

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 427.00/720.00 (59.31%)

Max Score: 686.00

Rank: 22

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 62.24

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 427.00/720.00 (59.31%)

Max Score: 686.00

Rank: 22

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 62.24

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 162 (Correct: 117 Incorrect: 45) Score Rate: 0.00 Strike Rate: 0.00

Total: 427.00

Total Positive Marks: 472.00 Total Negative Marks: 45.00

PHY	CHEM	BIO	Total
37.00	121.00	269.00	427.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 426.00/720.00 (59.17%)

Max Score: 686.00

Rank: 23

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 62.10

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / **R%** / **W%** : Percent candidates attempted / solved correct / solved incorrect. **POS** / **NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 426.00/720.00 (59.17%)

Max Score: 686.00

Rank: 23

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 62.10

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 426.00/720.00 (59.17%)

Max Score: 686.00

Rank: 23

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 62.10

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 426.00/720.00 (59.17%)

Max Score: 686.00

Rank: 23

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 62.10

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 163 (**Correct:** 117 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 426.00

Total Positive Marks: 472.00 **Total Negative Marks:** 46.00

PHY	CHEM	BIO	Total
87.00	83.00	256.00	426.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 404.00/720.00 (56.11%)

Max Score: 686.00

Rank: 24

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 58.89

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 404.00/720.00 (56.11%)

Max Score: 686.00

Rank: 24

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 58.89

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 404.00/720.00 (56.11%)

Max Score: 686.00

Rank: 24

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 58.89

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

161 97.14 82.86 14.29 BIO NEET REGULAR 4.00 1.00 D D R 4.00
ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 404.00/720.00 (56.11%)

Max Score: 686.00

Rank: 24

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 58.89

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 115 (**Correct:** 103 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 404.00

Total Positive Marks: 416.00 **Total Negative Marks:** 12.00

PHY	CHEM	BIO	Total
14.00	95.00	295.00	404.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 392.00/720.00 (54.44%)

Max Score: 686.00

Rank: 25

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 57.14

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 392.00/720.00 (54.44%)

Max Score: 686.00

Rank: 25

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 57.14

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 392.00/720.00 (54.44%)

Max Score: 686.00

Rank: 25

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 57.14

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 392.00/720.00 (54.44%)

Max Score: 686.00

Rank: 25

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 57.14

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 162 (**Correct:** 110 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 392.00

Total Positive Marks: 444.00 **Total Negative Marks:** 52.00

PHY	CHEM	BIO	Total
57.00	81.00	254.00	392.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 388.00/720.00 (53.89%)

Max Score: 686.00

Rank: 26

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 56.56

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 388.00/720.00 (53.89%)

Max Score: 686.00

Rank: 26

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 56.56

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 388.00/720.00 (53.89%)

Max Score: 686.00

Rank: 26

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 56.56

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 388.00/720.00 (53.89%)

Max Score: 686.00

Rank: 26

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 56.56

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 151 (**Correct:** 107 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 388.00

Total Positive Marks: 432.00 **Total Negative Marks:** 44.00

PHY	CHEM	BIO	Total
3.00	81.00	304.00	388.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 377.00/720.00 (52.36%)

Max Score: 686.00

Rank: 27

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 54.96

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 377.00/720.00 (52.36%)

Max Score: 686.00

Rank: 27

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 54.96

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 377.00/720.00 (52.36%)

Max Score: 686.00

Rank: 27

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 54.96

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 377.00/720.00 (52.36%)

Max Score: 686.00

Rank: 27

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 54.96

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 147 (**Correct:** 104 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 377.00

Total Positive Marks: 420.00 **Total Negative Marks:** 43.00

PHY	CHEM	BIO	Total
53.00	111.00	213.00	377.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 350.00/720.00 (48.61%)

Max Score: 686.00

Rank: 28

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 51.02

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 350.00/720.00 (48.61%)

Max Score: 686.00

Rank: 28

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 51.02

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 350.00/720.00 (48.61%)

Max Score: 686.00

Rank: 28

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 51.02

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 350.00/720.00 (48.61%)

Max Score: 686.00

Rank: 28

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 51.02

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 139 (**Correct:** 97 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 350.00

Total Positive Marks: 392.00 **Total Negative Marks:** 42.00

PHY	CHEM	BIO	Total
13.00	92.00	245.00	350.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 345.00/720.00 (47.92%)

Max Score: 686.00

Rank: 29

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 50.29

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 345.00/720.00 (47.92%)

Max Score: 686.00

Rank: 29

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 50.29

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 345.00/720.00 (47.92%)

Max Score: 686.00

Rank: 29

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 50.29

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 345.00/720.00 (47.92%)

Max Score: 686.00

Rank: 29

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 50.29

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00

Total Question: 180 **Attempted:** 114 (**Correct:** 91 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 345.00

Total Positive Marks: 368.00 **Total Negative Marks:** 23.00

PHY	CHEM	BIO	Total
111.00	87.00	147.00	345.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 344.00/720.00 (47.78%)

Max Score: 686.00

Rank: 30

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 50.15

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 344.00/720.00 (47.78%)

Max Score: 686.00

Rank: 30

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 50.15

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	AC	W	-1.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 344.00/720.00 (47.78%)

Max Score: 686.00

Rank: 30

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 50.15

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 344.00/720.00 (47.78%)

Max Score: 686.00

Rank: 30

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 50.15

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 155 (**Correct:** 99 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 344.00

Total Positive Marks: 400.00 **Total Negative Marks:** 56.00

PHY	CHEM	BIO	Total
49.00	69.00	226.00	344.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 337.00/720.00 (46.81%)

Max Score: 686.00

Rank: 31

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 49.13

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 337.00/720.00 (46.81%)

Max Score: 686.00

Rank: 31

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 49.13

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS
QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 337.00/720.00 (46.81%)

Max Score: 686.00

Rank: 31

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 49.13

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 337.00/720.00 (46.81%)

Max Score: 686.00

Rank: 31

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 49.13

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 112 (Correct: 89 Incorrect: 23) Score Rate: 0.00 Strike Rate: 0.00

Total: 337.00

Total Positive Marks: 360.00 Total Negative Marks: 23.00

PHY	CHEM	BIO	Total
4.00	65.00	268.00	337.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 312.00/720.00 (43.33%)

Max Score: 686.00

Rank: 32

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 45.48

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 312.00/720.00 (43.33%)

Max Score: 686.00

Rank: 32

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 45.48

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 312.00/720.00 (43.33%)

Max Score: 686.00

Rank: 32

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 45.48

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 312.00/720.00 (43.33%)

Max Score: 686.00

Rank: 32

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 45.48

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 122 (**Correct:** 86 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 312.00

Total Positive Marks: 348.00 **Total Negative Marks:** 36.00

PHY	CHEM	BIO	Total
63.00	60.00	189.00	312.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 293.00/720.00 (40.69%)

Max Score: 686.00

Rank: 33

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 42.71

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 293.00/720.00 (40.69%)

Max Score: 686.00

Rank: 33

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 42.71

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 293.00/720.00 (40.69%)

Max Score: 686.00

Rank: 33

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 42.71

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B		L	0.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 293.00/720.00 (40.69%)

Max Score: 686.00

Rank: 33

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 42.71

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 136 (**Correct:** 85 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 293.00

Total Positive Marks: 344.00 **Total Negative Marks:** 51.00

PHY	CHEM	BIO	Total
32.00	109.00	152.00	293.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 240.00/720.00 (33.33%)

Max Score: 686.00

Rank: 34

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 34.99

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00			C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 240.00/720.00 (33.33%)

Max Score: 686.00

Rank: 34

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 34.99

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 240.00/720.00 (33.33%)

Max Score: 686.00

Rank: 34

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 34.99

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 240.00/720.00 (33.33%)

Max Score: 686.00

Rank: 34

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 34.99

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 164 (**Correct:** 80 **Incorrect:** 84) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 240.00

Total Positive Marks: 324.00 **Total Negative Marks:** 84.00

PHY	CHEM	BIO	Total
52.00	63.00	125.00	240.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 132.00/720.00 (18.33%)

Max Score: 686.00

Rank: 35

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 19.24

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.14	20.00	37.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	94.29	80.00	14.29	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
3	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
4	54.29	40.00	14.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	74.29	28.57	45.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	65.71	57.14	8.57	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
8	57.14	31.43	25.71	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
9	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
10	65.71	45.71	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
11	88.57	77.14	11.43	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
12	88.57	62.86	25.71	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	68.57	48.57	20.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	85.71	74.29	11.43	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
15	68.57	60.00	8.57	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	71.43	45.71	25.71	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
17	91.43	88.57	2.86	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	94.29	54.29	40.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	80.00	74.29	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	77.14	68.57	8.57	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	82.86	34.29	48.57	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	91.43	48.57	42.86	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
23	77.14	54.29	22.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
24	62.86	31.43	31.43	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
25	77.14	62.86	14.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	94.29	85.71	8.57	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
27	68.57	37.14	31.43	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	85.71	71.43	14.29	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
30	91.43	74.29	17.14	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	45.71	28.57	17.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.86	28.57	34.29	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	91.43	57.14	34.29	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	82.86	37.14	45.71	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	71.43	48.57	22.86	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
36	65.71	48.57	17.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
37	85.71	60.00	25.71	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
38	82.86	17.14	65.71	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
39	82.86	65.71	17.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
40	80.00	22.86	57.14	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
41	40.00	8.57	31.43	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
42	85.71	62.86	22.86	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
43	65.71	28.57	37.14	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
44	71.43	65.71	5.71	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
45	68.57	57.14	11.43	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
46	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
47	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
48	48.57	14.29	34.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
49	80.00	71.43	8.57	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
50	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00		C	C	4.00
51	54.29	22.86	31.43	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.29	91.43	2.86	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
53	91.43	54.29	37.14	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
54	85.71	57.14	28.57	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 132.00/720.00 (18.33%)

Max Score: 686.00

Rank: 35

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 19.24

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
55	97.14	91.43	5.71	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
56	74.29	42.86	31.43	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	82.86	77.14	5.71	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	74.29	62.86	11.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	97.14	74.29	22.86	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
60	82.86	65.71	17.14	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	85.71	77.14	8.57	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	82.86	54.29	28.57	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	94.29	34.29	60.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	71.43	57.14	14.29	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	88.57	71.43	17.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	88.57	74.29	14.29	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
68	91.43	77.14	14.29	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	80.00	74.29	5.71	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	100.00	88.57	11.43	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	77.14	37.14	40.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	100.00	91.43	8.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
74	94.29	85.71	8.57	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	100.00	94.29	5.71	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
76	97.14	82.86	14.29	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
77	97.14	85.71	11.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	97.14	94.29	2.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	97.14	51.43	45.71	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
80	94.29	65.71	28.57	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	91.43	28.57	62.86	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	74.29	54.29	20.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
83	54.29	40.00	14.29	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	91.43	68.57	22.86	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	91.43	85.71	5.71	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
87	74.29	45.71	28.57	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
88	85.71	71.43	14.29	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
89	100.00	71.43	28.57	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
90	42.86	17.14	25.71	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
91	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
92	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
93	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
94	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
95	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
96	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
97	88.57	80.00	8.57	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
98	94.29	54.29	40.00	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
99	88.57	82.86	5.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
100	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
101	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
102	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
104	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
105	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	94.29	88.57	5.71	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
107	65.71	48.57	17.14	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 132.00/720.00 (18.33%)

Max Score: 686.00

Rank: 35

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 19.24

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
108	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
113	100.00	62.86	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
115	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
116	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.14	62.86	34.29	BIO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
118	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
119	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	97.14	88.57	8.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
122	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
126	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
127	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	100.00	80.00	20.00	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
129	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	97.14	94.29	2.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
131	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
132	97.14	85.71	11.43	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	94.29	85.71	8.57	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
134	82.86	62.86	20.00	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
135	91.43	60.00	31.43	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
137	94.29	77.14	17.14	BIO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
138	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
139	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
140	91.43	82.86	8.57	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
141	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
142	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
143	100.00	94.29	5.71	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
144	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
145	77.14	57.14	20.00	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
146	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
147	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
148	94.29	91.43	2.86	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
149	94.29	74.29	20.00	BIO	NEET REGULAR	4.00	1.00	D		L	0.00
150	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
151	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	94.29	57.14	37.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	100.00	68.57	31.43	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	85.71	14.29	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
158	100.00	82.86	17.14	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	100.00	77.14	22.86	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
160	97.14	57.14	40.00	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
161	97.14	82.86	14.29	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 132.00/720.00 (18.33%)

Max Score: 686.00

Rank: 35

Min Score: 132.00

TEST: LT-05 (NEET) (ID: 762 DT: 11-Dec-2023)

Percentile: 19.24

Avg Score: 467.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
162	97.14	91.43	5.71	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
163	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	94.29	48.57	45.71	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
166	85.71	51.43	34.29	BIO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
167	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
168	82.86	68.57	14.29	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
169	97.14	74.29	22.86	BIO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
170	91.43	74.29	17.14	BIO	NEET REGULAR	4.00	1.00	C		L	0.00
171	100.00	88.57	11.43	BIO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	97.14	80.00	17.14	BIO	NEET REGULAR	4.00	1.00	A		L	0.00
173	100.00	71.43	28.57	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	88.57	71.43	17.14	BIO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	94.29	82.86	11.43	BIO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	97.14	77.14	20.00	BIO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
177	91.43	80.00	11.43	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
178	85.71	40.00	45.71	BIO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	100.00	65.71	34.29	BIO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	100.00	91.43	8.57	BIO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

Total Question: 180 **Attempted:** 172 (**Correct:** 60 **Incorrect:** 112) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 132.00

Total Positive Marks: 244.00 **Total Negative Marks:** 112.00

PHY	CHEM	BIO	Total
30.00	24.00	78.00	132.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%