

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 685.00/720.00 (95.14%)

Max Score: 685.00

Rank: 1

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 100.00

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 685.00/720.00 (95.14%)

Max Score: 685.00

Rank: 1

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 100.00

Avq Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 685.00/720.00 (95.14%)

Max Score: 685.00

Rank: 1

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 100.00

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 172 **Incorrect:** 7) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 685.00

Total Positive Marks: 692.00 **Total Negative Marks:** 7.00

PHY	CHEM	BIO	Total
165.00	170.00	350.00	685.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 685.00/720.00 (95.14%)

Max Score: 685.00

Rank: 1

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 100.00

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 685.00/720.00 (95.14%)

Max Score: 685.00

Rank: 1

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 100.00

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 685.00/720.00 (95.14%)

Max Score: 685.00

Rank: 1

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 100.00

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 172 **Incorrect:** 7) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 685.00

Total Positive Marks: 692.00 **Total Negative Marks:** 7.00

PHY	CHEM	BIO	Total
160.00	170.00	355.00	685.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 675.00/720.00 (93.75%)

Max Score: 685.00

Rank: 2

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 98.54

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 675.00/720.00 (93.75%)

Max Score: 685.00

Rank: 2

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 98.54

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 675.00/720.00 (93.75%)

Max Score: 685.00

Rank: 2

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 98.54

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 170 **Incorrect:** 9) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 675.00

Total Positive Marks: 684.00 **Total Negative Marks:** 9.00

PHY	CHEM	BIO	Total
165.00	170.00	340.00	675.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 666.00/720.00 (92.50%)

Max Score: 685.00

Rank: 3

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 97.23

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 666.00/720.00 (92.50%)

Max Score: 685.00

Rank: 3

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 97.23

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 666.00/720.00 (92.50%)

Max Score: 685.00

Rank: 3

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 97.23

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 168 **Incorrect:** 10) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 666.00

Total Positive Marks: 676.00 **Total Negative Marks:** 10.00

PHY	CHEM	BIO	Total
155.00	171.00	340.00	666.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 665.00/720.00 (92.36%)

Max Score: 685.00

Rank: 4

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 97.08

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		C	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 665.00/720.00 (92.36%)

Max Score: 685.00

Rank: 4

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 97.08

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 665.00/720.00 (92.36%)

Max Score: 685.00

Rank: 4

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 97.08

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 168 **Incorrect:** 11) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 665.00

Total Positive Marks: 676.00 **Total Negative Marks:** 11.00

PHY	CHEM	BIO	Total
160.00	155.00	350.00	665.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 626.00/720.00 (86.94%)

Max Score: 685.00

Rank: 5

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 91.39

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 626.00/720.00 (86.94%)

Max Score: 685.00

Rank: 5

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 91.39

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 626.00/720.00 (86.94%)

Max Score: 685.00

Rank: 5

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 91.39

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 160 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 626.00

Total Positive Marks: 644.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
135.00	156.00	335.00	626.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 596.00/720.00 (82.78%)

Max Score: 685.00

Rank: 6

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 87.01

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 596.00/720.00 (82.78%)

Max Score: 685.00

Rank: 6

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 87.01

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A		L	0.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 596.00/720.00 (82.78%)

Max Score: 685.00

Rank: 6

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 87.01

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D		L	0.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D		L	0.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 168 (**Correct:** 152 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 596.00

Total Positive Marks: 612.00 **Total Negative Marks:** 16.00

PHY	CHEM	BIO	Total
144.00	138.00	314.00	596.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 585.00/720.00 (81.25%)

Max Score: 685.00

Rank: 7

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 85.40

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 585.00/720.00 (81.25%)

Max Score: 685.00

Rank: 7

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 85.40

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 585.00/720.00 (81.25%)

Max Score: 685.00

Rank: 7

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 85.40

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C		L	0.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 174 (**Correct:** 151 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 585.00

Total Positive Marks: 608.00 **Total Negative Marks:** 23.00

PHY	CHEM	BIO	Total
132.00	151.00	302.00	585.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 583.00/720.00 (80.97%)

Max Score: 685.00

Rank: 8

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 85.11

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		D	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 583.00/720.00 (80.97%)

Max Score: 685.00

Rank: 8

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 85.11

Avq Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 583.00/720.00 (80.97%)

Max Score: 685.00

Rank: 8

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 85.11

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B		L	0.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00

Total Question: 180 **Attempted:** 176 (**Correct:** 151 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 583.00

Total Positive Marks: 608.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
146.00	151.00	286.00	583.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 572.00/720.00 (79.44%)

Max Score: 685.00

Rank: 9

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 83.50

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 572.00/720.00 (79.44%)

Max Score: 685.00

Rank: 9

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 83.50

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B		L	0.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 572.00/720.00 (79.44%)

Max Score: 685.00

Rank: 9

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 83.50

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B		L	0.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 167 (**Correct:** 147 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 572.00

Total Positive Marks: 592.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
144.00	126.00	302.00	572.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 571.00/720.00 (79.31%)

Max Score: 685.00

Rank: 10

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 83.36

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 571.00/720.00 (79.31%)

Max Score: 685.00

Rank: 10

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 83.36

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 571.00/720.00 (79.31%)

Max Score: 685.00

Rank: 10

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 83.36

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 149 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 571.00

Total Positive Marks: 600.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
106.00	145.00	320.00	571.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 568.00/720.00 (78.89%)

Max Score: 685.00

Rank: 11

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 82.92

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A		L	0.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B		L	0.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 568.00/720.00 (78.89%)

Max Score: 685.00

Rank: 11

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 82.92

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A		L	0.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 568.00/720.00 (78.89%)

Max Score: 685.00

Rank: 11

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 82.92

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B		L	0.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 161 (**Correct:** 145 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 568.00

Total Positive Marks: 584.00 **Total Negative Marks:** 16.00

PHY	CHEM	BIO	Total
103.00	123.00	342.00	568.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 558.00/720.00 (77.50%)

Max Score: 685.00

Rank: 12

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 81.46

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C		L	0.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 558.00/720.00 (77.50%)

Max Score: 685.00

Rank: 12

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 81.46

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	L	0.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 558.00/720.00 (77.50%)

Max Score: 685.00

Rank: 12

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 81.46

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 176 (**Correct:** 146 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 558.00

Total Positive Marks: 588.00 **Total Negative Marks:** 30.00

PHY	CHEM	BIO	Total
101.00	132.00	325.00	558.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 555.00/720.00 (77.08%)

Max Score: 685.00

Rank: 13

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 81.02

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D		L	0.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A		L	0.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B		L	0.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		C	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D		L	0.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 555.00/720.00 (77.08%)

Max Score: 685.00

Rank: 13

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 81.02

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B		L	0.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 555.00/720.00 (77.08%)

Max Score: 685.00

Rank: 13

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 81.02

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B		L	0.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00

Total Question: 180 **Attempted:** 169 (**Correct:** 144 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 555.00

Total Positive Marks: 580.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
122.00	155.00	278.00	555.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 543.00/720.00 (75.42%)

Max Score: 685.00

Rank: 14

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 79.27

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B		L	0.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 543.00/720.00 (75.42%)

Max Score: 685.00

Rank: 14

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 79.27

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 543.00/720.00 (75.42%)

Max Score: 685.00

Rank: 14

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 79.27

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B		L	0.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 171 (**Correct:** 142 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 543.00

Total Positive Marks: 572.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
102.00	134.00	307.00	543.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 532.00/720.00 (73.89%)

Max Score: 685.00

Rank: 15

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 77.66

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 532.00/720.00 (73.89%)

Max Score: 685.00

Rank: 15

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 77.66

Avq Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A		W	-1.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 532.00/720.00 (73.89%)

Max Score: 685.00

Rank: 15

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 77.66

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C		L	0.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 172 (**Correct:** 140 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 532.00

Total Positive Marks: 564.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
131.00	105.00	296.00	532.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 522.00/720.00 (72.50%)

Max Score: 685.00

Rank: 16

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 76.20

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A		L	0.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	CD	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 522.00/720.00 (72.50%)

Max Score: 685.00

Rank: 16

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 76.20

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS	
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C		L	0.00	
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00	
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00	
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00	
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	A	R	4.00	
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00	
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00	
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00	
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C		B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00	
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00	
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00	
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00	
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A		B	W	-1.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00	
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00	
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00	
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00	
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00	
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00	
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00	
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00	
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00	
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00	
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00	
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00	
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00	
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A		B	W	-1.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00	
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00	
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	A	W	-1.00	
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00	
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00	
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00	
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	B	W	-1.00	
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00	

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 522.00/720.00 (72.50%)

Max Score: 685.00

Rank: 16

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 76.20

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 172 (**Correct:** 138 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 522.00

Total Positive Marks: 556.00 **Total Negative Marks:** 34.00

PHY	CHEM	BIO	Total
118.00	139.00	265.00	522.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 514.00/720.00 (71.39%)

Max Score: 685.00

Rank: 17

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 75.04

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C		L	0.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C		L	0.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 514.00/720.00 (71.39%)

Max Score: 685.00

Rank: 17

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 75.04

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 514.00/720.00 (71.39%)

Max Score: 685.00

Rank: 17

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 75.04

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B		L	0.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 170 (**Correct:** 136 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 514.00

Total Positive Marks: 548.00 **Total Negative Marks:** 34.00

PHY	CHEM	BIO	Total
91.00	152.00	271.00	514.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 511.00/720.00 (70.97%)

Max Score: 685.00

Rank: 18

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 74.60

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B		L	0.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B		L	0.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C		L	0.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 511.00/720.00 (70.97%)

Max Score: 685.00

Rank: 18

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 74.60

Avq Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A		L	0.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 511.00/720.00 (70.97%)

Max Score: 685.00

Rank: 18

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 74.60

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B		L	0.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D		L	0.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 163 (**Correct:** 134 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 511.00

Total Positive Marks: 540.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
79.00	129.00	303.00	511.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 504.00/720.00 (70.00%)

Max Score: 685.00

Rank: 19

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 73.58

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C		L	0.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A		L	0.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B		L	0.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B		L	0.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B		L	0.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 504.00/720.00 (70.00%)

Max Score: 685.00

Rank: 19

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 73.58

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D		L	0.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 504.00/720.00 (70.00%)

Max Score: 685.00

Rank: 19

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 73.58

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B		L	0.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D		L	0.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C		L	0.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 155 (**Correct:** 131 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 504.00

Total Positive Marks: 528.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
86.00	104.00	314.00	504.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 483.00/720.00 (67.08%)

Max Score: 685.00

Rank: 20

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 70.51

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C		L	0.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A		L	0.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 483.00/720.00 (67.08%)

Max Score: 685.00

Rank: 20

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 70.51

Avq Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	L	0.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C		L	0.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 483.00/720.00 (67.08%)

Max Score: 685.00

Rank: 20

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 70.51

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D		L	0.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 166 (**Correct:** 129 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 483.00

Total Positive Marks: 520.00 **Total Negative Marks:** 37.00

PHY	CHEM	BIO	Total
78.00	107.00	298.00	483.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 482.00/720.00 (66.94%)

Max Score: 685.00

Rank: 21

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 70.36

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A		L	0.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B		L	0.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 482.00/720.00 (66.94%)

Max Score: 685.00

Rank: 21

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 70.36

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C		L	0.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D		L	0.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A		L	0.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 482.00/720.00 (66.94%)

Max Score: 685.00

Rank: 21

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 70.36

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A		L	0.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B		L	0.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B		L	0.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D		L	0.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B		L	0.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 162 (**Correct:** 128 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 482.00

Total Positive Marks: 516.00 **Total Negative Marks:** 34.00

PHY	CHEM	BIO	Total
125.00	102.00	255.00	482.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 474.00/720.00 (65.83%)

Max Score: 685.00

Rank: 22

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 69.20

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 474.00/720.00 (65.83%)

Max Score: 685.00

Rank: 22

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 69.20

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 474.00/720.00 (65.83%)

Max Score: 685.00

Rank: 22

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 69.20

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A		L	0.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B		L	0.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B		L	0.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 170 (**Correct:** 128 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 474.00

Total Positive Marks: 516.00 **Total Negative Marks:** 42.00

PHY	CHEM	BIO	Total
84.00	126.00	264.00	474.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 444.00/720.00 (61.67%)

Max Score: 685.00

Rank: 23

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 64.82

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D		L	0.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C		L	0.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A		L	0.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D		L	0.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B		L	0.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B		L	0.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A		L	0.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C		L	0.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B		L	0.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D		L	0.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 444.00/720.00 (61.67%)

Max Score: 685.00

Rank: 23

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 64.82

Avq Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B		L	0.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C		L	0.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C		L	0.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 444.00/720.00 (61.67%)

Max Score: 685.00

Rank: 23

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 64.82

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A		L	0.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 135 (**Correct:** 115 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 444.00

Total Positive Marks: 464.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
98.00	72.00	274.00	444.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 424.00/720.00 (58.89%)

Max Score: 685.00

Rank: 24

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 61.90

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C		L	0.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C		L	0.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B		L	0.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C		L	0.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 424.00/720.00 (58.89%)

Max Score: 685.00

Rank: 24

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 61.90

Avq Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B		L	0.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D		L	0.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 424.00/720.00 (58.89%)

Max Score: 685.00

Rank: 24

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 61.90

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B		L	0.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C		L	0.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 155 (**Correct:** 115 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 424.00

Total Positive Marks: 464.00 **Total Negative Marks:** 40.00

PHY	CHEM	BIO	Total
70.00	70.00	284.00	424.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 397.00/720.00 (55.14%)

Max Score: 685.00

Rank: 25

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 57.96

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C		L	0.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C		L	0.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B		L	0.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 397.00/720.00 (55.14%)

Max Score: 685.00

Rank: 25

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 57.96

Avq Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D		L	0.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C		L	0.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B		L	0.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A		L	0.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C		L	0.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C		L	0.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C		L	0.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B		L	0.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A		L	0.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A		L	0.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 397.00/720.00 (55.14%)

Max Score: 685.00

Rank: 25

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 57.96

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A		L	0.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A		L	0.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B		L	0.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A		L	0.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B		L	0.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C		L	0.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D		L	0.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D		L	0.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B		L	0.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A		L	0.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B		L	0.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D		L	0.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C		L	0.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B		L	0.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C		L	0.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B		L	0.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D		L	0.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 132 (**Correct:** 105 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 397.00

Total Positive Marks: 424.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
98.00	120.00	179.00	397.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 383.00/720.00 (53.19%)

Max Score: 685.00

Rank: 26

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 55.91

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C		L	0.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A		L	0.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B		L	0.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B		L	0.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C		L	0.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 383.00/720.00 (53.19%)

Max Score: 685.00

Rank: 26

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 55.91

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B		L	0.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A		L	0.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C		L	0.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 383.00/720.00 (53.19%)

Max Score: 685.00

Rank: 26

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 55.91

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B		L	0.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B		L	0.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D		L	0.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C		L	0.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 156 (**Correct:** 107 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 383.00

Total Positive Marks: 432.00 **Total Negative Marks:** 49.00

PHY	CHEM	BIO	Total
82.00	109.00	192.00	383.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 375.00/720.00 (52.08%)

Max Score: 685.00

Rank: 27

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 54.74

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A		L	0.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B		L	0.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C		L	0.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B		L	0.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B		L	0.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 375.00/720.00 (52.08%)

Max Score: 685.00

Rank: 27

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 54.74

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C		L	0.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D		L	0.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D		L	0.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 375.00/720.00 (52.08%)

Max Score: 685.00

Rank: 27

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 54.74

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A		L	0.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B		L	0.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B		L	0.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D		L	0.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B		L	0.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 144 (**Correct:** 103 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 375.00

Total Positive Marks: 416.00 **Total Negative Marks:** 41.00

PHY	CHEM	BIO	Total
95.00	80.00	200.00	375.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 373.00/720.00 (51.81%)

Max Score: 685.00

Rank: 28

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 54.45

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D		L	0.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B		L	0.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C		L	0.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C		L	0.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A		L	0.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B		L	0.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B		L	0.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C		L	0.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D		L	0.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 373.00/720.00 (51.81%)

Max Score: 685.00

Rank: 28

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 54.45

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D		L	0.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B		L	0.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C		L	0.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A		L	0.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 373.00/720.00 (51.81%)

Max Score: 685.00

Rank: 28

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 54.45

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B		L	0.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B		L	0.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D		L	0.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C		L	0.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D		L	0.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D		L	0.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D		L	0.00

Total Question: 180 **Attempted:** 136 (**Correct:** 101 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 373.00

Total Positive Marks: 408.00 **Total Negative Marks:** 35.00

PHY	CHEM	BIO	Total
52.00	71.00	250.00	373.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 370.00/720.00 (51.39%)

Max Score: 685.00

Rank: 29

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 54.01

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 370.00/720.00 (51.39%)

Max Score: 685.00

Rank: 29

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 54.01

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D		L	0.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B		L	0.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B		L	0.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A		L	0.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C		L	0.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C		L	0.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 370.00/720.00 (51.39%)

Max Score: 685.00

Rank: 29

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 54.01

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B		L	0.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D		L	0.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B		L	0.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C		L	0.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 159 (**Correct:** 105 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 370.00

Total Positive Marks: 424.00 **Total Negative Marks:** 54.00

PHY	CHEM	BIO	Total
49.00	87.00	234.00	370.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 364.00/720.00 (50.56%)

Max Score: 685.00

Rank: 30

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 53.14

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C		L	0.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C		L	0.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A		L	0.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D		L	0.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B		L	0.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B		L	0.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C		L	0.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 364.00/720.00 (50.56%)

Max Score: 685.00

Rank: 30

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 53.14

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D		L	0.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C		L	0.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C		L	0.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A		L	0.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 364.00/720.00 (50.56%)

Max Score: 685.00

Rank: 30

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 53.14

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A		L	0.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B		L	0.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D		L	0.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C		L	0.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C		L	0.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D		L	0.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B		L	0.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C		L	0.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 135 (**Correct:** 99 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 364.00

Total Positive Marks: 400.00 **Total Negative Marks:** 36.00

PHY	CHEM	BIO	Total
80.00	63.00	221.00	364.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 343.00/720.00 (47.64%)

Max Score: 685.00

Rank: 31

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 50.07

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C		L	0.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B		L	0.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C		L	0.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A		L	0.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D		L	0.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B		L	0.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B		L	0.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B		L	0.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A		L	0.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B		L	0.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C		L	0.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 343.00/720.00 (47.64%)

Max Score: 685.00

Rank: 31

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 50.07

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A		W	-1.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B		L	0.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B		L	0.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A		L	0.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C		L	0.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 343.00/720.00 (47.64%)

Max Score: 685.00

Rank: 31

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 50.07

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B		L	0.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B		L	0.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C		L	0.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B		L	0.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B		L	0.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A		L	0.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B		L	0.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C		L	0.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D		L	0.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C		L	0.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A		L	0.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D		L	0.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C		L	0.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 136 (**Correct:** 95 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 343.00

Total Positive Marks: 384.00 **Total Negative Marks:** 41.00

PHY	CHEM	BIO	Total
65.00	100.00	178.00	343.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 310.00/720.00 (43.06%)

Max Score: 685.00

Rank: 32

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 45.26

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D		L	0.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C		L	0.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C		L	0.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B		L	0.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B		L	0.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C		L	0.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D		L	0.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 310.00/720.00 (43.06%)

Max Score: 685.00

Rank: 32

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 45.26

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D		L	0.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D		L	0.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C		L	0.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C		L	0.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 310.00/720.00 (43.06%)

Max Score: 685.00

Rank: 32

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 45.26

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B		L	0.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A		L	0.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B		L	0.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D		R	4.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C		L	0.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C		L	0.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 129 (**Correct:** 87 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 310.00

Total Positive Marks: 352.00 **Total Negative Marks:** 42.00

PHY	CHEM	BIO	Total
28.00	67.00	215.00	310.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 274.00/720.00 (38.06%)

Max Score: 685.00

Rank: 33

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 40.00

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C		L	0.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B		L	0.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B		L	0.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A		L	0.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B		L	0.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 274.00/720.00 (38.06%)

Max Score: 685.00

Rank: 33

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 40.00

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C		R	4.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D		R	4.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B		R	4.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C		L	0.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C		L	0.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 274.00/720.00 (38.06%)

Max Score: 685.00

Rank: 33

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 40.00

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C		L	0.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A		L	0.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A		L	0.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B		L	0.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A		L	0.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C		L	0.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D		L	0.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C		L	0.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D		L	0.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B		L	0.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A		L	0.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C		L	0.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 140 (**Correct:** 82 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 274.00

Total Positive Marks: 332.00 **Total Negative Marks:** 58.00

PHY	CHEM	BIO	Total
68.00	85.00	121.00	274.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 120.00/720.00 (16.67%)

Max Score: 685.00

Rank: 34

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 17.52

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	51.43	42.86	PHY	NTA REG	4.00	1.00	D		L	0.00
2	57.14	20.00	37.14	PHY	NTA REG	4.00	1.00	A		L	0.00
3	97.14	77.14	20.00	PHY	NTA REG	4.00	1.00	D		L	0.00
4	91.43	45.71	45.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	88.57	14.29	74.29	PHY	NTA REG	4.00	1.00	D		L	0.00
6	100.00	97.14	2.86	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	94.29	77.14	17.14	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	94.29	74.29	20.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	100.00	91.43	8.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	100.00	85.71	14.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
11	97.14	94.29	2.86	PHY	NTA REG	4.00	1.00	A		L	0.00
12	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	B		L	0.00
13	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	68.57	22.86	45.71	PHY	NTA REG	4.00	1.00	A		L	0.00
15	68.57	60.00	8.57	PHY	NTA REG	4.00	1.00	C		L	0.00
16	85.71	51.43	34.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	94.29	68.57	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
18	82.86	37.14	45.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
19	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B		L	0.00
20	94.29	85.71	8.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
22	97.14	80.00	17.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
23	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	C		L	0.00
24	71.43	28.57	42.86	PHY	NTA REG	4.00	1.00	A		L	0.00
25	97.14	85.71	11.43	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
26	100.00	54.29	45.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D		L	0.00
28	65.71	42.86	22.86	PHY	NTA REG	4.00	1.00	B		L	0.00
29	94.29	65.71	28.57	PHY	NTA REG	4.00	1.00	B		L	0.00
30	94.29	82.86	11.43	PHY	NTA REG	4.00	1.00	B		L	0.00
31	45.71	20.00	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
32	85.71	65.71	20.00	PHY	NTA REG	4.00	1.00	B		L	0.00
33	91.43	65.71	25.71	PHY	NTA REG	4.00	1.00	A		L	0.00
34	85.71	80.00	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
35	68.57	62.86	5.71	PHY	NTA REG	4.00	1.00	A		L	0.00
36	74.29	65.71	8.57	PHY	NTA REG	4.00	1.00	B		L	0.00
37	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
38	62.86	45.71	17.14	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	C		L	0.00
40	62.86	48.57	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
41	42.86	25.71	17.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
42	68.57	42.86	25.71	PHY	NTA REG	4.00	1.00	D		L	0.00
43	91.43	60.00	31.43	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
44	88.57	74.29	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
45	88.57	77.14	11.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	80.00	80.00	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	94.29	85.71	8.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
49	97.14	88.57	8.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	88.57	74.29	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	97.14	91.43	5.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
52	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
53	65.71	62.86	2.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	71.43	62.86	8.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.57	77.14	11.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	97.14	85.71	11.43	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	88.57	65.71	22.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	80.00	71.43	8.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	97.14	80.00	17.14	CHEM	NTA REG	4.00	1.00	C		L	0.00
62	94.29	80.00	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 120.00/720.00 (16.67%)

Max Score: 685.00

Rank: 34

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 17.52

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	65.71	31.43	34.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	94.29	88.57	5.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	88.57	71.43	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	91.43	62.86	28.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	62.86	31.43	31.43	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	60.00	45.71	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	85.71	54.29	31.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	68.57	54.29	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	77.14	28.57	48.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
73	97.14	94.29	2.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
74	91.43	65.71	25.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	82.86	60.00	22.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	74.29	68.57	5.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	71.43	45.71	25.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	85.71	80.00	5.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	77.14	57.14	20.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	91.43	85.71	5.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	91.43	80.00	11.43	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	85.71	65.71	20.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	65.71	25.71	40.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	91.43	68.57	22.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	82.86	80.00	2.86	CHEM	NTA REG	4.00	1.00	D		L	0.00
87	94.29	91.43	2.86	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	85.71	71.43	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	88.57	82.86	5.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	71.43	54.29	17.14	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
94	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
95	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
96	74.29	57.14	17.14	BIO	NTA REG	4.00	1.00	B		L	0.00
97	80.00	62.86	17.14	BIO	NTA REG	4.00	1.00	C		L	0.00
98	97.14	94.29	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	88.57	40.00	48.57	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
100	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
102	94.29	68.57	25.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
103	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
104	94.29	60.00	34.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
105	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
106	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
108	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	C		L	0.00
111	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	94.29	65.71	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
115	94.29	77.14	17.14	BIO	NTA REG	4.00	1.00	C		L	0.00
116	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	85.71	68.57	17.14	BIO	NTA REG	4.00	1.00	A		L	0.00
118	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
119	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
120	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	88.57	65.71	22.86	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
123	100.00	82.86	17.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	94.29	62.86	31.43	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
125	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	94.29	80.00	14.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 120.00/720.00 (16.67%)

Max Score: 685.00

Rank: 34

Min Score: 120.00

TEST: LT-07 (NEET) (ID: 3 DT: 17-Dec-2023)

Percentile: 17.52

Avg Score: 495.20

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	80.00	20.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	91.43	68.57	22.86	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
132	74.29	45.71	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
133	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	85.71	37.14	48.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	97.14	82.86	14.29	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
138	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	94.29	74.29	20.00	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	97.14	68.57	28.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	100.00	94.29	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	65.71	34.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	71.43	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.14	85.71	11.43	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
146	97.14	45.71	51.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C		L	0.00
149	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
150	97.14	71.43	25.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
151	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
152	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	68.57	25.71	42.86	BIO	NTA REG	4.00	1.00	B		L	0.00
154	88.57	77.14	11.43	BIO	NTA REG	4.00	1.00	B		L	0.00
155	88.57	71.43	17.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
156	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
157	74.29	65.71	8.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	94.29	82.86	11.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
159	71.43	42.86	28.57	BIO	NTA REG	4.00	1.00	D		L	0.00
160	94.29	91.43	2.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	97.14	77.14	20.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
162	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	68.57	20.00	48.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	85.71	57.14	28.57	BIO	NTA REG	4.00	1.00	B		L	0.00
165	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	97.14	97.14	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	60.00	40.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
168	85.71	77.14	8.57	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
169	88.57	85.71	2.86	BIO	NTA REG	4.00	1.00	C		L	0.00
170	100.00	54.29	45.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	91.43	88.57	2.86	BIO	NTA REG	4.00	1.00	D		L	0.00
172	94.29	88.57	5.71	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
173	94.29	85.71	8.57	BIO	NTA REG	4.00	1.00	A		L	0.00
174	100.00	91.43	8.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	100.00	97.14	2.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	88.57	11.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
177	91.43	85.71	5.71	BIO	NTA REG	4.00	1.00	C		L	0.00
178	97.14	88.57	8.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D		L	0.00
180	97.14	91.43	5.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 89 (**Correct:** 41 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 120.00

Total Positive Marks: 168.00 **Total Negative Marks:** 48.00

PHY	CHEM	BIO	Total
19.00	0.00	101.00	120.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%