

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 660.00/720.00 (91.67%)

Max Score: 660.00

Rank: 1

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 100.00

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 660.00/720.00 (91.67%)

Max Score: 660.00

Rank: 1

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 100.00

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 660.00/720.00 (91.67%)

Max Score: 660.00

Rank: 1

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 100.00

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 180 (**Correct:** 168 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 660.00

Total Positive Marks: 672.00 **Total Negative Marks:** 12.00

PHY	CHEM	BIO	Total
160.00	165.00	335.00	660.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 590.00/720.00 (81.94%)

Max Score: 660.00

Rank: 2

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 89.39

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C		L	0.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 590.00/720.00 (81.94%)

Max Score: 660.00

Rank: 2

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 89.39

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D		L	0.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 590.00/720.00 (81.94%)

Max Score: 660.00

Rank: 2

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 89.39

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 170 (**Correct:** 152 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 590.00

Total Positive Marks: 608.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
129.00	146.00	315.00	590.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 585.00/720.00 (81.25%)

Max Score: 660.00

Rank: 3

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 88.64

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 585.00/720.00 (81.25%)

Max Score: 660.00

Rank: 3

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 88.64

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 585.00/720.00 (81.25%)

Max Score: 660.00

Rank: 3

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 88.64

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C		L	0.00

Total Question: 180 **Attempted:** 175 (**Correct:** 152 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 585.00

Total Positive Marks: 608.00 **Total Negative Marks:** 23.00

PHY	CHEM	BIO	Total
127.00	137.00	321.00	585.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 583.00/720.00 (80.97%)

Max Score: 660.00

Rank: 4

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 88.33

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 583.00/720.00 (80.97%)

Max Score: 660.00

Rank: 4

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 88.33

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 583.00/720.00 (80.97%)

Max Score: 660.00

Rank: 4

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 88.33

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 177 (**Correct:** 152 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 583.00

Total Positive Marks: 608.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
113.00	130.00	340.00	583.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 570.00/720.00 (79.17%)

Max Score: 660.00

Rank: 5

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 86.36

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B		L	0.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 570.00/720.00 (79.17%)

Max Score: 660.00

Rank: 5

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 86.36

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 570.00/720.00 (79.17%)

Max Score: 660.00

Rank: 5

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 86.36

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A		L	0.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	CD	W	-1.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 170 (**Correct:** 148 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 570.00

Total Positive Marks: 592.00 **Total Negative Marks:** 22.00

PHY	CHEM	BIO	Total
124.00	119.00	327.00	570.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 559.00/720.00 (77.64%)

Max Score: 660.00

Rank: 6

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 84.70

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 559.00/720.00 (77.64%)

Max Score: 660.00

Rank: 6

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 84.70

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 559.00/720.00 (77.64%)

Max Score: 660.00

Rank: 6

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 84.70

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D		L	0.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 176 (**Correct:** 147 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 559.00

Total Positive Marks: 588.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
73.00	150.00	336.00	559.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 540.00/720.00 (75.00%)

Max Score: 660.00

Rank: 7

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 81.82

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D		L	0.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 540.00/720.00 (75.00%)

Max Score: 660.00

Rank: 7

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 81.82

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C		L	0.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 540.00/720.00 (75.00%)

Max Score: 660.00

Rank: 7

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 81.82

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

Total Question: 180 **Attempted:** 170 (**Correct:** 142 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 540.00

Total Positive Marks: 568.00 **Total Negative Marks:** 28.00

PHY	CHEM	BIO	Total
119.00	105.00	316.00	540.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 508.00/720.00 (70.56%)

Max Score: 660.00

Rank: 8

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 76.97

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT%/ R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 508.00/720.00 (70.56%)

Max Score: 660.00

Rank: 8

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 76.97

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 508.00/720.00 (70.56%)

Max Score: 660.00

Rank: 8

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 76.97

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

Total Question: 180 **Attempted:** 177 (**Correct:** 137 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 508.00

Total Positive Marks: 548.00 **Total Negative Marks:** 40.00

PHY	CHEM	BIO	Total
103.00	110.00	295.00	508.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 502.00/720.00 (69.72%)

Max Score: 660.00

Rank: 9

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 76.06

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00

ATT%/ R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 502.00/720.00 (69.72%)

Max Score: 660.00

Rank: 9

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 76.06

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 502.00/720.00 (69.72%)

Max Score: 660.00

Rank: 9

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 76.06

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS	
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	C	W	-1.00	
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A		L	0.00	
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B		D	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	A	W	-1.00	
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00	
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00	
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00	
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	B	W	-1.00	
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	B	W	-1.00	
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00	

Total Question: 180 **Attempted:** 173 (**Correct:** 135 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 502.00

Total Positive Marks: 540.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
90.00	111.00	301.00	502.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 502.00/720.00 (69.72%)

Max Score: 660.00

Rank: 9

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 76.06

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 502.00/720.00 (69.72%)

Max Score: 660.00

Rank: 9

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 76.06

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A		L	0.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 502.00/720.00 (69.72%)

Max Score: 660.00

Rank: 9

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 76.06

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 173 (**Correct:** 135 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 502.00

Total Positive Marks: 540.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
98.00	113.00	291.00	502.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 499.00/720.00 (69.31%)

Max Score: 660.00

Rank: 10

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 75.61

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D		L	0.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B		L	0.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A		L	0.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A		L	0.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 499.00/720.00 (69.31%)

Max Score: 660.00

Rank: 10

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 75.61

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B		L	0.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D		L	0.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 499.00/720.00 (69.31%)

Max Score: 660.00

Rank: 10

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 75.61

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 151 (**Correct:** 130 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 499.00

Total Positive Marks: 520.00 **Total Negative Marks:** 21.00

PHY	CHEM	BIO	Total
117.00	85.00	297.00	499.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 463.00/720.00 (64.31%)

Max Score: 660.00

Rank: 11

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 70.15

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D		L	0.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C		L	0.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D		L	0.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B		L	0.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D		L	0.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 463.00/720.00 (64.31%)

Max Score: 660.00

Rank: 11

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 70.15

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 463.00/720.00 (64.31%)

Max Score: 660.00

Rank: 11

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 70.15

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A		L	0.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D		L	0.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 142 (**Correct:** 121 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 463.00

Total Positive Marks: 484.00 **Total Negative Marks:** 21.00

PHY	CHEM	BIO	Total
66.00	74.00	323.00	463.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 395.00/720.00 (54.86%)

Max Score: 660.00

Rank: 12

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 59.85

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D		L	0.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C		L	0.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D		L	0.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C		L	0.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A		L	0.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC		L	0.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D		L	0.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C		L	0.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC		L	0.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B		L	0.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B		L	0.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A		L	0.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A		L	0.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A		L	0.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D		L	0.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D		L	0.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 395.00/720.00 (54.86%)

Max Score: 660.00

Rank: 12

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 59.85

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D		L	0.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 395.00/720.00 (54.86%)

Max Score: 660.00

Rank: 12

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 59.85

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 115 (**Correct:** 102 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 395.00

Total Positive Marks: 408.00 **Total Negative Marks:** 13.00

PHY	CHEM	BIO	Total
0.00	75.00	320.00	395.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 387.00/720.00 (53.75%)

Max Score: 660.00

Rank: 13

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 58.64

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC		L	0.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C		L	0.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D		L	0.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D		L	0.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 387.00/720.00 (53.75%)

Max Score: 660.00

Rank: 13

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 58.64

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A		L	0.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C		L	0.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A		L	0.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D		L	0.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D		L	0.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A		L	0.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A		L	0.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A		L	0.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D		L	0.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 387.00/720.00 (53.75%)

Max Score: 660.00

Rank: 13

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 58.64

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A		L	0.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A		L	0.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B		L	0.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D		L	0.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C		L	0.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B		L	0.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A		L	0.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A		L	0.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A		L	0.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B		L	0.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D		L	0.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D		L	0.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A		L	0.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 128 (**Correct:** 103 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 387.00

Total Positive Marks: 412.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
62.00	99.00	226.00	387.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 382.00/720.00 (53.06%)

Max Score: 660.00

Rank: 14

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 57.88

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D		L	0.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C		L	0.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C		L	0.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B		L	0.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B		L	0.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A		L	0.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A		L	0.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C		L	0.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 382.00/720.00 (53.06%)

Max Score: 660.00

Rank: 14

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 57.88

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D		L	0.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B		L	0.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 382.00/720.00 (53.06%)

Max Score: 660.00

Rank: 14

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 57.88

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 143 (**Correct:** 105 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 382.00

Total Positive Marks: 420.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
49.00	72.00	261.00	382.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 373.00/720.00 (51.81%)

Max Score: 660.00

Rank: 15

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 56.52

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	C	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A		L	0.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C		L	0.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 373.00/720.00 (51.81%)

Max Score: 660.00

Rank: 15

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 56.52

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D		L	0.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 373.00/720.00 (51.81%)

Max Score: 660.00

Rank: 15

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 56.52

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C		L	0.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

Total Question: 180 **Attempted:** 127 (**Correct:** 100 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 373.00

Total Positive Marks: 400.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
85.00	0.00	288.00	373.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 366.00/720.00 (50.83%)

Max Score: 660.00

Rank: 16

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 55.45

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D		L	0.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C		L	0.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D		L	0.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B		L	0.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A		L	0.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D		L	0.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D		L	0.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 366.00/720.00 (50.83%)

Max Score: 660.00

Rank: 16

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 55.45

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 366.00/720.00 (50.83%)

Max Score: 660.00

Rank: 16

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 55.45

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B		L	0.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A		L	0.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

Total Question: 180 **Attempted:** 144 (**Correct:** 102 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 366.00

Total Positive Marks: 408.00 **Total Negative Marks:** 42.00

PHY	CHEM	BIO	Total
19.00	95.00	252.00	366.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 337.00/720.00 (46.81%)

Max Score: 660.00

Rank: 17

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 51.06

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D		L	0.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A		L	0.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	C	R	4.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	C	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A		L	0.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D		L	0.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C		L	0.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 337.00/720.00 (46.81%)

Max Score: 660.00

Rank: 17

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 51.06

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C		L	0.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 337.00/720.00 (46.81%)

Max Score: 660.00

Rank: 17

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 51.06

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B		L	0.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B		L	0.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A		L	0.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D		L	0.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D		L	0.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

Total Question: 180 **Attempted:** 133 (**Correct:** 94 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 337.00

Total Positive Marks: 376.00 **Total Negative Marks:** 39.00

PHY	CHEM	BIO	Total
51.00	40.00	246.00	337.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 330.00/720.00 (45.83%)

Max Score: 660.00

Rank: 18

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 50.00

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D		L	0.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A		L	0.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D		L	0.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D		L	0.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C		L	0.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 330.00/720.00 (45.83%)

Max Score: 660.00

Rank: 18

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 50.00

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D		L	0.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A		L	0.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 330.00/720.00 (45.83%)

Max Score: 660.00

Rank: 18

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 50.00

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B		L	0.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D		L	0.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C		L	0.00

Total Question: 180 **Attempted:** 145 (**Correct:** 95 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 330.00

Total Positive Marks: 380.00 **Total Negative Marks:** 50.00

PHY	CHEM	BIO	Total
35.00	75.00	220.00	330.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 323.00/720.00 (44.86%)

Max Score: 660.00

Rank: 19

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 48.94

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C		L	0.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D		L	0.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C		L	0.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	A	W	-1.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D		L	0.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B		L	0.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B		L	0.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A		L	0.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A		L	0.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D		L	0.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D		L	0.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 323.00/720.00 (44.86%)

Max Score: 660.00

Rank: 19

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 48.94

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D		L	0.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C		L	0.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C		L	0.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C		L	0.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 323.00/720.00 (44.86%)

Max Score: 660.00

Rank: 19

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 48.94

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B		L	0.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	B	W	-1.00

Total Question: 180 **Attempted:** 117 (**Correct:** 88 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 323.00

Total Positive Marks: 352.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
8.00	55.00	260.00	323.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 309.00/720.00 (42.92%)

Max Score: 660.00

Rank: 20

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 46.82

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D		L	0.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C		L	0.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D		L	0.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C		L	0.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A		L	0.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC		L	0.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D		L	0.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C		L	0.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC		L	0.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B		L	0.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B		L	0.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A		L	0.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A		L	0.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A		L	0.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D		L	0.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D		L	0.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 309.00/720.00 (42.92%)

Max Score: 660.00

Rank: 20

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 46.82

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 309.00/720.00 (42.92%)

Max Score: 660.00

Rank: 20

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 46.82

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A		L	0.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C		L	0.00

Total Question: 180 **Attempted:** 111 (**Correct:** 84 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 309.00

Total Positive Marks: 336.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
0.00	57.00	252.00	309.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 300.00/720.00 (41.67%)

Max Score: 660.00

Rank: 21

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 45.45

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C		L	0.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D		L	0.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C		L	0.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C		L	0.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC		L	0.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B		L	0.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A		L	0.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A		L	0.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A		L	0.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D		L	0.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D		L	0.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C		L	0.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 300.00/720.00 (41.67%)

Max Score: 660.00

Rank: 21

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 45.45

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A		L	0.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C		L	0.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 300.00/720.00 (41.67%)

Max Score: 660.00

Rank: 21

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 45.45

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B		L	0.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A		L	0.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B		L	0.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 110 (**Correct:** 82 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 300.00

Total Positive Marks: 328.00 **Total Negative Marks:** 28.00

PHY	CHEM	BIO	Total
20.00	24.00	256.00	300.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 299.00/720.00 (41.53%)

Max Score: 660.00

Rank: 22

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 45.30

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC		L	0.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D		L	0.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C		L	0.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B		L	0.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A		L	0.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A		L	0.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D		L	0.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D		L	0.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 299.00/720.00 (41.53%)

Max Score: 660.00

Rank: 22

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 45.30

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D		L	0.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A		L	0.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A		L	0.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 299.00/720.00 (41.53%)

Max Score: 660.00

Rank: 22

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 45.30

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B		L	0.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A		L	0.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C		L	0.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C		L	0.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

Total Question: 180 **Attempted:** 126 (**Correct:** 85 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 299.00

Total Positive Marks: 340.00 **Total Negative Marks:** 41.00

PHY	CHEM	BIO	Total
14.00	83.00	202.00	299.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 283.00/720.00 (39.31%)

Max Score: 660.00

Rank: 23

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 42.88

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D		L	0.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B		L	0.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A		L	0.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A		L	0.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 283.00/720.00 (39.31%)

Max Score: 660.00

Rank: 23

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 42.88

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C		L	0.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C		L	0.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 283.00/720.00 (39.31%)

Max Score: 660.00

Rank: 23

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 42.88

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C		L	0.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B		D	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C		L	0.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C		L	0.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C		L	0.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A		L	0.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C		L	0.00

Total Question: 180 **Attempted:** 142 (**Correct:** 85 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 283.00

Total Positive Marks: 340.00 **Total Negative Marks:** 57.00

PHY	CHEM	BIO	Total
50.00	59.00	174.00	283.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 273.00/720.00 (37.92%)

Max Score: 660.00

Rank: 24

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 41.36

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A		L	0.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D		L	0.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C		L	0.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B		L	0.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B		L	0.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A		L	0.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A		L	0.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 273.00/720.00 (37.92%)

Max Score: 660.00

Rank: 24

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 41.36

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C		L	0.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C		L	0.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A		L	0.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A		L	0.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C		L	0.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 273.00/720.00 (37.92%)

Max Score: 660.00

Rank: 24

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 41.36

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B		L	0.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A		L	0.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C		L	0.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C		L	0.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C		L	0.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B		L	0.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B		L	0.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C		L	0.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A		L	0.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C		L	0.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C		L	0.00

Total Question: 180 **Attempted:** 107 (**Correct:** 76 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 273.00

Total Positive Marks: 304.00 **Total Negative Marks:** 31.00

PHY	CHEM	BIO	Total
5.00	64.00	204.00	273.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 245.00/720.00 (34.03%)

Max Score: 660.00

Rank: 25

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 37.12

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC		L	0.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C		L	0.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B		L	0.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	AB	W	-1.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A		L	0.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D		L	0.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT%/ R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 245.00/720.00 (34.03%)

Max Score: 660.00

Rank: 25

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 37.12

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A		L	0.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A		L	0.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 245.00/720.00 (34.03%)

Max Score: 660.00

Rank: 25

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 37.12

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B		L	0.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C		L	0.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B		L	0.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C		L	0.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C		L	0.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

Total Question: 180 **Attempted:** 125 (**Correct:** 74 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 245.00

Total Positive Marks: 296.00 **Total Negative Marks:** 51.00

PHY	CHEM	BIO	Total
13.00	59.00	173.00	245.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 243.00/720.00 (33.75%)

Max Score: 660.00

Rank: 26

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 36.82

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C		L	0.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC		L	0.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C		L	0.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B		L	0.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A		L	0.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D		L	0.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT%/ R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 243.00/720.00 (33.75%)

Max Score: 660.00

Rank: 26

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 36.82

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	BD	W	-1.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 243.00/720.00 (33.75%)

Max Score: 660.00

Rank: 26

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 36.82

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C		L	0.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B		L	0.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B		L	0.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A		L	0.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C		L	0.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B		L	0.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C		L	0.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

Total Question: 180 **Attempted:** 132 (**Correct:** 75 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 243.00

Total Positive Marks: 300.00 **Total Negative Marks:** 57.00

PHY	CHEM	BIO	Total
3.00	96.00	144.00	243.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 96.00/720.00 (13.33%)

Max Score: 660.00

Rank: 27

Min Score: 74.00

TEST: LT-08 (NEET) (ID : 5 DT: 20-Dec-2023)

Percentile: 14.55

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	D	W	-1.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC	B	R	4.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 96.00/720.00 (13.33%)

Max Score: 660.00

Rank: 27

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 14.55

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C		L	0.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A		L	0.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B		L	0.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C		L	0.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D		L	0.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 96.00/720.00 (13.33%)

Max Score: 660.00

Rank: 27

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 14.55

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B		L	0.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B		L	0.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C		L	0.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B		L	0.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C		L	0.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B		L	0.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B		L	0.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A		L	0.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C		L	0.00

Total Question: 180 **Attempted:** 154 (**Correct:** 50 **Incorrect:** 104) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 96.00

Total Positive Marks: 200.00 **Total Negative Marks:** 104.00

PHY	CHEM	BIO	Total
0.00	30.00	66.00	96.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 74.00/720.00 (10.28%)

Max Score: 660.00

Rank: 28

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 11.21

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.31	34.48	44.83	PHY	NTA REG	4.00	1.00	D		L	0.00
2	75.86	58.62	17.24	PHY	NTA REG	4.00	1.00	C		L	0.00
3	75.86	44.83	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
4	68.97	31.03	37.93	PHY	NTA REG	4.00	1.00	D		L	0.00
5	72.41	31.03	41.38	PHY	NTA REG	4.00	1.00	C		L	0.00
6	82.76	34.48	48.28	PHY	NTA REG	4.00	1.00	A		L	0.00
7	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
8	51.72	31.03	20.69	PHY	NTA REG	4.00	1.00	D		L	0.00
9	41.38	10.34	31.03	PHY	NTA REG	4.00	1.00	B		L	0.00
10	58.62	48.28	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
11	55.17	48.28	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
12	79.31	58.62	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
13	65.52	44.83	20.69	PHY	NTA REG	4.00	1.00	C		L	0.00
14	75.86	37.93	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC		L	0.00
15	48.28	44.83	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
16	51.72	41.38	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
17	37.93	34.48	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
18	37.93	31.03	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
19	68.97	20.69	48.28	PHY	NTA REG	4.00	1.00	D		L	0.00
20	34.48	31.03	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
21	62.07	41.38	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.86	55.17	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
23	65.52	27.59	37.93	PHY	NTA REG	4.00	1.00	C		L	0.00
24	65.52	55.17	10.34	PHY	NTA REG	4.00	1.00	A		L	0.00
25	41.38	37.93	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
26	75.86	72.41	3.45	PHY	NTA REG	4.00	1.00	C		L	0.00
27	86.21	48.28	37.93	PHY	NTA MULTI ANS	4.00	1.00	BC		L	0.00
28	65.52	24.14	41.38	PHY	NTA REG	4.00	1.00	B		L	0.00
29	58.62	51.72	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
30	62.07	27.59	34.48	PHY	NTA REG	4.00	1.00	B		L	0.00
31	48.28	37.93	10.34	PHY	NTA REG	4.00	1.00	D		L	0.00
32	51.72	34.48	17.24	PHY	NTA REG	4.00	1.00	B		L	0.00
33	68.97	41.38	27.59	PHY	NTA REG	4.00	1.00	B		L	0.00
34	68.97	51.72	17.24	PHY	NTA REG	4.00	1.00	A		L	0.00
35	75.86	68.97	6.90	PHY	NTA REG	4.00	1.00	D		L	0.00
36	68.97	37.93	31.03	PHY	NTA REG	4.00	1.00	D		L	0.00
37	72.41	17.24	55.17	PHY	NTA REG	4.00	1.00	A		L	0.00
38	58.62	55.17	3.45	PHY	NTA REG	4.00	1.00	B		L	0.00
39	34.48	27.59	6.90	PHY	NTA REG	4.00	1.00	C		L	0.00
40	55.17	31.03	24.14	PHY	NTA REG	4.00	1.00	A		L	0.00
41	65.52	48.28	17.24	PHY	NTA REG	4.00	1.00	D		L	0.00
42	41.38	31.03	10.34	PHY	NTA REG	4.00	1.00	B		L	0.00
43	55.17	34.48	20.69	PHY	NTA REG	4.00	1.00	A		L	0.00
44	58.62	17.24	41.38	PHY	NTA REG	4.00	1.00	D		L	0.00
45	51.72	13.79	37.93	PHY	NTA REG	4.00	1.00	A		L	0.00
46	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	68.97	24.14	44.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	72.41	44.83	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	86.21	41.38	44.83	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	79.31	68.97	10.34	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	65.52	37.93	27.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	82.76	62.07	20.69	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
54	89.66	79.31	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
56	68.97	62.07	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	82.76	79.31	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	93.10	82.76	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	93.10	89.66	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	82.76	72.41	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	68.97	58.62	10.34	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 74.00/720.00 (10.28%)

Max Score: 660.00

Rank: 28

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 11.21

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	68.97	55.17	13.79	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	55.17	34.48	20.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	79.31	37.93	41.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	75.86	41.38	34.48	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	93.10	20.69	72.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	55.17	31.03	24.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	72.41	62.07	10.34	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	75.86	68.97	6.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	72.41	24.14	48.28	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	37.93	10.34	27.59	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	65.52	65.52	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	58.62	37.93	20.69	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
78	82.76	75.86	6.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	62.07	41.38	20.69	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
80	68.97	65.52	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	62.07	20.69	41.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	58.62	51.72	6.90	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
83	58.62	13.79	44.83	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	79.31	51.72	27.59	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	75.86	65.52	10.34	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	48.28	41.38	6.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.86	34.48	41.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	75.86	55.17	20.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	75.86	72.41	3.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
92	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	B		L	0.00
93	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	A		L	0.00
94	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	C		L	0.00
95	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	A		L	0.00
96	96.55	75.86	20.69	BIO	NTA REG	4.00	1.00	D		L	0.00
97	89.66	86.21	3.45	BIO	NTA REG	4.00	1.00	A		L	0.00
98	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
99	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
100	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C		L	0.00
101	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C		L	0.00
102	86.21	72.41	13.79	BIO	NTA REG	4.00	1.00	A		L	0.00
103	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A		L	0.00
104	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C		L	0.00
105	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B		L	0.00
106	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	D		L	0.00
107	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
108	82.76	68.97	13.79	BIO	NTA REG	4.00	1.00	A		L	0.00
109	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C		L	0.00
110	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	C		L	0.00
111	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	D		L	0.00
112	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	C		L	0.00
113	93.10	58.62	34.48	BIO	NTA REG	4.00	1.00	D		L	0.00
114	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B		L	0.00
115	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
116	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D		L	0.00
117	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	A		L	0.00
118	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
119	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
120	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	A		L	0.00
121	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	C		L	0.00
122	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	C		L	0.00
123	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A		L	0.00
124	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	D		L	0.00
125	82.76	58.62	24.14	BIO	NTA REG	4.00	1.00	C		L	0.00
126	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 74.00/720.00 (10.28%)

Max Score: 660.00

Rank: 28

Min Score: 74.00

TEST: LT-08 (NEET) (ID: 5 DT: 20-Dec-2023)

Percentile: 11.21

Avg Score: 399.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
128	93.10	93.10	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
129	93.10	68.97	24.14	BIO	NTA REG	4.00	1.00	C		L	0.00
130	89.66	58.62	31.03	BIO	NTA REG	4.00	1.00	A		L	0.00
131	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	A		L	0.00
132	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	B		L	0.00
133	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C		L	0.00
134	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	B		L	0.00
135	79.31	75.86	3.45	BIO	NTA REG	4.00	1.00	B		L	0.00
136	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	B		L	0.00
137	79.31	79.31	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
138	86.21	75.86	10.34	BIO	NTA REG	4.00	1.00	A		L	0.00
139	93.10	82.76	10.34	BIO	NTA REG	4.00	1.00	D		L	0.00
140	75.86	58.62	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
141	86.21	82.76	3.45	BIO	NTA REG	4.00	1.00	C		L	0.00
142	86.21	79.31	6.90	BIO	NTA REG	4.00	1.00	B		L	0.00
143	89.66	75.86	13.79	BIO	NTA REG	4.00	1.00	C		L	0.00
144	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	B		L	0.00
145	96.55	72.41	24.14	BIO	NTA REG	4.00	1.00	B		L	0.00
146	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	B		L	0.00
147	89.66	55.17	34.48	BIO	NTA REG	4.00	1.00	A		L	0.00
148	86.21	55.17	31.03	BIO	NTA REG	4.00	1.00	C		L	0.00
149	93.10	34.48	58.62	BIO	NTA REG	4.00	1.00	C		L	0.00
150	96.55	20.69	75.86	BIO	NTA REG	4.00	1.00	B		L	0.00
151	82.76	65.52	17.24	BIO	NTA REG	4.00	1.00	B		L	0.00
152	82.76	55.17	27.59	BIO	NTA REG	4.00	1.00	B		L	0.00
153	89.66	72.41	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
154	89.66	79.31	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
155	86.21	68.97	17.24	BIO	NTA REG	4.00	1.00	C		L	0.00
156	96.55	86.21	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
157	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	A		L	0.00
158	93.10	62.07	31.03	BIO	NTA REG	4.00	1.00	B		L	0.00
159	93.10	75.86	17.24	BIO	NTA REG	4.00	1.00	A		L	0.00
160	93.10	37.93	55.17	BIO	NTA REG	4.00	1.00	C		L	0.00
161	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	B		L	0.00
162	93.10	86.21	6.90	BIO	NTA REG	4.00	1.00	B		L	0.00
163	79.31	48.28	31.03	BIO	NTA REG	4.00	1.00	A		L	0.00
164	96.55	82.76	13.79	BIO	NTA REG	4.00	1.00	C		L	0.00
165	82.76	75.86	6.90	BIO	NTA REG	4.00	1.00	C		L	0.00
166	96.55	79.31	17.24	BIO	NTA REG	4.00	1.00	D		L	0.00
167	89.66	65.52	24.14	BIO	NTA REG	4.00	1.00	A		L	0.00
168	93.10	89.66	3.45	BIO	NTA REG	4.00	1.00	B		L	0.00
169	89.66	89.66	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
170	96.55	96.55	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
171	96.55	89.66	6.90	BIO	NTA REG	4.00	1.00	D		L	0.00
172	96.55	93.10	3.45	BIO	NTA REG	4.00	1.00	A		L	0.00
173	82.76	72.41	10.34	BIO	NTA REG	4.00	1.00	B		L	0.00
174	93.10	55.17	37.93	BIO	NTA REG	4.00	1.00	C		L	0.00
175	96.55	68.97	27.59	BIO	NTA REG	4.00	1.00	C		L	0.00
176	89.66	82.76	6.90	BIO	NTA REG	4.00	1.00	D		L	0.00
177	79.31	58.62	20.69	BIO	NTA REG	4.00	1.00	D		L	0.00
178	93.10	79.31	13.79	BIO	NTA REG	4.00	1.00	A		L	0.00
179	93.10	72.41	20.69	BIO	NTA REG	4.00	1.00	A		L	0.00
180	75.86	37.93	37.93	BIO	NTA REG	4.00	1.00	C		L	0.00

Total Question: 180 **Attempted:** 31 (**Correct:** 21 **Incorrect:** 10) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 74.00

Total Positive Marks: 84.00 **Total Negative Marks:** 10.00

PHY	CHEM	BIO	Total
0.00	74.00	0.00	74.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%