

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 665.00/720.00 (92.36%)

**Max Score:** 665.00

**Rank:** 1

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 100.00

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 665.00/720.00 (92.36%)

**Max Score:** 665.00

**Rank:** 1

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 100.00

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 665.00/720.00 (92.36%)

**Max Score:** 665.00

**Rank:** 1

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 100.00

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 180 (**Correct:** 169 **Incorrect:** 11) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 665.00

**Total Positive Marks:** 676.00 **Total Negative Marks:** 11.00

PHY	CHEM	BIO	Total
140.00	180.00	345.00	665.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 660.00/720.00 (91.67%)

**Max Score:** 665.00

**Rank:** 2

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 99.25

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 660.00/720.00 (91.67%)

**Max Score:** 665.00

**Rank:** 2

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 99.25

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 660.00/720.00 (91.67%)

**Max Score:** 665.00

**Rank:** 2

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 99.25

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	AC	W	-1.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 180 (**Correct:** 168 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 660.00

**Total Positive Marks:** 672.00 **Total Negative Marks:** 12.00

PHY	CHEM	BIO	Total
145.00	165.00	350.00	<b>660.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 656.00/720.00 (91.11%)

**Max Score:** 665.00

**Rank:** 3

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 98.65

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 656.00/720.00 (91.11%)

**Max Score:** 665.00

**Rank:** 3

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 98.65

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 656.00/720.00 (91.11%)

**Max Score:** 665.00

**Rank:** 3

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 98.65

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 179 (**Correct:** 167 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 656.00

**Total Positive Marks:** 668.00 **Total Negative Marks:** 12.00

PHY	CHEM	BIO	Total
131.00	175.00	350.00	656.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 602.00/720.00 (83.61%)

**Max Score:** 665.00

**Rank:** 4

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 90.53

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL ( ID No. 46084 )

Your Score: 602.00/720.00 (83.61%)

Max Score: 665.00

Rank: 4

Min Score: 18.00

TEST: LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

Percentile: 90.53

Avg Score: 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 602.00/720.00 (83.61%)

**Max Score:** 665.00

**Rank:** 4

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 90.53

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 178 (**Correct:** 156 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 602.00

**Total Positive Marks:** 624.00 **Total Negative Marks:** 22.00

PHY	CHEM	BIO	Total
122.00	160.00	320.00	<b>602.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 600.00/720.00 (83.33%)

**Max Score:** 665.00

**Rank:** 5

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 90.23

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B		L	0.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C		L	0.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 600.00/720.00 (83.33%)

**Max Score:** 665.00

**Rank:** 5

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 90.23

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 600.00/720.00 (83.33%)

**Max Score:** 665.00

**Rank:** 5

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 90.23

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 165 (**Correct:** 153 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 600.00

**Total Positive Marks:** 612.00 **Total Negative Marks:** 12.00

PHY	CHEM	BIO	Total
116.00	149.00	335.00	<b>600.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

## SAFE HANDS

### QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 589.00/720.00 (81.81%)

**Max Score:** 665.00

**Rank:** 6

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 88.57

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C		L	0.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT%/ R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100%    **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100%    **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 589.00/720.00 (81.81%)

**Max Score:** 665.00

**Rank:** 6

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 88.57

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	BC	W	-1.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 589.00/720.00 (81.81%)

**Max Score:** 665.00

**Rank:** 6

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 88.57

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 166 (**Correct:** 151 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 589.00

**Total Positive Marks:** 604.00 **Total Negative Marks:** 15.00

PHY	CHEM	BIO	Total
108.00	166.00	315.00	589.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 588.00/720.00 (81.67%)

**Max Score:** 665.00

**Rank:** 7

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 88.42

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 588.00/720.00 (81.67%)

**Max Score:** 665.00

**Rank:** 7

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 88.42

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 588.00/720.00 (81.67%)

**Max Score:** 665.00

**Rank:** 7

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 88.42

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	AC	W	-1.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 177 (**Correct:** 153 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 588.00

**Total Positive Marks:** 612.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
137.00	156.00	295.00	588.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 579.00/720.00 (80.42%)

**Max Score:** 665.00

**Rank:** 8

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 87.07

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 579.00/720.00 (80.42%)

**Max Score:** 665.00

**Rank:** 8

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 87.07

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 579.00/720.00 (80.42%)

**Max Score:** 665.00

**Rank:** 8

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 87.07

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 176 (**Correct:** 151 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 579.00

**Total Positive Marks:** 604.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
109.00	170.00	300.00	579.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 570.00/720.00 (79.17%)

**Max Score:** 665.00

**Rank:** 9

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 85.71

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B		L	0.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C		L	0.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C		L	0.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 570.00/720.00 (79.17%)

**Max Score:** 665.00

**Rank:** 9

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 85.71

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 570.00/720.00 (79.17%)

**Max Score:** 665.00

**Rank:** 9

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 85.71

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 170 (**Correct:** 148 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 570.00

**Total Positive Marks:** 592.00 **Total Negative Marks:** 22.00

PHY	CHEM	BIO	Total
103.00	166.00	301.00	570.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 548.00/720.00 (76.11%)

**Max Score:** 665.00

**Rank:** 10

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 82.41

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 548.00/720.00 (76.11%)

**Max Score:** 665.00

**Rank:** 10

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 82.41

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL ( ID No. 47481 )

Your Score: 548.00/720.00 (76.11%)

Max Score: 665.00

Rank: 10

Min Score: 18.00

TEST: LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

Percentile: 82.41

Avg Score: 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 Attempted: 177 (Correct: 145 Incorrect: 32) Score Rate: 0.00 Strike Rate: 0.00

Total: 548.00

Total Positive Marks: 580.00 Total Negative Marks: 32.00

PHY	CHEM	BIO	Total
113.00	130.00	305.00	548.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 547.00/720.00 (75.97%)

**Max Score:** 665.00

**Rank:** 11

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 82.26

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B		L	0.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 547.00/720.00 (75.97%)

**Max Score:** 665.00

**Rank:** 11

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 82.26

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A		L	0.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL ( ID No. 47435 )

Your Score: 547.00/720.00 (75.97%)

Max Score: 665.00

Rank: 11

Min Score: 18.00

TEST: LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

Percentile: 82.26

Avg Score: 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 168 (Correct: 143 Incorrect: 25) Score Rate: 0.00 Strike Rate: 0.00

Total: 547.00

Total Positive Marks: 572.00 Total Negative Marks: 25.00

PHY	CHEM	BIO	Total
101.00	154.00	292.00	547.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 534.00/720.00 (74.17%)

**Max Score:** 665.00

**Rank:** 12

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 80.30

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B		L	0.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B		L	0.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C		L	0.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C		L	0.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C		L	0.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B		L	0.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 534.00/720.00 (74.17%)

**Max Score:** 665.00

**Rank:** 12

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 80.30

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D		L	0.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 534.00/720.00 (74.17%)

**Max Score:** 665.00

**Rank:** 12

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 80.30

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C		L	0.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B		L	0.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 146 (**Correct:** 136 **Incorrect:** 10) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 534.00

**Total Positive Marks:** 544.00 **Total Negative Marks:** 10.00

PHY	CHEM	BIO	Total
81.00	140.00	313.00	534.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 503.00/720.00 (69.86%)

**Max Score:** 665.00

**Rank:** 13

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 75.64

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D		R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B		L	0.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B		L	0.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C		L	0.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 503.00/720.00 (69.86%)

**Max Score:** 665.00

**Rank:** 13

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 75.64

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA ( ID No. 47443 )

Your Score: 503.00/720.00 (69.86%)

Max Score: 665.00

Rank: 13

Min Score: 18.00

TEST: LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

Percentile: 75.64

Avg Score: 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C		L	0.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

Total Question: 180 Attempted: 157 (Correct: 132 Incorrect: 25) Score Rate: 0.00 Strike Rate: 0.00

Total: 503.00

Total Positive Marks: 528.00 Total Negative Marks: 25.00

PHY	CHEM	BIO	Total
64.00	175.00	264.00	503.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 495.00/720.00 (68.75%)

**Max Score:** 665.00

**Rank:** 14

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 74.44

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B		L	0.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D		L	0.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C		L	0.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A		L	0.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B		L	0.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C		L	0.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C		L	0.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B		L	0.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 495.00/720.00 (68.75%)

**Max Score:** 665.00

**Rank:** 14

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 74.44

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A		L	0.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 495.00/720.00 (68.75%)

**Max Score:** 665.00

**Rank:** 14

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 74.44

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C		L	0.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 140 (**Correct:** 127 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 495.00

**Total Positive Marks:** 508.00 **Total Negative Marks:** 13.00

PHY	CHEM	BIO	Total
67.00	105.00	323.00	495.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 494.00/720.00 (68.61%)

**Max Score:** 665.00

**Rank:** 15

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 74.29

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	BD	W	-1.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 494.00/720.00 (68.61%)

**Max Score:** 665.00

**Rank:** 15

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 74.29

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 494.00/720.00 (68.61%)

**Max Score:** 665.00

**Rank:** 15

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 74.29

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

**Total Question:** 180 **Attempted:** 171 (**Correct:** 133 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 494.00

**Total Positive Marks:** 532.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
108.00	144.00	242.00	494.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 491.00/720.00 (68.19%)

**Max Score:** 665.00

**Rank:** 16

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 73.83

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D		R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C		L	0.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B		L	0.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 491.00/720.00 (68.19%)

**Max Score:** 665.00

**Rank:** 16

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 73.83

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 491.00/720.00 (68.19%)

**Max Score:** 665.00

**Rank:** 16

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 73.83

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 164 (**Correct:** 131 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 491.00

**Total Positive Marks:** 524.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
58.00	137.00	296.00	491.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 485.00/720.00 (67.36%)

**Max Score:** 665.00

**Rank:** 17

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 72.93

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D		R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C		L	0.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B		L	0.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C		L	0.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D		R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

Your Score: 485.00/720.00 (67.36%)

Max Score: 665.00

Rank: 17

Min Score: 18.00

TEST: LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

Percentile: 72.93

Avg Score: 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 485.00/720.00 (67.36%)

**Max Score:** 665.00

**Rank:** 17

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 72.93

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 155 (**Correct:** 128 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 485.00

**Total Positive Marks:** 512.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
92.00	96.00	297.00	485.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 441.00/720.00 (61.25%)

**Max Score:** 665.00

**Rank:** 18

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 66.32

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D		R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A		L	0.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C		L	0.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B		L	0.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C		L	0.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C		L	0.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B		L	0.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN ( ID No. 47496 )

Your Score: 441.00/720.00 (61.25%)

Max Score: 665.00

Rank: 18

Min Score: 18.00

TEST: LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

Percentile: 66.32

Avg Score: 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A		L	0.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 441.00/720.00 (61.25%)

**Max Score:** 665.00

**Rank:** 18

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 66.32

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A		L	0.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 139 (**Correct:** 116 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 441.00

**Total Positive Marks:** 464.00 **Total Negative Marks:** 23.00

PHY	CHEM	BIO	Total
69.00	71.00	301.00	441.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 426.00/720.00 (59.17%)

**Max Score:** 665.00

**Rank:** 19

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 64.06

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B		L	0.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B		L	0.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

Your Score: 426.00/720.00 (59.17%)

Max Score: 665.00

Rank: 19

Min Score: 18.00

TEST: LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

Percentile: 64.06

Avg Score: 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 426.00/720.00 (59.17%)

**Max Score:** 665.00

**Rank:** 19

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 64.06

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C		L	0.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00

**Total Question:** 180 **Attempted:** 159 (**Correct:** 117 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 426.00

**Total Positive Marks:** 468.00 **Total Negative Marks:** 42.00

PHY	CHEM	BIO	Total
75.00	122.00	229.00	426.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 409.00/720.00 (56.81%)

**Max Score:** 665.00

**Rank:** 20

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 61.50

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B		L	0.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 409.00/720.00 (56.81%)

**Max Score:** 665.00

**Rank:** 20

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 61.50

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 409.00/720.00 (56.81%)

**Max Score:** 665.00

**Rank:** 20

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 61.50

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D		L	0.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 161 (**Correct:** 114 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 409.00

**Total Positive Marks:** 456.00 **Total Negative Marks:** 47.00

PHY	CHEM	BIO	Total
64.00	88.00	257.00	409.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 398.00/720.00 (55.28%)

**Max Score:** 665.00

**Rank:** 21

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 59.85

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B		L	0.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B		L	0.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B		L	0.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B		L	0.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A		L	0.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D		L	0.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C		L	0.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A		L	0.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B		L	0.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B		L	0.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C		L	0.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C		L	0.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C		L	0.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B		L	0.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 398.00/720.00 (55.28%)

**Max Score:** 665.00

**Rank:** 21

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 59.85

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D		L	0.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 398.00/720.00 (55.28%)

**Max Score:** 665.00

**Rank:** 21

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 59.85

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C		L	0.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A		L	0.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

**Total Question:** 180 **Attempted:** 122 (**Correct:** 104 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 398.00

**Total Positive Marks:** 416.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
0.00	104.00	294.00	<b>398.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 374.00/720.00 (51.94%)

**Max Score:** 665.00

**Rank:** 22

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 56.24

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D		R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 374.00/720.00 (51.94%)

**Max Score:** 665.00

**Rank:** 22

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 56.24

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D		L	0.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A		L	0.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 374.00/720.00 (51.94%)

**Max Score:** 665.00

**Rank:** 22

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 56.24

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C		L	0.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D		L	0.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C		L	0.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C		L	0.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B		L	0.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A		L	0.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C		L	0.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D		L	0.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	AD	W	-1.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00

**Total Question:** 180 **Attempted:** 131 (**Correct:** 101 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 374.00

**Total Positive Marks:** 404.00 **Total Negative Marks:** 30.00

PHY	CHEM	BIO	Total
104.00	137.00	133.00	<b>374.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 362.00/720.00 (50.28%)

**Max Score:** 665.00

**Rank:** 23

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 54.44

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 362.00/720.00 (50.28%)

**Max Score:** 665.00

**Rank:** 23

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 54.44

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A		L	0.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI ( ID No. 47433 )

Your Score: 362.00/720.00 (50.28%)

Max Score: 665.00

Rank: 23

Min Score: 18.00

TEST: LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

Percentile: 54.44

Avg Score: 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C		L	0.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B		L	0.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A		L	0.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 Attempted: 163 (Correct: 105 Incorrect: 58) Score Rate: 0.00 Strike Rate: 0.00

Total: 362.00

Total Positive Marks: 420.00 Total Negative Marks: 58.00

PHY	CHEM	BIO	Total
100.00	108.00	154.00	362.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 345.00/720.00 (47.92%)

**Max Score:** 665.00

**Rank:** 24

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 51.88

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D		R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B		L	0.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B		L	0.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 345.00/720.00 (47.92%)

**Max Score:** 665.00

**Rank:** 24

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 51.88

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	BC	W	-1.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 345.00/720.00 (47.92%)

**Max Score:** 665.00

**Rank:** 24

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 51.88

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C		L	0.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 140 (**Correct:** 97 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 345.00

**Total Positive Marks:** 388.00 **Total Negative Marks:** 43.00

PHY	CHEM	BIO	Total
67.00	52.00	226.00	345.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 342.00/720.00 (47.50%)

**Max Score:** 665.00

**Rank:** 25

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 51.43

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B		L	0.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL ( ID No. 47447 )

Your Score: 342.00/720.00 (47.50%)

Max Score: 665.00

Rank: 25

Min Score: 18.00

TEST: LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

Percentile: 51.43

Avg Score: 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B		L	0.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A		L	0.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 342.00/720.00 (47.50%)

**Max Score:** 665.00

**Rank:** 25

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 51.43

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A		L	0.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C		L	0.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B		L	0.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C		L	0.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C		L	0.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B		L	0.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D		L	0.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A		L	0.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00

**Total Question:** 180 **Attempted:** 133 (**Correct:** 95 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 342.00

**Total Positive Marks:** 380.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
69.00	116.00	157.00	342.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 322.00/720.00 (44.72%)

**Max Score:** 665.00

**Rank:** 26

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 48.42

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B		L	0.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B		L	0.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B		L	0.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A		L	0.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C		L	0.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B		L	0.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B		L	0.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C		L	0.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C		L	0.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C		L	0.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B		L	0.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 322.00/720.00 (44.72%)

**Max Score:** 665.00

**Rank:** 26

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 48.42

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A		L	0.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A		L	0.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 322.00/720.00 (44.72%)

**Max Score:** 665.00

**Rank:** 26

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 48.42

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C		L	0.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C		L	0.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00

**Total Question:** 180 **Attempted:** 128 (**Correct:** 90 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 322.00

**Total Positive Marks:** 360.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
27.00	73.00	222.00	322.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 263.00/720.00 (36.53%)

**Max Score:** 665.00

**Rank:** 27

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 39.55

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B		L	0.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D		L	0.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A		L	0.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B		L	0.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C		L	0.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C		L	0.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B		L	0.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 263.00/720.00 (36.53%)

**Max Score:** 665.00

**Rank:** 27

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 39.55

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D		L	0.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 263.00/720.00 (36.53%)

**Max Score:** 665.00

**Rank:** 27

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 39.55

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C		L	0.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C		L	0.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D		L	0.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C		L	0.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C		L	0.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A		L	0.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00

**Total Question:** 180 **Attempted:** 97 (**Correct:** 72 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 263.00

**Total Positive Marks:** 288.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
49.00	71.00	143.00	263.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 257.00/720.00 (35.69%)

**Max Score:** 665.00

**Rank:** 28

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 38.65

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B		L	0.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C		L	0.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 257.00/720.00 (35.69%)

**Max Score:** 665.00

**Rank:** 28

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 38.65

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A		L	0.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 257.00/720.00 (35.69%)

**Max Score:** 665.00

**Rank:** 28

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 38.65

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

**Total Question:** 180 **Attempted:** 148 (**Correct:** 81 **Incorrect:** 67) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 257.00

**Total Positive Marks:** 324.00 **Total Negative Marks:** 67.00

PHY	CHEM	BIO	Total
70.00	104.00	83.00	257.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 255.00/720.00 (35.42%)

**Max Score:** 665.00

**Rank:** 29

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 38.35

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B		L	0.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B		L	0.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B		L	0.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A		L	0.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D		L	0.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C		L	0.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	BD	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A		L	0.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B		L	0.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B		L	0.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C		L	0.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C		L	0.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C		L	0.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B		L	0.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 255.00/720.00 (35.42%)

**Max Score:** 665.00

**Rank:** 29

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 38.35

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B		L	0.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D		L	0.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 255.00/720.00 (35.42%)

**Max Score:** 665.00

**Rank:** 29

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 38.35

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C		L	0.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C		L	0.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C		L	0.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C		L	0.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 115 (**Correct:** 74 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 255.00

**Total Positive Marks:** 296.00 **Total Negative Marks:** 41.00

PHY	CHEM	BIO	Total
15.00	108.00	132.00	255.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 254.00/720.00 (35.28%)

**Max Score:** 665.00

**Rank:** 30

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 38.20

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B		L	0.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B		L	0.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B		L	0.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A		L	0.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C		L	0.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C		L	0.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 254.00/720.00 (35.28%)

**Max Score:** 665.00

**Rank:** 30

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 38.20

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 254.00/720.00 (35.28%)

**Max Score:** 665.00

**Rank:** 30

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 38.20

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C		L	0.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C		L	0.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 116 (**Correct:** 74 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 254.00

**Total Positive Marks:** 296.00 **Total Negative Marks:** 42.00

PHY	CHEM	BIO	Total
19.00	34.00	201.00	254.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 241.00/720.00 (33.47%)

**Max Score:** 665.00

**Rank:** 31

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 36.24

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A		L	0.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 241.00/720.00 (33.47%)

**Max Score:** 665.00

**Rank:** 31

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 36.24

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		W	-1.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A		L	0.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D		R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D		L	0.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 241.00/720.00 (33.47%)

**Max Score:** 665.00

**Rank:** 31

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 36.24

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D		L	0.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D		L	0.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A		L	0.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 139 (**Correct:** 76 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 241.00

**Total Positive Marks:** 304.00 **Total Negative Marks:** 63.00

PHY	CHEM	BIO	Total
40.00	28.00	173.00	241.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 232.00/720.00 (32.22%)

**Max Score:** 665.00

**Rank:** 32

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 34.89

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B		L	0.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B		L	0.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A		L	0.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D		L	0.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C		L	0.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A		L	0.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B		L	0.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B		L	0.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C		L	0.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B		L	0.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D		L	0.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 232.00/720.00 (32.22%)

**Max Score:** 665.00

**Rank:** 32

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 34.89

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A		L	0.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B		L	0.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D		L	0.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C		L	0.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A		L	0.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 232.00/720.00 (32.22%)

**Max Score:** 665.00

**Rank:** 32

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 34.89

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C		L	0.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D		L	0.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A		L	0.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C		L	0.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B		L	0.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A		L	0.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00

**Total Question:** 180 **Attempted:** 73 (**Correct:** 61 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 232.00

**Total Positive Marks:** 244.00 **Total Negative Marks:** 12.00

PHY	CHEM	BIO	Total
52.00	22.00	158.00	232.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 183.00/720.00 (25.42%)

**Max Score:** 665.00

**Rank:** 33

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 27.52

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C		L	0.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A		L	0.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B		L	0.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A		L	0.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A		L	0.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D		L	0.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C		L	0.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C		L	0.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C		L	0.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B		L	0.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 183.00/720.00 (25.42%)

**Max Score:** 665.00

**Rank:** 33

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 27.52

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A		L	0.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A		L	0.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A		L	0.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C		L	0.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C		L	0.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D		L	0.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B		L	0.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 183.00/720.00 (25.42%)

**Max Score:** 665.00

**Rank:** 33

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID: 7 DT: 23-Dec-2023 )

**Percentile:** 27.52

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C		L	0.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D		L	0.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C		L	0.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C		L	0.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B		L	0.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A		L	0.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 82 (**Correct:** 53 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 183.00

**Total Positive Marks:** 212.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
21.00	27.00	135.00	183.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITRALI VILAS GAWAI ( ID No. 47642 )

**Your Score:** 18.00/720.00 (2.50%)

**Max Score:** 665.00

**Rank:** 34

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 2.71

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	58.82	38.24	20.59	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	94.12	91.18	2.94	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
4	47.06	26.47	20.59	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	97.06	88.24	8.82	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	79.41	76.47	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	26.47	2.94	23.53	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
8	91.18	76.47	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	82.35	52.94	29.41	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
10	79.41	67.65	11.76	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
11	32.35	20.59	11.76	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
12	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	61.76	41.18	20.59	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
15	76.47	50.00	26.47	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
16	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	B		L	0.00
17	76.47	41.18	35.29	PHY	NTA REG	4.00	1.00	A		L	0.00
18	67.65	64.71	2.94	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
19	85.29	47.06	38.24	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
20	79.41	26.47	52.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	88.24	82.35	5.88	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
22	85.29	41.18	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	55.88	44.12	11.76	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
24	79.41	61.76	17.65	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
25	73.53	58.82	14.71	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	52.94	50.00	2.94	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
27	79.41	58.82	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	76.47	67.65	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	61.76	50.00	11.76	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
31	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
32	41.18	32.35	8.82	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
33	64.71	61.76	2.94	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
34	50.00	47.06	2.94	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
35	44.12	14.71	29.41	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
36	29.41	17.65	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	44.12	29.41	14.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
38	79.41	73.53	5.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	88.24	67.65	20.59	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
40	67.65	50.00	17.65	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	55.88	5.88	50.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	61.76	35.29	26.47	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
43	50.00	35.29	14.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
44	50.00	11.76	38.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
45	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
46	88.24	82.35	5.88	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
47	67.65	58.82	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	85.29	64.71	20.59	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
50	97.06	73.53	23.53	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
51	100.00	94.12	5.88	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	91.18	79.41	11.76	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
53	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
55	79.41	47.06	32.35	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
56	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	64.71	41.18	23.53	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
58	94.12	58.82	35.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	91.18	85.29	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	97.06	79.41	17.65	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
61	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	88.24	76.47	11.76	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
63	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITRALI VILAS GAWAI ( ID No. 47642 )

**Your Score:** 18.00/720.00 (2.50%)

**Max Score:** 665.00

**Rank:** 34

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 2.71

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.24	79.41	8.82	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
65	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
66	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
67	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
68	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
69	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
70	82.35	52.94	29.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
71	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
72	91.18	73.53	17.65	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
73	91.18	76.47	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	47.06	29.41	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
76	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
77	79.41	58.82	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	58.82	29.41	29.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
80	82.35	70.59	11.76	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
81	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	76.47	64.71	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	73.53	73.53	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	94.12	79.41	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	88.24	55.88	32.35	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	82.35	50.00	32.35	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	82.35	79.41	2.94	CHEM	NTA REG	4.00	1.00	A		L	0.00
88	82.35	76.47	5.88	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	94.12	70.59	23.53	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	88.24	67.65	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
91	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
92	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
94	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
95	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
96	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
97	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	88.24	85.29	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
100	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
101	70.59	55.88	14.71	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
102	100.00	76.47	23.53	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
103	97.06	67.65	29.41	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
104	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
106	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
107	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
108	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
110	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
111	94.12	58.82	35.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
112	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
113	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
115	97.06	70.59	26.47	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
116	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
117	94.12	64.71	29.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
119	100.00	97.06	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	88.24	52.94	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
121	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
122	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
123	73.53	44.12	29.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	100.00	88.24	11.76	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITRALI VILAS GAWAI ( ID No. 47642 )

**Your Score:** 18.00/720.00 (2.50%)

**Max Score:** 665.00

**Rank:** 34

**Min Score:** 18.00

**TEST:** LT-09 (NEET) ( ID : 7 DT: 23-Dec-2023 )

**Percentile:** 2.71

**Avg Score:** 433.18

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	79.41	20.59	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
128	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
129	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
130	94.12	70.59	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
131	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
132	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
133	91.18	67.65	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
134	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	C		L	0.00
135	73.53	55.88	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
136	100.00	82.35	17.65	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
137	94.12	85.29	8.82	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
138	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
139	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	82.35	70.59	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
141	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	76.47	44.12	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
143	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
144	88.24	76.47	11.76	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
145	85.29	55.88	29.41	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
146	94.12	79.41	14.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
147	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
148	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
149	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
150	64.71	23.53	41.18	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
152	88.24	88.24	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
153	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
154	94.12	52.94	41.18	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
156	94.12	41.18	52.94	BIO	NTA REG	4.00	1.00	A		L	0.00
157	100.00	85.29	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
158	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
159	91.18	76.47	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	79.41	52.94	26.47	BIO	NTA REG	4.00	1.00	C		L	0.00
161	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	C		L	0.00
162	79.41	67.65	11.76	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
163	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
164	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
165	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
166	91.18	64.71	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	91.18	61.76	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
168	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
170	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
171	73.53	61.76	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
172	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
173	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
174	76.47	67.65	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
175	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
176	97.06	85.29	11.76	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	73.53	47.06	26.47	BIO	NTA REG	4.00	1.00	A		L	0.00
179	76.47	73.53	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
180	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

**Total Question:** 180 **Attempted:** 147 (**Correct:** 33 **Incorrect:** 114) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 18.00

**Total Positive Marks:** 132.00 **Total Negative Marks:** 114.00

PHY	CHEM	BIO	Total
12.00	1.00	5.00	18.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%